

		MATERIAL SAFE	ETY DATA SH	HEET
<b>REVISION DATE:</b>		10/28/2008	<b>REVISION NUMBER:</b>	1
DATE PRINTED:		11/11/2008	PREPARED BY:	Walter Friedlander
1. CHEMICAL F	PRODUC	т		
PRODUCT NAME:		INTEC MEGA D	RAW #4000	
PRODUCT CODE:		118235		
NFPA/HMIS HAZARD CO	DDES(minir	nal=0; slight=1; moderate=2; serious=3	; severe=4)	
Health:	1/1	Fire:		1/1
Reactivity:	0/0	Special/Prot	ective Equipment:	None/B
NAME OF THE MANUFACTURER:		Rochester Midland Corporation 333 Hollenbeck Street Rochester, New York 14621	Information: 585-3 Emergency Phone: INFOTRAC: 1-8 OUTSIDE US: 1	00-535-5053

# 2. HAZARDS IDENTIFICATION

### EFFECTS FROM ACUTE EXPOSURE:

INGESTION:	May be harmful if swallowed. Causes irritation of the stomach and intestines, resulting in nausea and/or vomiting. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.
SKIN CONTACT: INHALATION:	Prolonged contact may lead to irritation and dermatitis. Inhalation of vapors or mists may cause nose and respiratory irritation, sore throat, and coughing.
EYE CONTACT: CHRONIC EFFECTS: EFFECTS/CARCINOGENICITY: ROUTES OF ENTRY:	Causes moderate eye irritation. Dermatitis. Unknown. Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Naphthenic oil 64742-53-6	10 - 20	NA	NA

## 4. FIRST AID MEASURES

INGESTION:	Get immediate medical attention. May cause aspiration pneumonia.
SKIN:	Wash with soap and water. Remove contaminated clothing and launder before reuse.
INHALATION:	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to- mouth. If breathing is difficult give oxygen. Get medical attention.
EYES:	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN:	None.

# 5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F):	
METHOD:	

310 F min. **(C):** NA ASTM D-56

#### FLAMMABLE LIMITS IN AIR

- LOWER (%):	NE
- UPPER (%):	NE

SENSITIVITY TO MECHANICAL IMPACT(Y/N): SENSITIVITY TO STATIC DISCHARGE: SUITABLE EXTINGUISHING MEDIA: FIRE FIGHTING PROCEDURES: NO

Sensitivity to static discharge is not expected. Carbon Dioxide, Dry Chemicals, Foam. Sand. Treat as an oil fire. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Use standard firefighting techniques: Water spray, dry chemicals, or foam. Use water spray to cool nearby containers and structures exposed to fire.

### 6. ACCIDENTAL RELEASE MEASURES

#### SPILL PROCEDURES:

SMALL SPILLS: LARGE SPILLS:	Pick up with absorbant material. Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep out of drains, sewers, streams, or other bodies of water.
PERSONAL PRECAUTIONS:	NA

PERSONAL PRECAUTIONS: NA ENVIRONMENTAL PRECAUTIONS: NA METHODS FOR CLEANING UP: NA

## 7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN	Do not expose to extreme temperatures. Store in a well ventilated area. Store in a cool, dry
IN HANDLING AND STORAGE:	area. Do not store near oxidizing agents. Do not breathe mist or vapors.
OTHER PRECAUTIONS:	Read and follow label instructions. Keep out of reach of children.
SPECIFIC USE(S):	NA

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**PROTECTIVE EQUIPMENT:** 

EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	Use NIOSH approved respirator with dust/mist filter as needed to meet exposure limits of mist
	in air.
PROTECTIVE GLOVES:	Chemical resistant gloves.
EYE PROTECTION:	Goggles.
OTHER PERSONAL PROTECTION	Rubber apron. Appropriate protective clothing as needed to prevent skin contact. Eyewash
EQUIPMENT:	fountains and safety showers must be easily accessible.
VENTILATION:	General mechanical or local exhaust as needed to maintain exposure below TLV or PEL. Use
	non-sparking equipment. No smoking or open lights.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: BOILING POINT (F):	Clear amber liquid. Characteristic odor. > 500 F	<b>(C)</b> NA
VAPOR PRESSURE:	NA	
VAPOR DENSITY (AIR=1):	NE	
SOLUBILITY IN WATER:	NA	
SPECIFIC GRAVITY:	1.14	
VOC Content (%):	NE	
VOV Content (%):	NE	
EVAPORATION RATE:	> 1	
PH:	NA	

## 10. STABILITY AND REACTIVITY

STABILITY DATA:STABLEPOLYMERIZATION:Will Not Occur.HAZARDOUS DECOMPOSITION:Oxides of Carbon. Hydrogen chloride gas.INCOMPATIBILITY (MATERIALS TO<br/>AVOID):Avoid contact with: Strong oxidents, such as nitric acid, or hypochlorites.CONDITIONS/HAZARDS TO AVOID:Extreme heat, direct sunlight. Avoid any source of ignition.

#### 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NE EFFECTS OF CHRONIC EXPOSURE: NE OTHER TOXIC EFFECTS: NE

#### 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL	No data at this time
INFORMATION:	
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	NA
PERSISTENCE/DEGRADABILITY:	NA
BIOACCUMULATIVE POTENTIAL:	NA
OTHER ADVERSE EFFECTS:	NA

#### 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

### 15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Naphthenic oil 64742-53-6	10 - 20	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Naphthenic oil 64742-53-6	10 - 20	Not Listed	Not Listed	Not Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Naphthenic oil 64742-53-6	10 - 20	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels. The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

16.	OTHER INFORMATION	

# **16. OTHER INFORMATION**

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

\*\*\* END OF MSDS \*\*\*