

Material Safety Data Sheet

Flexo Products Limited 4777 Kent Avenue, Niagara Falls, ON L2H 1J5 Phone: (905) 354-2723 Fax: (905) 354-1301 Web Site: www.flexoproducts.com

#1 Spray & Wipe RTU

Use: Spray & Wipe Cleaner RTU

Code: FHIP01DJ, K

Date of MSDS: December 1, 2014

WHMIS: D2B TDG: Not Regulated

HMIS: Health - 2 Flammability - 0

Reactivity - 0 PPE - B

Emergency Telephone # CANUTEC 613-996-6666

I - HAZARDOUS INGREDIENTS				
Chemical Name	Wt/Wt %	CAS#	LD50 (mg/kg)	LC50
Alcohol Ethoxylate Blend	1-5	68131-39-5	1800 oral rat	not available
2- Aminoethanol	1-3	141-43-5	1000 oral rat	Not available
II - PHYSICAL DATA				

Physical State: liquid Viscosity: not available Appearance: clear mauve pH: 11.5 maximum

Specific Gravity: 1.00

Vapour Pressure: not available Vapour Density: similar Boiling Point (°C): 100 Oil/Water Factor: not available Evaporation Rate: similar Odour Threshold: not available

Freezing Point (°C): not available

III - FIRE AND EXPLOSION DATA

Conditions of Flammability: not applicable **Flash Point and Test Method**: 42.5 **UFL:** not applicable **LFL:** not applicable

Hazardous Combustion Products: normal products of combustion
Sensitivity to Static Discharge or Mechanical Impact: not available

Means of Extinction: not available

IV - REACTIVITY DATA

Conditions of Chemical Instability: stable

Conditions of Reactivity: not applicable

Incompatible Substances: strong oxidizing agents Hazardous Decomposition Products: oxides of carbon & nitrogen

Storage Requirements: Store in closed containers away from extreme heat or cold.

V - TOXICOLOGICAL PROPERTIES

Synergistic Materials: none known Route(s) of Entry: skin, eyes, ingestion, inhalation

Irritancy of Product: moderate eye irritant Sensitization: none known

Acute Effects

Odour: mint

Eye: direct contact may cause irritation.

Skin:

Carcinogen: none known
Teratogen: none known
Mutagen: none known

Ingestion: can cause medical problems Reproductive Toxin: none known

Prolonged or Repeated Exposure: Skin - May cause irritation. Repeated overexposure to ethylene glycol monobutyl ether

and monoethanolamine may cause red blood cell, liver and kidney effects.

Chronic Effects

VI - FIRST AID MEASURES

Eye Contact: Immediately flush with water for 15 minutes. If irritation persists, contact a physician. **Skin Contact:** Immediately flush with water for 15 minutes. Contact a physician if irritation develops.

Completely decontaminate clothing, shoes and leather or discard.

Inhalation: Remove to fresh air. If symptoms persist, contact a physician.

Ingestion: Do not induce vomiting. Rinse mouth with water, then drink one glass of water. Contact a physician

immediately. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness

or is convulsing.

VII - PROTECTIVE EQUIPMENT

Personal Protective Equipment:

Eyes: safety glasses Skin: impermeable gloves

Respiratory: not normally required if good ventilation is maintained

Ventilation: general ventilation normally adequate

VIII - SPECIAL MEASURES

For Leaks or Spills: Before attempting clean-up, refer to hazard data. Use a mop or wet vacuum to collect material for

proper disposal. Rinse area with water.

Waste Disposal: Review all Federal, Provincial and local regulations prior to disposal.

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.