

INLAND TECHNOLOGY -- FS000 SKYSOL - CLEANING COMPOUND, SOLVENT  
MATERIAL SAFETY DATA SHEET  
NSN: 6850013814420  
Manufacturer's CAGE: 0K209  
Part No. Indicator: A  
Part Number/Trade Name: FS000 SKYSOL

## =====

## General Information

=====

Item Name: CLEANING COMPOUND, SOLVENT  
Company's Name: INLAND TECHNOLOGY INC  
Company's Street: 2612 PACIFIC HWY NO C  
Company's City: TACOMA  
Company's State: WA  
Company's Country: US  
Company's Zip Code: 98424  
Company's Emerg Ph #: 800-255-3924  
Company's Info Ph #: 800-552-3100  
Record No. For Safety Entry: 001  
Tot Safety Entries This Stk#: 001  
Status: SE  
Date MSDS Prepared: 13OCT94  
Safety Data Review Date: 01JUL96  
Supply Item Manager: CX  
MSDS Preparer's Name: UNKNOWN  
MSDS Serial Number: BSGMR  
Specification Number: UNKNOWN  
Spec Type, Grade, Class: UNKNOWN  
Hazard Characteristic Code: F8  
Unit Of Issue: CN  
Unit Of Issue Container Qty: 5 GALLONS  
Type Of Container: 1A1 METAL  
Net Unit Weight: 32.1 LBS

## =====

## Ingredients/Identity Information

=====

Proprietary: NO  
Ingredient: C12-C13 PARAFFINIC HYDROCARBONS OR MINERAL SPIRITS  
Ingredient Sequence Number: 01  
Percent: UNKNOWN  
NIOSH (RTECS) Number: PY8240000  
CAS Number: 64475-85-0  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED  
Other Recommended Limit: NONE RECOMMENDED

-----

Proprietary: NO  
Ingredient: D-LIMONENE  
Ingredient Sequence Number: 02  
Percent: UNKNOWN  
NIOSH (RTECS) Number: GW6360000  
CAS Number: 5989-27-5  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED  
Other Recommended Limit: NONE RECOMMENDED

## =====

## Physical/Chemical Characteristics

=====

Appearance And Odor: CLEAR LIQUID WITH MILD CITRUS ODOR  
Boiling Point: 340F,171C  
Melting Point: UNKNOWN  
Vapor Pressure (MM Hg/70 F): <2  
Vapor Density (Air=1): >5

Specific Gravity: 0.77  
Decomposition Temperature: UNKNOWN  
Evaporation Rate And Ref: <0.1 (N-BUTYL ACETATE=1)  
Solubility In Water: NEGLIGIBLE  
Percent Volatiles By Volume: 100  
Corrosion Rate (IPY): UNKNOWN

=====  
Fire and Explosion Hazard Data  
=====

Flash Point: 152F,67C  
Flash Point Method: PMCC  
Lower Explosive Limit: 0.6%  
Upper Explosive Limit: 7%  
Extinguishing Media: FOAM, DRY CHEMICAL, WATER SPRAY OR CARBON DIOXIDE.  
Special Fire Fighting Proc: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR FOR ENCLOSED OR CONFINED SPACES OR AS OTHERWISE NEEDED.  
Unusual Fire And Expl Hazrds: NONE KNOWN.

=====  
Reactivity Data  
=====

Stability: YES  
Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS.  
Hazardous Decomp Products: CARBON MONOXIDE AND CARBON DIOXIDE, HYDROCARBONS.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NONE

=====  
Health Hazard Data  
=====

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.  
Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: ACUTE: NO HEALTH EFFECTS NOTED FOR INHALATION. CONTACT MAY CAUSE EYE IRRITATION. LOW ORDER ORAL AND DERMAL TOXICITY. CHRONIC: PROLONGED OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NO INGREDIENTS OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
REDNESS, ITCHING, DISCOMFORT.  
Med Cond Aggravated By Exp: SKIN CONTACT MAY AGGAVATE EXISTING DERMATITIS.  
Emergency/First Aid Proc: EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN- REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL ATTENTION. INHALED-REMOVE FROM EXPOSED AREA. GET MEDICAL ATTENTION.

=====  
Precautions for Safe Handling and Use  
=====

Steps If Matl Released/Spill: SHUT OFF AND ELIMINATE ALL SOURCES OF IGNITION. CONTAIN AND COLLECT SPILLED MATERIAL. ABSORB RESIDUE.  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.  
Waste Disposal Method: CONTACT LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATORY AGENCIES FOR GUIDANCE.  
Precautions-Handling/Storing: USE AND STORE AWAY FROM SOURCES OF IGNITION, STRONG OXIDIZING AGENTS AND STRONG ACIDS. KEEP CONTAINER SEALED WHEN NOT IN USE.  
Other Precautions: MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WASH CONTAMINATED CLOTHING BEFORE REUSE.

Control Measures

Respiratory Protection: NONE NORMALLY REQUIRED.
Ventilation: USE ADEQUATE MECHANICAL DILUTION VENTILATION WHENEVER PRODUCT IS USED IN A CONFINED SPACE, HEATED ABOVE ROOM TEMPERATURE
Protective Gloves: NITRILE
Eye Protection: SAFETY GLASSES/GOGGLES/FACE SHIELD
Other Protective Equipment: NONE NORMALLY REQUIRED.
Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.
Suppl. Safety & Health Data: MSDS PRESENTED BY CAGE 0K209 FOR CONTRACT SP0450-96-D-4114.

Transportation Data

Trans Data Review Date: 96183
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
AFI PSN Code: ZZZ
AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Additional Trans Data: MANUFACTURER STATES PRODUCT IS NOT REGULATED FOR TRANSPORTATION. PER SAMMS-CTDF: CONTAINER SHALL CONFORM TO A 1A1 24-26 GAUGE. INTERIOR COMPATIBLE WITH CONTENTS. COLOR #34084 OF FED-STD 595 OR BLACK. PAPER LABELS ARE NOT AUTHORIZED.

Disposal Data

Label Data

Label Required: YES
Technical Review Date: 01JUL96
Label Status: F
Common Name: FS000 SKYSOL
Chronic Hazard: NO
Signal Word: WARNING!
Acute Health Hazard-None: X
Contact Hazard-Slight: X
Fire Hazard-Moderate: X
Reactivity Hazard-None: X
Special Hazard Precautions: COMBUSTIBLE LIQUID. CONTACT MAY CAUSE EYE IRRITATION. PROLONGED OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS. USE AND STORE AWAY FROM SOURCES OF IGNITION, STRONG OXIDIZING AGENTS AND STRONG MINERAL ACIDS. KEEP CONTAINER SEALED WHEN NOT IN USE. FIRST AID: EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: DO NOT INDUCE VOMITING! GET IMMEDIATE MEDICAL ATTENTION. INHALED: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. TARGET ORGANS: NONE.
Protect Eye: Y
Protect Skin: Y
Label Name: INLAND TECHNOLOGY INC
Label Street: 2612 PACIFIC HWY NO C
Label City: TACOMA
Label State: WA
Label Zip Code: 98424
Label Country: US
Label Emergency Number: 800-255-3924
Year Procured: 1996

