

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Identification of the substance or mixture

**Product name:** RP X-OMAT Developer and Replenisher, Part A

**Product code:** 6610190A

**Pure substance/mixture** Mixture

**Synonyms** PCD 6159

#### Use of the Substance/Mixture

**Product Use:** Restricted to professional users, Photographic chemical.

#### Company/Undertaking Identification

**Manufacturer:** Kodak (Wuxi) Company Ltd,  
No. 18, Changjiang Road,  
Wuxi, JiangSu Province,  
China 214028

#### For further information, please contact:

For environment, health and safety information, email: WW-EHS@carestreamhealth.com

#### Emergency telephone

For Chemical Emergency Information, call: 0510-85252120

### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Acute oral toxicity	Category 4
Serious eye damage/eye irritation	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 2
Acute aquatic toxicity	Category 1

#### GHS Label elements, including precautionary statements



**DANGER**

### Hazard statements

H302 - Harmful if swallowed  
H318 - Causes serious eye damage  
H341 - Suspected of causing genetic defects  
H351 - Suspected of causing cancer  
H400 - Very toxic to aquatic life

### Precautionary Statements

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection  
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/ physician  
P308 + P313 - IF exposed or concerned: Get medical advice/ attention  
P391 - Collect spillage  
P405 - Store locked up  
P501 - Dispose of contents/ container to an approved waste disposal plant

### Other hazards which do not result in classification

Contact with strong acids liberates sulfur dioxide  
May cause irritation of respiratory tract  
May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination  
May cause adverse liver effects  
May cause adverse kidney effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %
Potassium sulfite	20 - 25
Hydroquinone	5 - 10
Diethylene glycol	1 - 5
Sodium carbonate	1 - 5

## 4. FIRST AID MEASURES

### Description of necessary first-aid measures

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Main Symptoms</b>	Irritation
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
<b>Inhalation</b>	Move to fresh air. Consult a physician.
<b>Ingestion</b>	If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

**Protection of First-aiders** Use personal protective equipment.

Most important symptoms/effects, acute and delayed

<b>Skin contact</b>	May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.
<b>Eye contact</b>	Irritating to eyes.
<b>Inhalation</b>	No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.
<b>Ingestion</b>	May be harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Flash point:** See chapter 9. PHYSICAL AND CHEMICAL PROPERTIES

Suitable Extinguishing Media

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Extinguishing media which shall not be used for safety reasons** None.

Specific hazards arising from the chemical

**Special Hazard** Thermal decomposition can lead to release of toxic and corrosive gases/vapors.

Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Wear self-contained breathing apparatus and protective suit.

Other information

**Other information** None known.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Prevent entry into waterways, sewers, basements or confined areas.

### Methods and materials for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Dam up. Soak up with inert absorbent material. Keep in suitable and closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly.

### Other information

See Section 12 for additional Ecological information.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

**Prevention of fire and explosion** Keep from contact with oxidizing materials.

### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place. Incompatible with oxidizing agents.

**Materials to Avoid** Strong oxidizing agents. Acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### **Exposure limits**

Chemical Name	Taiwan	China	ACGIH TLV	European Union
Hydroquinone	TWA 4 mg/m <sup>3</sup>	TWA 1 mg/m <sup>3</sup> STEL 2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	

### Appropriate engineering controls

**Engineering Measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

### Individual protection measures, such as personal protective equipment (PPE)

#### **Personal Protective Equipment**

**General Information** These recommendations apply to the product as supplied.

**Respiratory protection** None under normal use conditions. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. Wear a positive-pressure supplied-air respirator with full facepiece.

<b>Eye Protection</b>	Tightly fitting safety goggles.
<b>Skin and body protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	Impervious gloves

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b> liquid	<b>Odor</b> Odorless
<b>ph</b> 11.4	<b>Color</b> light yellow
<b>Flash point:</b> > 93.3 °C > 200 °F Seta closed cup	<b>Autoignition temperature:</b> No information available
<b>Boiling point/boiling range</b> > 100 °C	
<b>Vapor Pressure</b> 24 mbar @ 20 °C	
<b>Vapor density</b> 0.6	
<b>Density</b> No information available	
<b>Water Solubility</b> completely soluble	
<b>Melting point/range:</b> No information available	
<b>Specific Gravity</b> 1.31	
<b>Bulk Density:</b> No information available	

## 10. STABILITY AND REACTIVITY

### Reactivity

No dangerous reaction known under conditions of normal use

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Contact with strong acids liberates sulfur dioxide.

### Conditions to Avoid

Heat, flames and sparks.

### Materials to Avoid

Strong oxidizing agents. Acids.

### Hazardous Decomposition Products

Carbon oxides, Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity Product Information.

<b>Skin contact</b>	May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.
<b>Eye contact</b>	Irritating to eyes.
<b>Inhalation</b>	No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.
<b>Ingestion</b>	May be harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.
<b>Acute toxicity</b>	20.71% of the mixture consists of ingredient(s) of unknown toxicity
<b>Oral</b>	2,049.95 mg/kg
<b>Dermal</b>	34,916.73 mg/kg
<b>Inhalation</b>	
<b>Gas</b>	No information available
<b>Mist</b>	No information available
<b>Vapor</b>	No information available

### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydroquinone	320 mg/kg ( Rat )	> 4800 mg/kg (Rat)	
Diethylene glycol	12565 mg/kg ( Rat )	11890 mg/kg ( Rabbit )	
Sodium carbonate	4090 mg/kg ( Rat )		
<b>Chemical Name</b>	<b>Other applicable information</b>		
Potassium sulfite	Mild skin irritation - Moderate skin irritation		

Hydroquinone	<p>Moderate eye irritation</p> <p>Causes sensitization on guinea-pigs</p> <p>Mild skin irritation</p> <p>Can be absorbed through skin (1.1 ug/cm2/hr)</p> <p>Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies</p> <p>Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.</p>
Diethylene glycol	<p>Mild skin irritation</p> <p>-</p> <p>Moderate skin irritation</p> <p>Mild eye irritation</p> <p>Can cause kidney damage and CNS effects following ingestion. Repeated oral exposure to high doses can cause liver damage.</p>
Sodium carbonate	Mild skin irritation
Sodium sulfite	<p>No skin irritation</p> <p>Mild eye irritation</p>
Sodium borate	Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.

**Aggravated Medical Conditions** Central nervous system, Preexisting eye disorders, Skin disorders, Respiratory disorders, Use of alcoholic beverages may enhance toxic effects.

Subchronic toxicity  
no data available

Chronic toxicity  
**Sensitization**

This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans.

**Neurological effects**  
**Target Organ Effects**

No information available.  
Skin, Eyes, Respiratory system, Central nervous system, Kidney, Liver.

CMR Effects

**Carcinogenicity** Contains a known or suspected carcinogen.  
- EU Carc.Cat.3.

**mutagenic effects**

Contains a known or suspected mutagen. In vitro tests showed mutagenic effects. In vivo tests showed mutagenic effects.

Chemical Name	GHS-Germ cell Mutagenicity	Japan
Hydroquinone	2	

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic organisms

### Acute aquatic toxicity Product Information

No information available

### Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite		LC50 220 - 460 mg/L <i>Leuciscus idus</i> 96 h	
Hydroquinone	13.5 mg/L EC50 120 h ( <i>Desmodesmus subspicatus</i> ) 0.335 mg/L EC50 72 h ( <i>Pseudokirchneriella subcapitata</i> )	LC50= 0.044 mg/L <i>Oncorhynchus mykiss</i> 96 h LC50= 0.044 mg/L <i>Pimephales promelas</i> 96 h LC50 0.1 - 0.18 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.17 mg/L <i>Brachydanio rerio</i> 96 h	EC50 = 0.29 mg/L 48 h ( <i>Daphnia magna</i> )
Diethylene glycol		LC50= 75200 mg/L <i>Pimephales promelas</i> 96 h	EC50 = 84000 mg/L 48 h ( <i>Daphnia magna</i> )
Sodium carbonate	242 mg/L EC50 120 h ( <i>Nitzschia</i> )	LC50= 300 mg/L <i>Lepomis macrochirus</i> 96 h LC50 310 - 1220 mg/L <i>Pimephales promelas</i> 96 h	EC50 = 265 mg/L 48 h ( <i>Daphnia magna</i> )

### Persistence and degradability

No data is available on the product itself. Expected to be readily biodegradable.

### Bioaccumulative potential

No information available

Chemical Name	log Pow
Hydroquinone	0.5
Diethylene glycol	-1.98

**Other adverse effects** No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste from Residues / Unused Products** Should not be released into the environment. Dispose of in accordance with local regulations.

**Contaminated packaging** Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION



The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

#### ADR/RID

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Technical Name</b>	Hydroquinone
<b>Hazard class</b>	9
<b>Packing Group</b>	III
<b>Classification Code</b>	M6
<b>ADR/RID-Labels</b>	9
<b>Special Provisions</b>	274, 335, 601
<b>ADR Hazard Id (Kemmler Number)</b>	90
<b>Limited Quantity</b>	5L

#### IMDG/IMO

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Technical Name</b>	Hydroquinone
<b>Hazard class</b>	9
<b>Packing Group</b>	III
<b>Marine Pollutant</b>	P
<b>EmS No.</b>	F-A, S-F
<b>Special Provisions</b>	179, 274, 335, 909
<b>Limited quantity DFDA</b>	5 L

#### ICAO/IATA

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Technical Name</b>	Hydroquinone
<b>Hazard class</b>	9
<b>Packing Group</b>	III
<b>ERG Code</b>	9L
<b>Special Provisions</b>	A97, A158
<b>Limited quantity DFDA</b>	30 kg G

#### ADN

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Technical Name</b>	Hydroquinone
<b>Hazard class</b>	9
<b>Packing Group</b>	III
<b>Classification Code</b>	M6
<b>Special Provisions</b>	274, 335, 601
<b>Limited quantity DFDA</b>	LQ7

#### DOT

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard class</b>	9
<b>Packing Group</b>	III
<b>Special Provisions</b>	8, 146, 335, IB3, T4, TP1, TP29

## TDG

<b>UN/ID No</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Technical Name</b>	Hydroquinone
<b>Hazard class</b>	9
<b>Packing Group</b>	III

This shipping size falls into limited quantity exemptions that do not require labeling or placarding except if transported by aircraft.

## 15. REGULATORY INFORMATION

### International Inventories

<b>EINECS/ELINCS</b>	Complies
<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

#### Legend

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

### National regulatory information

#### **China**

## 16. OTHER INFORMATION

Revision Date 2013-01-21  
Revision Note

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Material Safety Data Sheet**