

MATERIAL SAFETY DATA SHEET

Issuing date 2013-03-27

Revision Date 2013-03-15

Version 1.03

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: KODAK X-OMAT EX II Developer and Replenisher, Working solution
X-OMAT EX II Developer and Replenisher, Working solution

Product code: 1135433WS

Supplier Carestream Health Canada, 8800 Dufferin Street, Suite 201, Vaughan, Ontario, L4K 0C5

For Emergency Health Information call: 800-424-9300

For other information contact: 1-866-792-5011

Product Use: Photographic chemical.

2. HAZARDS IDENTIFICATION

Warning!

Emergency Overview

Harmful if swallowed
Causes eye irritation
May cause central nervous system depression
May cause adverse kidney effects

Physical state liquid

Odor Odorless

Color clear

HMIS

Health Hazard - 2*

Flammability - 1

**Physical - 0
Hazard**

Potential Health Effects

Eyes

Irritating to eyes.

Skin

May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

Inhalation

No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Ingestion

Harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Chronic Effects

Chronic toxicity

Effects expected to be similar to those seen acutely.

Aggravated Medical Conditions

Central nervous system. Preexisting eye disorders. Skin disorders. Respiratory disorders. Use of alcoholic beverages may enhance toxic effects.

Environmental hazard

See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	5-10
Hydroquinone	123-31-9	1-5
Diethylene glycol	111-46-6	1-5
1,5-Pentanedisulfonic acid, 1,5-dihydroxy-, disodium salt	7420-89-5	1-5
3-Pyrazolidinone, 4-(hydroxymethyl)-4-methyl-1-phenyl-	13047-13-7	0.1-1

Non-Hazardous

Chemical Name	CAS-No	Weight %
Water	7732-18-5	80-90

4. FIRST AID MEASURES

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion	If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point:	Not flammable.
Suitable Extinguishing Media	Use CO2, dry chemical, or foam.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Hazardous Combustion Products	Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health Hazard** - 2 **Flammability** - 1 **Stability** - 0

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation. For personal protection see section 8.
Methods for Containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Other information See Section 12 for additional information.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Hydroquinone 123-31-9	TWA: 1 mg/m ³		TWA: 2 mg/m ³	
Diethylene glycol 111-46-6		TWA: 10 mg/m ³		

Occupational Exposure Controls

Engineering Measures Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

General Information These recommendations apply to the product as supplied.

Respiratory protection Use only with adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear:: Goggles.

Skin and body protection Wear suitable protective clothing.

Hand Protection Impervious gloves.

Other Protective Equipment Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid
ph 10.5
Flash point: Not flammable.
Boiling point/boiling range > 100 °C

Odor Odorless
Color clear
Autoignition temperature: No information available

Vapor Pressure 24 mbar @ 20 °C
Vapor density 0.6
Density No information available
Water Solubility completely soluble

Melting point/range: No information available

Specific Gravity No information available

Bulk Density: No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Incompatible products Oxidizing agents. Strong acids.

Conditions to Avoid Heat, flames and sparks.

Hazardous Decomposition Products Carbon oxides, Sulfur oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Contact with strong acids liberates sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

Eyes Irritating to eyes.

Inhalation No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Ingestion Harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg (Rat)		
Hydroquinone	320 mg/kg (Rat)	> 4800 mg/kg (Rat)	
Diethylene glycol	12565 mg/kg (Rat)	11890 mg/kg (Rabbit)	
1,5-Pentanedisulfonic acid, 1,5-dihydroxy-, disodium salt	> 3200 mg/kg (Rat)	> 1000 mg/kg (guinea pig)	
3-Pyrazolidinone, 4-(hydroxymethyl)-4-methyl-1-phenyl-	566 mg/kg (Rat)		
Chemical Name	Other applicable information		
Potassium sulfite	Mild skin irritation - Moderate skin irritation		

Hydroquinone	<p>Moderate eye irritation</p> <p>Causes sensitization on guinea-pigs</p> <p>Mild skin irritation</p> <p>Can be absorbed through skin (1.1 ug/cm2/hr)</p> <p>Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies</p> <p>Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.</p>
Diethylene glycol	<p>Mild skin irritation</p> <p>-</p> <p>Moderate skin irritation</p> <p>Mild eye irritation</p> <p>Can cause kidney damage and CNS effects following ingestion. Repeated oral exposure to high doses can cause liver damage.</p>
1,5-Pentanedisulfonic acid, 1,5-dihydroxy-, disodium salt	<p>Moderate eye irritation</p> <p>-</p> <p>Slight</p> <p>Moderate skin irritation</p> <p>-</p> <p>Strong</p> <p>Skin Sensitization (guinea pig): negative</p> <p>Was not a skin sensitizer in animal studies and has not been reported to cause allergic skin reaction in humans. In an alkaline solution, glutaraldehyde bis(sodium bisulfite) may release free glutaraldehyde, a known skin sensitizer.</p>

3-Pyrazolidinone, 4-(hydroxymethyl)-4-methyl-1-phenyl-	<p>Mild skin irritation</p> <p>Skin Sensitization</p> <p>- Slight</p> <p>Eye Irritation</p> <p>- Strong</p> <p>Based on repeated-dose ingestion studies in animals, this chemical may cause blood, testicular, and adverse reproductive effects.</p>
--	--

Subchronic toxicity No information available

Chronic toxicity Effects expected to be similar to those seen acutely.

Carcinogenicity Contains a known or suspected carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3			

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Sensitization This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans.

mutagenic effects No specific testing was done on this product. Mutagenic testing of the hazardous ingredient in this product has resulted in some positive mutagenic results.

Reproductive toxicity Contains ingredients that are suspected reproductive hazards. However, based on available data the product should not be classified for reproductive effects.

Target Organ Effects Skin, Eyes, Respiratory system, Central nervous system, Kidney, Liver.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects Harmful to aquatic organisms.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite		LC50 220 - 460 mg/L <i>Leuciscus idus</i> 96 h	
Hydroquinone	13.5 mg/L EC50 120 h (<i>Desmodesmus subspicatus</i>) 0.335 mg/L EC50 72 h (<i>Pseudokirchneriella subcapitata</i>)	LC50= 0.044 mg/L <i>Oncorhynchus mykiss</i> 96 h LC50= 0.044 mg/L <i>Pimephales promelas</i> 96 h LC50 0.1 - 0.18 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.17 mg/L <i>Brachydanio rerio</i> 96 h	EC50 = 0.29 mg/L 48 h (<i>Daphnia magna</i>)
Diethylene glycol		LC50= 75200 mg/L <i>Pimephales promelas</i> 96 h	EC50 = 84000 mg/L 48 h (<i>Daphnia magna</i>)

Persistence and degradability No data is available on the product itself. Expected to be readily biodegradable.

Bioaccumulation: - No information available

Mobility - No information available

Chemical Name	log Pow
Hydroquinone	0.5
Diethylene glycol	-1.98

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

DOT Not regulated

TDG Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

For transportation information, go to: <http://ship.carestreamhealth.com>.

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2B Toxic materials



International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Complies

Product code: 1135433WS

Version 1.03

Revision Date 2013-03-15

Page 8 / 8

AICS

Does not comply

NZIoC

Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

16. OTHER INFORMATION

Disclaimer for Label

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.



Warning!

- Contains:

Hazardous Components

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	5-10
Hydroquinone	123-31-9	1-5
Diethylene glycol	111-46-6	1-5
1,5-Pentanedisulfonic acid, 1,5-dihydroxy-, disodium salt	7420-89-5	1-5
3-Pyrazolidinone, 4-(hydroxymethyl)-4-methyl-1-phenyl-	13047-13-7	0.1-1

Harmful if swallowed. Causes eye irritation. May cause central nervous system depression. May cause adverse kidney effects.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Additional information is given in the Material Safety Data Sheet.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text