

# SAFETY DATA SHEET

### **Alginate Impression Materials**

## **Section 1. Identification**

GHS product identifier : Alginate Impression Materials

Other means of identification

: Identic Dust Free, Image, Kromafaze

Product type : Powder.

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Dental product: Impression material.

**Area of application** : Professional applications.

Manufacturer : DUX DENTAL Inc.

600 E. Hueneme Road Oxnard, CA 93033

Telephone no.: 805-488-1122 or 800-833-8267

Fax no.: 800-444-5170 www.duxdental.com

e-mail address of person responsible for this SDS

: Contact customer service at 1-800-KERR-123 for any questions

Emergency telephone number (with hours of

operation)

: CHEMTREC® (24 hours) U.S.: 1-800-424-9300 International: +1-703-527-3887

### Section 2. Hazards identification

**OSHA/HCS** status

: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Health effects are based on the uncured material.

Classification of the substance or mixture

: EYE IRRITATION - Category 2A CARCINOGENICITY - Category 1A

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (bones, lungs and

teeth) - Category 1

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 78%

**GHS label elements** 

Hazard pictograms :





Signal word : Danger

Date of issue/Date of revision: 08/03/2015Date of previous issue: No previous validationVersion: 1

# Section 2. Hazards identification

**Hazard statements**: Causes serious eye irritation.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure. (bones, lungs,

teeth)

**Precautionary statements** 

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have

been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Do not breathe dust or mist. Do not eat, drink or smoke when using

this product. Wash hands thoroughly after handling.

Response : Get medical attention if you feel unwell. IF exposed or concerned: Get medical

attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Hazards not otherwise

classified

: Handling and/or processing of this material may generate a dust which can cause

mechanical irritation of the eyes, skin, nose and throat.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Other means of identification

: Identic Dust Free, Image, Kromafaze

#### CAS number/other identifiers

**CAS number** : Not applicable.

**Product code** : 27098, 27434, 27456, 27475, 27487, 27488, 27457, 27481, 27484, 27495,

27492, 27493, 27412, 27416, 27417, 27419, 27460, 27426, 27427, 27429, 27461,

27444, 27452, 27467, 27453, 27497

Ingredient name	Other names	%	CAS number
cristobalite	Not available.	30-60	14464-46-1
Alginic acid, potassium salt	Not available.	10-30	9005-36-1
crystalline silica respirable	Not available.	1-5	14808-60-7
dipotassium hexafluorotitanate	Not available.	1-5	16919-27-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: No special measures are required. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.

Inhalation : No special measures required. If inhaled, remove to fresh air. Get medical attention if

symptoms occur.

Skin contact : No special measures required. In case of contact, immediately flush skin with plenty of

water. Get medical attention if symptoms occur.

Date of issue/Date of revision: 08/03/2015Date of previous issue: No previous validationVersion: 1

### Section 4. First aid measures

Ingestion

: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse health effects persist or are severe.

#### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** 

: No specific treatment.

**Protection of first-aiders** 

: In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

media

: Do not use water jet.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Date of issue/Date of revision: 08/03/2015Date of previous issue: No previous validationVersion: 13/12

## Section 5. Fire-fighting measures

# Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides Fluoride compounds

# Special protective actions for fire-fighters

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

For emergency responders

: Low release. See also the information in "For non-emergency personnel".

#### **Environmental precautions**

: Low release. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Small spill** 

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

## Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose in a safe manner.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Date of issue/Date of revision: 08/03/2015Date of previous issue: No previous validationVersion: 14/12

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

Ingredient name	Exposure limits
cristobalite	OSHA PEL Z3 (United States, 2/2013).
	Notes: 1/2[250/(%SiO2+5)]
	TWA: 250 MPPCF / 2 x (%SiO2+5) 8 hours.
	Form: Respirable
	OSHA PEL Z3 (United States, 2/2013).
	Notes: 1/2[10/(%SiO2+2)]
	TWA: 10 MG/M3 / 2 x (%SiO2+2) 8 hours.
	Form: Respirable
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 0.05 mg/m <sup>3</sup> , (as quartz) 8 hours. Form:
	Respirable dust
	ACGIH TLV (United States, 4/2014).
	TWA: 0.025 mg/m <sup>3</sup> 8 hours. Form:
	Respirable fraction
	NIOSH REL (United States, 10/2013).
	TWA: 0.05 mg/m³ 10 hours. Form: respirable
	dust
	OSHA PEL Z3 (United States, 2/2013).
	Notes: 1/2[30/(%SiO2+2)]
	TWA: 30 MG/M3 / 2 x (%SiO2+2) 8 hours.
	Form: Total dust
crystalline silica respirable	OSHA PEL Z3 (United States, 2/2013).
	TWA: 250 MPPCF / (%SiO2+5) 8 hours.
	Form: Respirable
	TWA: 10 MG/M3 / (%SiO2+2) 8 hours. Form:
	Respirable
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 0.1 mg/m³, (as quartz) 8 hours. Form:
	Respirable dust
	ACGIH TLV (United States, 4/2014).
	TWA: 0.025 mg/m³ 8 hours. Form:
	Respirable fraction
	NIOSH REL (United States, 10/2013).
	TWA: 0.05 mg/m³ 10 hours. Form: respirable
	dust

Appropriate engineering controls

**Environmental exposure controls** 

- : No special measures are required for small quantities under normal and intended conditions of product use.
- : No special measures are required for small quantities under normal and intended conditions of product use.

#### **Individual protection measures**

**Hygiene measures** 

: No special measures are required for small quantities under normal and intended conditions of product use.

Date of issue/Date of revision : 08/03/2015 Date of previous issue : No previous validation Version : 1 5/12

# Section 8. Exposure controls/personal protection

### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: No special measures are required for small quantities under normal and intended conditions of product use.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: No special measures are required for small quantities under normal and intended conditions of product use.

## Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [Powder.]

: Various Color Odor : Pleasant. : Not available. Odor threshold Ha : Not available. **Melting point** : Not available. **Boiling point** : Not available. Flash point : Not available. **Evaporation rate** : Not available. Flammability (solid, gas) : Not applicable.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: VariousSolubility: VariousSolubility in water: Not available.Partition coefficient: n-: Not available.

octanol/water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Various

Date of issue/Date of revision : 08/03/2015 Date of previous issue : No previous validation Version : 1 6/12

# Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

**Chemical stability** : The product is stable.

**Possibility of hazardous** 

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** : Elevated temperature

**Incompatible materials** : Reactive or incompatible with the following materials: acids.

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **Section 11. Toxicological information**

### Information on toxicological effects

#### **Acute toxicity**

Not available.

#### Irritation/Corrosion

Not available.

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### Carcinogenicity

Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
cristobalite	-	1	Known to be a human carcinogen.
crystalline silica respirable	-	1	Known to be a human carcinogen.

#### Reproductive toxicity

Not available.

#### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Date of issue/Date of revision : 08/03/2015 7/12 Date of previous issue : No previous validation Version: 1

# Section 11. Toxicological information

Name	3.5	Route of exposure	Target organs
cristobalite	Category 1	Inhalation	lungs
crystalline silica respirable	Category 1	Inhalation	lungs
dipotassium hexafluorotitanate	Category 2	Not determined	bones and teeth

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits

may cause irritation of the nose, throat and lungs.

Skin contactIngestionNo known significant effects or critical hazards.No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain or irritation

watering redness

**Inhalation**: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

effects

: Not available.

Potential delayed effects

: Not available.

Long term exposure

**Potential immediate** 

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

**Conclusion/Summary**: Breathing excessive silica dust for a long time can cause silicosis.

General : Causes damage to organs through prolonged or repeated exposure. Repeated or

prolonged inhalation of dust may lead to chronic respiratory irritation.

**Carcinogenicity**: May cause cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.Teratogenicity : No known significant effects or critical hazards.

Date of issue/Date of revision : 08/03/2015 Date of previous issue : No previous validation Version : 1 8/12

Alginate Impression Materials

# Section 11. Toxicological information

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Route	ATE value
Oral	17739.8 mg/kg

# Section 12. Ecological information

#### **Toxicity**

Not available.

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Not available.

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

# **Section 14. Transport information**

	DOT Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-

Date of issue/Date of revision: 08/03/2015Date of previous issue: No previous validationVersion: 19/12

Alginate Impression Materials

# **Section 14. Transport information**

Environmental hazards	No.	No.	No.
Additional information	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

# Section 15. Regulatory information

U.S. Federal regulations

: United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: polychloro copper phthalocyanine; Boron zinc hydroxide

oxide

Clean Water Act (CWA) 311: trisodium orthophosphate; Formaldehyde; Boron zinc

hydroxide oxide

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** (Essential Chemicals)

: Not listed

#### **SARA 302/304**

### **Composition/information on ingredients**

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Formaldehyde	<0.000175	Yes.	500	73.9	100	14.8

**SARA 304 RQ** : 63492063.5 lbs / 28825396.8 kg

**SARA 311/312** 

Classification : Immediate (acute) health hazard Delayed (chronic) health hazard

**Composition/information on ingredients** 

Date of issue/Date of revision : 08/03/2015 Date of previous issue Version: 1 10/12 : No previous validation

# Section 15. Regulatory information

Name	%	Fire hazard	Sudden release of pressure	Reactive		Delayed (chronic) health hazard
cristobalite	30-60	No.	No.	No.	No.	Yes.
Alginic acid, potassium salt	10-30	No.	No.	No.	Yes.	No.
crystalline silica respirable	1-5	No.	No.	No.	No.	Yes.
dipotassium hexafluorotitanate	1-5	No.	No.	No.	Yes.	Yes.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Boron zinc hydroxide oxide	138265-88-0	1-5
Supplier notification	Boron zinc hydroxide oxide	138265-88-0	1-5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

Massachusetts : The following components are listed: SILICA, CRYSTALLINE, QUARTZ;

CRISTOBALITE DUST

**New York** : None of the components are listed.

New Jersey : The following components are listed: COPPER compounds; GYPSUM; SILICA,

QUARTZ; QUARTZ (SiO2); ZINC compounds; SILICA, CRISTOBALITE;

CRISTOBALITE (SiO2)

Pennsylvania: The following components are listed: COPPER COMPOUNDS; GYPSUM (CA(SO4).

2H2O); QUARTZ (SIO2); ZINC COMPOUNDS; CRISTOBALITE (SIO2); SILICA

AMORPHOUS DIATOMACEOUS EARTH (UNCALCINED)

### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
cristobalite	Yes.	No.	No.	No.
crystalline silica respirable	Yes.	No.	No.	No.
Formaldehyde	Yes.	No.	Yes.	No.

# **Section 16. Other information**

#### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

Date of issue/Date of revision : 08/03/2015 Date of previous issue : No previous validation Version : 1 11/12

## Section 16. Other information

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** 



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

Date of issue/Date of

revision

: 08/03/2015

Date of previous issue

: No previous validation

Version

: 1

**Key to abbreviations** 

: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships.

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References

: HCS (U.S.A.)- Hazard Communication Standard

International transport regulations

✓ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 08/03/2015 Date of previous issue : No previous validation Version : 1 12/12