SAFETY DATA SHEET

1. Identification

Product identifier Anti Seize Lube

Other means of identification

SDS number L808 Part No. L808

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **RSC Chemical Solutions Address** 600 Radiator Road Indian Trail, NC 28079

United States

Customer Service: Telephone (704) 821-7643

> (704) 684-1811 Technical:

Website www.rscbrands.com E-mail sds@rscbrands.com

Emergency Telephone: (303) 623-5716 **Emergency phone number**

> **Emergency Contact:** RMPDC (877-740-5015)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1B **Environmental hazards** Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement May cause cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

If exposed or concerned: Get medical advice/attention. Collect spillage. Response

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 58% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 58% of the mixture consists of component(s) of unknown long-term hazards to the

aquatic environment.

3. Composition/information on ingredients

Mixtures

Material name: Anti Seize Lube SDS US L808 Version #: 01 Issue date: 10-22-2015

Chemical name	Common name and synonyms	CAS number	%
Petrolatum		8009-03-8	50 - < 60
COPPER		7440-50-8	20 - < 30
Aluminium (powder)		7429-90-5	5 - < 10
Graphite		7782-42-5	3 - < 5
Other components below reportable	elevels		10 - < 20

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry powder. Dry sand. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

supervisory personnel of all environmental releases.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Stop the flow of material, if this is without risk. Prevent product from entering drains. Following product recovery, flush area with water.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Anti Seize Lube SDS US

8. Exposure controls/personal protection

Occupational exposure limits

Components	or Air Contaminants (29 CFR 1910.10 Type	Value	Form
Aluminium (powder) (CAS 7429-90-5)	PEL	5 mg/m3	Respirable dust.
		15 mg/m3	Total dust.
COPPER (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
Graphite (CAS 7782-42-5)	PEL	5 mg/m3	Respirable fraction.
D	55.	15 mg/m3	Total dust.
Petrolatum (CAS 8009-03-8)	PEL	5 mg/m3	Mist.
US. OSHA Table Z-3 (29 CFF	R 1910.1000)		
Components	Туре	Value	
Graphite (CAS 7782-42-5)	TWA	15 mppcf	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Aluminium (powder) (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Petrolatum (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Aluminium (powder) (CAS 7429-90-5)	TWA	5 mg/m3	Respirable.
,		5 mg/m3	Welding fume or pyrophoric powder.
		10 mg/m3	Total
COPPER (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
Graphite (CAS 7782-42-5)	TWA	2.5 mg/m3	Respirable.
Petrolatum (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
8009-03-0)	TWA	5 mg/m3	Mist.
logical limit values	No biological exposure limits noted fo	•	
osure guidelines	Occupational Exposure Limits are not	•	al form of the product
propriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If an or other engineering controls to maint exposure limits have not been established.	air changes per hour) should oplicable, use process enclosu ain airborne levels below reco	be used. Ventilation rates ures, local exhaust ventilation mmended exposure limits.
vidual protection measures, Eye/face protection	such as personal protective equipment of contact is likely, safety glasses with		ed.
Skin protection Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Other	Use of an impervious apron is recommended.		
Respiratory protection	In case of insufficient ventilation, wea	r suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective of		
neral hygiene siderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance Paste.
Physical state Not available.

Form Liquid. Paste.
Color Silver. Grey.
Odor Mild Petroleum
Odor threshold Not available.
pH Not available.

Melting point/freezing point > 550 °F (> 287.78 °C) / 100.4 °F (38 °C) estimated

Initial boiling point and boiling

range

> 700 °F (> 371.11 °C)

Flash point 420.0 °F (215.6 °C) Tag Closed Cup

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Nil

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 500 °F (260 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 24.69 lbs/gal estimated

Explosive properties Not explosive.

Flammability class Combustible IIIB estimated

Oxidizing properties Not oxidizing.

Percent volatile 0
Specific gravity 1.05
VOC (Weight %) 0.37 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous deco

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Material name: Anti Seize Lube

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Graphite (CAS 7782-42-5)

Acute Oral

LD50 Rat > 10000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Petrolatum (CAS 8009-03-8) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results	
Aluminium (powder)	(CAS 7429-90-5)			
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.16 mg/l, 96 hours	
COPPER (CAS 7440)-50-8)			
Aquatic				

Crustacea EC50 Water flea (Daphnia magna) 0.036 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.0319 - 0.0544 mg/l, 96 hours

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: Anti Seize Lube SDS US

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

the IBC Code

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established. Not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

COPPER (CAS 7440-50-8)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
COPPER	7440-50-8	20 - < 30	
Aluminium (powder)	7429-90-5	5 - < 10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Material name: Anti Seize Lube sps us

L808 Version #: 01 Issue date: 10-22-2015

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Aluminium (powder) (CAS 7429-90-5)

COPPER (CAS 7440-50-8) Petrolatum (CAS 8009-03-8)

US. Massachusetts RTK - Substance List

Aluminium (powder) (CAS 7429-90-5)

COPPER (CAS 7440-50-8) Graphite (CAS 7782-42-5) Petrolatum (CAS 8009-03-8)

US. New Jersey Worker and Community Right-to-Know Act

Aluminium (powder) (CAS 7429-90-5)

COPPER (CAS 7440-50-8) Graphite (CAS 7782-42-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminium (powder) (CAS 7429-90-5)

COPPER (CAS 7440-50-8) Graphite (CAS 7782-42-5) Petrolatum (CAS 8009-03-8)

US. Rhode Island RTK

Aluminium (powder) (CAS 7429-90-5)

COPPER (CAS 7440-50-8)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 10-22-2015

Version # 01

HMIS® ratings Health: 1* Flammability: 0

Physical hazard: 0

NFPA ratings Health: 0

Flammability: 0 Instability: 0

Material name: Anti Seize Lube SDS US

NFPA ratings



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: Anti Seize Lube