

MATERIAL SAFETY DATA SHEET

REVISION NUMBER: REVISION DATE: 07/11/2011

DATE PRINTED: 07/11/2011 PREPARED BY: **EH&S DEPARTMENT**

CHEMICAL PRODUCT

PRODUCT NAME: **LA HD 130**

PRODUCT CODE: 118055

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 3/3 0/0 Reactivity: 1/1 **Special/Protective Equipment:** ALK/C

Rochester Midland Corporation NAME OF THE

Emergency Phone: MANUFACTURER: 333 Hollenbeck Street INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

Rochester, New York 14621

USA

HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Severe burns to mucous membranes of mouth, throat and digestive tract.

SKIN CONTACT: Prolonged contact causes severe burns which may not be immediately painful or visible. **INHALATION:** Inhalation of mist will irritate mucous membranes. Can cause damage to mucous membranes

of nose, throat, respiratory tract and lung tissue depending on severity of exposure.

EYE CONTACT: Causes severe eye burns. Corrosive to eye tissue and may cause severe damage and

blindness.

CHRONIC EFFECTS: Irritant dermatitis; possible respiratory damage from inhalation of dust or mist.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
POTASSIUM HYDROXIDE 1310-58-3	10 - 15	Not applicable	Not applicable

FIRST AID MEASURES

INGESTION: Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical

attention. Never give anything by mouth to an unconscious person. If vomiting occurs, give

SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes.

Continue rinsing until "slippery" feeling is gone. Get medical attention.

Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, INHALATION:

get immediate medical attention.

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate

medical attention.

NOTES TO PHYSICIAN: None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: (F): None (C): None

METHOD: None

FLAMMABLE LIMITS IN AIR

LOWER (%): No data UPPER (%): No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected. **SUITABLE EXTINGUISHING MEDIA:** As for surrounding fire. Product will not burn.

FIRE FIGHTING PROCEDURES: Corrosive material. Avoid exposure to mist and splashes. Fire-

fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed

containers with water spray.

ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Flush with water.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush

remainder with water.

PERSONAL PRECAUTIONS: Not applicable **ENVIRONMENTAL PRECAUTIONS:** Not applicable Not applicable **METHODS FOR CLEANING UP:**

HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DANGER: Concentrated, caustic material. Avoid contact with eyes, skin and clothing. Do not IN HANDLING AND STORAGE: breathe mist or vapors. Store indoors. Store only in original container and keep closed. Store in

a cool, dry area.

Store in a well ventilated area.

OTHER PRECAUTIONS: Do not reuse container. Empty containers may retain product residue, follow MSDS/label

> precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels. Read and follow label

instructions.

SPECIFIC USE(S): Not applicable.

EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

EQUIPMENT:



EXPOSURE CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION: Use an approved NIOSH organic vapor respirator below the TLV. If TLV is exceeded or

overexposure is likely, use positive pressure or self contained breathing apparatus. Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact.

PROTECTIVE GLOVES: **EYE PROTECTION:** Goggles and face shield are recommended to minimize eye contact.

OTHER PERSONAL PROTECTION

Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible. It is the responsibility of the end user of this product to determine level of PPE

required that is consistent with safe use of this product.

VENTILATION: General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

Corrosion resistant equipment recommended.

PHYSICAL AND CHEMICAL PROPERTIES

LA HD 130

(C) 104.4° C

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, colorless liquid. Odorless.

BOILING POINT (F): 220° F

VAPOR PRESSURE: 15.7 mm Hg @ 22.2° C

VAPOR DENSITY (AIR=1):

SOLUBILITY IN WATER:

SPECIFIC GRAVITY:

VOC Content (%):

Not determined
1.141 - 1.151
None

EVAPORATION RATE: (BuAc = 1): 1.26 **PH:** 12.5 - 13.0 (5%)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: Oxides of Carbon. Oxides of Nitrogen.

INCOMPATIBILITY (MATERIALS TO May react violently with strong acids. Avoid contact with aluminum, zinc, other soft metals or

AVOID): galvanized metals. Reaction will generate hydrogen gas. This gas is flammable and/or

explosive in presence of ignition source.

CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established EFFECTS OF CHRONIC EXPOSURE: Not established. OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL No data at this time

INFORMATION:

CHEMICAL FATE INFORMATION: No data at this time. MOBILITY: Not applicable.

PERSISTENCE/DEGRADABILITY: Not applicable.
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable.
Not applicable.
Not applicable.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
POTASSIUM HYDROXIDE 1310-58-3	10 - 15	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
POTASSIUM HYDROXIDE 1310-58-3	10 - 15	1000 lb 454 kg	Not Listed	Not Listed

LA HD 130

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
POTASSIUM HYDROXIDE 1310-58-3	10 - 15	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
POTASSIUM HYDROXIDE 1310-58-3	10 - 15	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

The felle willing compensation of time i	material are micraacc	and the real delector education for an are procedit at ar above reportable	, io voio.
PRODUCT COMPOSITION	%	NJRTK:	
CAS#			
POTASSIUM HYDROXIDE	10 - 15	Listed	
1310-58-3			

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
POTASSIUM HYDROXIDE	10 - 15	Listed
1310-58-3		

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***