HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: LCA-1

Revision Date: 15-Sep-2014 Revision Number: 8

SECTION 1. Product and Company Identification

Product Identifier

Product Trade Name: LCA-1 Synonyms: None

Chemical Family: Organic hydrocarbon

Internal ID Code HM006885

Product Use

Application: Solvent

Manufacturer's Name and Contact Details

Name and Address Halliburton Energy Services

645 - 7th Ave SW Suite 2200

Calgary, AB T2P 4G8 Canada

Emergency Telephone Number (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

SECTION 2. Hazard(s) Identification

WHIMIS Classification

WHMIS Hazard Class B3 Combustible Liquids

WHMIS Symbol(s)



Summary of hazards of the product

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness,

and other central nervous system effects. May be harmful if swallowed.

Combustible

SECTION 3: Composition/information on Ingredients						
Substances		CAS Number	PERCENT (w/w)	HMIRA Registry	Decision G	

Substances	CAS Number	PERCENT (w/w)	HMIRA Registry	Decision Granted
			Number	Date
Paraffinic solvent	Proprietary	60 - 100%	8947	August 29, 2014

SECTION 4. First aid measures

Description of first aid measures

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration (AR),

preferably mouth-to-mouth. If breathing is difficult, oxygen should be given by trained personnel. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation (CPR) immediately. Get medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after flushing. In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes. Get medical attention. Remove contaminated clothing and launder

before reuse.

Ingestion Get medical attention! If vomiting occurs, keep head lower than hips to prevent

aspiration.

Most important symptoms and effects, both acute and delayed

Aspiration into the lungs may cause chemical pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

SECTION 5. Fire Fighting Measures

Extinguishing media

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam.

Extinguishing media which must not be used for safety reasons

None known.

Skin

Special hazards arising from the substance or mixture

Special Exposure Hazards

Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce toxic gases.

Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

Hazardous combustion products

Carbon monoxide and carbon dioxide

SECTION 6. Accidental release measures

Personal precautions and emergency procedures

Protective Equipment

Use appropriate protective equipment.

Environmental Precautionary Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning / Absorption

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

SECTION 7. Handling and Storage

Precautions for safe handling

Avoid breathing vapors. Avoid breathing mist. Wash hands after use. Launder contaminated clothing before reuse. Avoid contact with eyes, skin, or clothing. Ground and bond containers when transferring from one container to another.

Conditions for safe storage and Incompatible materials for storage

Store away from oxidizers. Store in a cool well ventilated area. Keep from heat, sparks, and open flames. Keep container closed when not in use. Product has a shelf life of 24 months.

SECTION 8: Exposure Controls/Personal Protection

Occupational Exposure Limits

Exposure Limits

Substances	CAS Number	ACGIH TLV-TWA	OSHA PEL-TWA
Paraffinic solvent	Proprietary	Not available	Not available

Appropriate engineering controls

Engineering Controls

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

Personal Protective Equipment (PPE)

Respiratory Protection If engineering controls and work practices cannot keep exposure below

> occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or

other qualified professional.

Not normally needed. But if significant exposures are possible then the following

respirator is recommended:

Organic vapor respirator with a dust/mist filter. (A2P2/P3)

Hand Protection Impervious rubber gloves. **Skin Protection** Normal work coveralls.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions** Eyewash fountains and safety showers must be easily accessible.

SECTION 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State: Liquid Color: Clear colorless

Hydrocarbon Odor: Odor Threshold: No information available

Property

Remarks/ - Method

Values

:Ha No information available. No information available. pH Concentration of Solution:

-45 °C Freezing Point/Range

No information available **Melting Point/Range**

Boiling Point/Range (C): 200 °C Flash Point/Range (C): 80 °C Flash Point Method: **PMCC**

Autoignition Temperature (C): No information available.

Flammability Limits in Air - Lower (%): 0.5 Flammability Limits in Air - Upper (%): 4.9

Evaporation Rate (Butyl Acetate=1): No information available.

Vapor Pressure @ 20 C (mmHg): 0.3 Vapor Density (Air=1): 7.1 Specific Gravity @ 20 C (Water=1): 0.813 Solubility in Water (g/100ml): Insoluble

No information available. Solubility in other solvents No information available. Partition Coefficient/n-Octanol/Water: **Decomposition Temperature (C):** No information available. **Viscosity** No information available

Explosive Properties No information available Oxidizing Properties No information available

Other Information

Molecular Weight (g/mole):No information available.VOC Content (%)No information available

SECTION 10. Stability and Reactivity

Conditions of Reactivity

Conditions to Avoid Keep away from heat, sparks and flame.

Hazardous Polymerization: Will Not Occur

Chemical Stability

Stable

Sensitivity to Static Discharge

Not available

Sensitivity to Mechanical Impact

Not available

Incompatible materials

Strong oxidizers.

Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

SECTION 11. Toxicological Information

Routes of entry

Eye or skin contact, inhalation.

Information on Toxicological Effects

Acute effects from exposure

Inhalation May cause respiratory irritation. May cause chemical pneumonia. May cause central

 $nervous\ system\ depression\ including\ headache,\ dizziness,\ drowsiness,\ incoordination,$

slowed reaction time, slurred speech, giddiness and unconsciousness.

Eye Contact May cause eye irritation

Skin Contact Causes drying of the skin. May cause moderate skin irritation.

Ingestion Irritation of the mouth, throat, and stomach. Aspiration into the lungs may cause chemical

pneumonitis including coughing, difficulty breathing, wheezing, coughing up blood and pneumonia, which can be fatal. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction

time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

Chronic effects from exposure

Chronic Effects/Carcinogenicity The full refining history is known and it can be shown that the production substance is not

carcinogen, therefore the classification as a carcinogen need not apply.

Irritancy of product

Irritation Irritating to eyes and skin

Sensitization of product

Sensitization Not confirmed to cause skin or respiratory sensitization.

Mutagenicity

Mutagenic Effects Not regarded as mutagenic.

Carcinogenicity

Carcinogenic Effects

No ingredient of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA. The full refining history is known and it can be shown that the production substance is not

carcinogen, therefore the classification as a carcinogen need not apply.

Reproductive toxicity

Reproductive Toxicity This product does not contain any known or suspected reproductive hazards

Teratogenicity/embryotoxicity

Teratogenic Not a confirmed teratogen or embryotoxin.

Toxicologically synergistic material Not available

Acute Toxicity

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Paraffinic solvent	Proprietary	> 5000 mg/kg (Rat)	> 1000 mg/kg (Rabbit)	> 2.5 g/m³ (Rat, 4h)

SECTION 12. Ecological Information

Toxicity

Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Paraffinic solvent	Proprietary	No information available	LC50: 2200 mg/L (Pimephales	No information available	LC50: 2.6 mg/L (Chaetogammarus
			promelas)		marinus)

Persistence and Degradability

No information available

Bioaccumlation potential

Bioaccumulative potential

Substances	Log Pow
Paraffinic solvent	> 6

Mobility in soil

No information available

Results of PBT and vPvB assessment

No information available.

Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13. Disposal Considerations			
Disposal Method	Disposal should be made in accordance with federal, state, and local regulations.		
Contaminated Packaging	Follow all applicable national or local regulations.		
	SECTION 14. Transport Information		

Canadian TDG ul0

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

IMDG/IMO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable

Special Precautions for User: None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

SECTION 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class B3 Combustible Liquids

WHMIS Symbol(s)



US Regulations
US TSCA Inventory

All components listed on inventory or are exempt.

SECTION 16. Other Information

Preparation Information

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

Revision Date: 15-Sep-2014

Not applicable

Additional information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Safety Data Sheet for this or other Halliburton products,

contact Chemical Compliance at 1-580-251-4335.

Dogo 6/7

Key or legend to abbreviations and acronyms

WHMIS: Workplace Hazardous Materials Information System

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS