#### **HALLIBURTON**

# MATERIAL SAFETY DATA SHEET

Product Trade Name: LGC-X

Revision Date: 20-Dec-2012

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: LGC-X Synonyms: None Chemical Family: Blend

**Application:** Liquid Gel Concentrate

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	<b>ACGIH TLV-TWA</b>	OSHA PEL-TWA
Methanol	67-56-1	30 - 60%	200 ppm (S)	200 ppm

#### 3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation. May cause headache, dizziness, and

other central nervous system effects. May be fatal if swallowed. May cause

blindness. May be absorbed through the skin. Combustible.

### 4. FIRST AID MEASURES

**Inhalation** If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

#### **FIRE FIGHTING MEASURES**

Flash Point/Range (F): 52 Flash Point/Range (C): 11 **Flash Point Method: PMCC Autoignition Temperature (F):** 725 **Autoignition Temperature (C):** 385 Flammability Limits in Air - Lower (%): 6 Flammability Limits in Air - Upper (%): 36.5

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

**Special Exposure Hazards** May be ignited by heat, sparks or flames. Use water spray to cool fire exposed

surfaces. Closed containers may explode in fire. Decomposition in fire may produce

toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

**NFPA Ratings:** Health 2, Flammability 3, Reactivity 0 Health 2, Flammability 3, Reactivity 0 **HMIS Ratings:** 

# ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Wear self-contained breathing apparatus in

enclosed areas.

**Environmental Precautionary** 

Measures

Prevent from entering sewers, waterways, or low areas.

**Procedure for Cleaning /** 

**Absorption** 

Isolate spill and stop leak where safe. Remove ignition sources and work with nonsparking tools. Contain spill with sand or other inert materials. Scoop up and

remove.

### HANDLING AND STORAGE

**Handling Precautions** Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

**Storage Information** Store away from oxidizers. Keep from heat, sparks, and open flames. Keep container

closed when not in use.

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls** Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

**Respiratory Protection** Positive pressure self-contained breathing apparatus if methanol is released.

**Hand Protection** Impervious rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection** Chemical goggles; also wear a face shield if splashing hazard exists.

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Gel

Color: Clear colorless
Odor: Alcohol

pH: Not Determined

Specific Gravity @ 20 C (Water=1): 0.79

Density @ 20 C (lbs./gallon): 6.58

Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 148
Boiling Point/Range (C): 64
Freezing Point/Range (F): -144
Freezing Point/Range (C): -98
Vapor Pressure @ 20 C (mmHg): 97

Vapor Density (Air=1): Not Determined

Percent Volatiles: 100

Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Not Determined

Not Determined

Molecular Weight (g/mole): 32.01

#### 10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

**Conditions to Avoid** Keep away from heat, sparks and flame.

Incompatibility (Materials to

Avoid)

Strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

# 11. TOXICOLOGICAL INFORMATION

**Principle Route of Exposure** Eye or skin contact, inhalation.

**Inhalation** May cause respiratory irritation. May cause central nervous system depression

including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

**Skin Contact**May be absorbed through the skin and contribute to the symptoms listed under

ingestion. May cause skin defatting with prolonged exposure. May cause skin

irritation.

**Eye Contact** May cause severe eye irritation.

Ingestion May be fatal or cause blindness if swallowed. May cause central nervous system

depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech,

giddiness, tremors and convulsions.

Aggravated Medical Conditions Skin disorders. Eye ailments.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure may cause eye, blood, lung, liver, kidney, heart,

central nervous system and spleen damage.

Other Information None known.

**Toxicity Tests** 

Oral Toxicity: LD50: 5628 mg/kg (Rat)

**Dermal Toxicity:** Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Not determined

Reproductive /

**Developmental Toxicity:** 

### 12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Resistant

Bio-accumulation Not determined

# **Ecotoxicological Information**

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

#### 13. DISPOSAL CONSIDERATIONS

**Disposal Method**Disposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Empty container completely. Transport with all closures in place. Return for reuse or

dispose in a sanitary landfill according to national or local regulations.

### 14. TRANSPORT INFORMATION

### **Land Transportation**

#### DOT

UN1230,Methanol Solution, 3, (6.1), II, (12 C) RQ (Methanol - 4546 kg.)
NAERG 131

#### Canadian TDG

Methanol Solution, 3, (6.1), UN1230, II, (12 C)

#### **ADR**

UN1230, Methanol Solution, 3, (6.1), II

### **Air Transportation**

#### ICAO/IATA

UN1230, Methanol Solution, 3, (6.1), II RQ (Methanol - 4546 kg.)

## Sea Transportation

#### **IMDG**

UN1230, Methanol Solution, 3, (6.1), II, (12 C) RQ (Methanol - 4546 kg.) EmS F-E, S-D

### **Other Transportation Information**

Labels: Flammable Liquid

#### 15. REGULATORY INFORMATION

# **US Regulations**

**US TSCA Inventory** All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard Chronic Health Hazard

Fire Hazard

EPA SARA (313) Chemicals

This product contains toxic chemical(s) listed below which is(are) subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Methanol//67-56-1

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 1472 Gallons based on Methanol (CAS: 67-56-1).

**EPA RCRA Hazardous Waste** 

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Ignitability D001

**California Proposition 65** All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

LGC-X Page 5 of 6 PA Right-to-Know Law One or more components listed.

**Canadian Regulations** 

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class

B2 Flammable Liquids

B4B Taxia Materials

D1B Toxic Materials

# 16. OTHER INFORMATION

### The following sections have been revised since the last issue of this MSDS

Not applicable

**Additional Information** For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

**Disclaimer Statement** This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

\*\*\*END OF MSDS\*\*\*