# PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

## SECTION 1:

**SECTION 2:** 

## PRODUCT AND COMPANY IDENTIFICATION

Product Name:		Lidocaine hydrochloride 2% and Epinephrine 1:50,000 Injection Lidocaine hydrochloride 2% and Epinephrine 1:100,000 Injection	
Item Number:	465-0015; 465-1205; 949-8148; 949-0616		
Manufacturer / Distributor:	Novocol Pharmaceutical of Canada, Inc. 25 Wolseley Court Cambridge, ON N1R 6X3 519-623-4800 http://www.septodont.com/	Henry Schein Inc. 135 Duryea Road Melville, NY 11747 631-843-5500 www.henryschein.com	
Emergency Phone Number:	ChemTel LLC (800)255-3924 (North America) +1 (813)248-0585 (International)	(800)255-3924 (North America)	
Product Use:	Local anesthetic solution for use in periphe	Local anesthetic solution for use in peripheral nerve blocks	
Date of Preparation:	July 12, 2021	July 12, 2021	

HAZARDS IDENTIFICATION

Classification:	This product is exempt from WHMIS 2015 as a drug product. Information provided is for worker education and training purposes.
	<u>Equivalent</u> Class: Specific Target Organ Toxicity – Single Exposure: Narcotic effects, Category 3
Equivalent GHS Label Symbol:	
Hazard Statements:	Warning
	H336 - May cause drowsiness or dizziness
	May cause skin and/or eye irritation
	Causes central nervous system effects such as drowsiness, confusior excitability and nervousness. Acts as a depressant on the cardiovascular system.
	Avoid use in individuals with hypersensitivities to amide-type anesthetics. Use with caution in individuals with diabetes and/or severe hypertension.
	CONSULT PRODUCT INSERT FOR CLINICAL AND PHARMACOPIAL INFORMATION
	Signs and Symptoms of Overexposure: Drowsiness, confusion, excitability, nervousness, drop in blood pressure, fatigue, bluish discoloration of fingernails, lips, or skin, difficulties in breathing.
Precautionary Statements:	Prevention P261 – Do not breathe mist/vapours/spray P271 – Use in a well-ventilated area Response

# PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

P304+P430 – If inhaled – remove victim to fresh air and keep at rest in a position comfortable for breathing P312 – Call a POISON CENTER or doctor/physician if you feel unwell <b>Storage</b> P405 – Store locked up <b>Disposal</b> P501 – Dispose of contents/container in accordance with
local/provincial/federal regulations

#### **SECTION 3:**

### **COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Identity	Concentration (Percent weight/weight)	CAS Number
Lidocaine Hydrochloride	2	137-58-6
Epinephrine Bitartrate	0.001 - 0.002	51-42-3

## SECTION 4: FIRST AID MEASURES

Inhalation:	Remove patient from exposure.
Eye Contact:	Flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention, if irritation persists.
Skin Contact:	Remove contaminated clothing. Wash skin with soap and water
Ingestion:	Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison control or physician.
Personal Protective Equipment for First Aid Responders:	Wear impermeable gloves to avoid skin contact (e.g. nitrile, natural rubber).

#### **SECTION 5:**

#### **FIRE FIGHTING MEASURES**

Suitable extinguishing media:	Water spray, dry chemical, carbon dioxide, or foam as appropriate for surrounding fire and materials
Hazardous Combustion Products:	Not available
Special Protective Actions for Firefighters:	As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing.

## PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

## **SECTION 6:**

**SECTION 7:** 

## ACCIDENTAL RELEASE MEASURES

Personal precautions:	Caution should be used to prevent against ingestion and contact with eyes. Wear safety glasses with side shields.
Environmental precautions:	Prevent spills from entering sewers and watercourses. Cover drains.
Methods and materials for containment and cleaning up:	Clean up spills with normal procedures used for non-hazardous liquids. This can include: absorb spill with inert material, then place in a chemical waste container. Clean surface thoroughly with water to remove residual contamination.

### HANDLING AND STORAGE

Handling Procedures and Equipment:	Caution should be used to prevent against ingestion and contact with eyes. Handle with care to avoid breakage.
Storage Requirements:	Store in a cool, dry place. Avoid extremes in temperature.
Packaging:	USP Type 1 glass with rubber stopper and cap
Sensitivity to Mechanical Impact:	No
Sensitivity to Static Discharge:	No

### **SECTION 8:**

### **EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure Limits:		Occupational Exposure Limits (OEL)			
	Chemical Agent	ACGIHª		Ontario	
	/ goin	Τ₩Α <sup>ь</sup>	<b>STEL</b> <sup>c</sup>	TWA <sup>b</sup>	STEL <sup>c</sup>
	Lidocaine Hydrochloride	Not available	Not available	Not available	Not available
	Epinephrine Bitartrate	Not available	Not available	Not available	Not available
a – American Conference of Governmental Industri b – Time Weighted Average c - Short-term Exposure Limit	al Hygienists	·	·	·	·
Personal Protective Equipment (PPE):					
Gloves (specify):	Impermeable	gloves (e.g. ni	trile, natural ru	bber)	
Respiratory (specify):	Not normally	required			
Eye (specify):	Safety glasses with side shields or googles if a splash hazard exists				
Footwear (specify):	Not normally required				
Other Equipment (specify):	Wear protective clothing to prevent skin exposure Resuscitative equipment and drugs should be available during dental procedures				

# PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

Engineering Controls (e.g. ventilation, enclosed process, specify):	Not normally required
---	-----------------------

# **SECTION 9:**

### PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Odour and Appearance:	Clear and odourless
Odour Threshold:	Not applicable
Specific Gravity (water=1):	1
Solubility in Water	Soluble
Co-efficient of Water/Oil Distribution:	Not available
Vapour Pressure:	17 mm Hg @ 20°C
Boiling Point (°C):	100°C
Melting/Freezing Point (°C):	0°C
pH:	Not available
Vapour Density (Air=1):	0.6
Evaporation Rate (Butyl Acetate=1):	1
Flashpoint (°C) and Method:	Not flammable (water based)
Upper Flammable Limit (%):	Not available
Lower Flammable Limit (%):	Not available
Auto-ignition Temperature (°C):	Not available
Decomposition Temperature (°C):	Not available

#### **SECTION 10:**

### STABILITY AND REACTIVITY

Reactivity:	Stable
Chemical Stability:	Stable
Conditions to Avoid:	None
Incompatible Materials:	Incompatible with compounds which react violently with water
Hazardous Decomposition Products:	None

SECTION 11:	TOXICOLOGICAL INFORMATION

	$\boxtimes$ Skin Contact $\boxtimes$ Skin Absorption $\boxtimes$ Eye Contact $\boxtimes$ Inhalation $\boxtimes$ Ingestion
--	---

# PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

Acute Toxicity:	Not expected to be acutely toxic. Acute measures of toxicity (i.e. LD50 and LC50) are not available for this mixture. LD50 for Lidocaine Hydrochloride: 317 mg/kg oral rat LD50 for Epinephrine Bitartrate: 4 mg/kg oral mouse
Skin Corrosion/Irritation:	May be irritating to the skin.
Serious Eye Damage/Irritation:	May be irritating to the eyes.
Respiratory or Skin Sensitization:	Not available
Interactive Effects:	Not available
Mutagenicity:	Not available
Carcinogenicity:	This product has not been listed as a carcinogen or a potential carcinogen by the ACGIH, the International Agency for Research on Cancer (IARC), the US National Toxicology Program (NTP) or the US Occupational Safety and Health Administration (OSHA).
Reproductive Toxicity:	No significant effects were observed on fetal development. However, animal studies have found that continuous exposure throughout pregnancy may decrease birth weight.
Specific Target Organ Toxicity – Single Exposure:	Causes central nervous system effects such as drowsiness, confusion, excitability and nervousness. Acts as a depressant on the cardiovascular system.
Specific Target Organ Toxicity – Repeated Exposure:	May cause hypersensitivity. Associated with the development of methemoglobinemia.
Aspiration Hazard:	Not available. Not expected to be of concern.

## **SECTION 12:**

### **ECOLOGICAL INFORMATION**

Ecotoxicity:	Not available
Persistence / Degradability:	Not available
Bioaccumulation / Accumulation:	Not available
Mobility in Environmental Media:	Not available
Other Adverse Effects:	Not available

#### **SECTION 13:**

#### **DISPOSAL CONSIDERATIONS**

#### **PRODUCT ID: LIDOCAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION**

### **SECTION 14:**

### **TRANSPORTATION INFORMATION**

UN Number:	Not available
UN Proper Shipping Name:	Not available
Transport Hazard Classes:	Not available
Packing Group:	Not available
Environmental Hazards:	Not available
Special Precautions for User:	Avoid temperature extremes. Prevent from freezing.

#### SECTION 15: REGULATORY INFORMATION

OSHA Regulatory Status:	Epinephrine bitartrate (epinephrine salt) is <u>not</u> listed as a hazardous product in the RCRA (EPA) and CERCLA (EPA) regulations.
Regulatory Status:	This product is exempt from current WHMIS legislation as a drug product

SECTION 16:	OTHER INFORMATION
SDS Version#:	# 6 (replaces V.5 of July 11, 2016)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.