

# **Hazardous Substance, Dangerous Goods**

## 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: Litharge

Recommended use: Used in the manufacture of pigments, paints, varnishes, cements, jointing compounds, glass, rubber compounds, batteries and plastics.

DuluxGroup (PNG) Pte. Ltd.

**Street Address:** Air Corps Road

Lae Morobe Province

**PNG** 

Telephone: 4723633

**Emergency telephone number:** Australia - +613 9663 2130

## 2. HAZARDS IDENTIFICATION

This material is hazardous according to health criteria of Safe Work Australia.



#### Signal Word

Danger

## **Hazard Classification**

Acute Toxicity - Oral - Category 4

Acute Toxicity - Inhalation - Category 4

Carcinogenicity - Category 2

Toxic to Reproduction – Category 1A Toxic to Reproduction – (effects on or via lactation)

Specific Target Organ Toxicity (Repeated Exposure) - Category 1

## Hazard Statement(s)

H302	Harmful if swallowed
H332	Harmful if inhaled

H351 Suspected of causing cancer

H360 May damage fertility or the unborn child H362 May cause harm to breastfed children

H372 Causes damage to organs through prolonged or repeated exposure

# **Prevention Precautionary Statement(s)**

P102	Keep out of reach of children.
D400	Daad labal bafara waa

P103 Read label before use. P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

Do not breathe dust P260

Avoid contact during pregnancy/while nursing P263

Wash hands, face and all exposed skin thoroughly after handling P264

P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area

Avoid release to the environment P273

SDS No: DLXPNGEN001990 **Product name: Litharge** Issued: 19 February 2016 Version: 1.0 Page: 1 of 8



P280 Wear protective clothing, gloves, eye/face protection and suitable dust mask as required.

**Response Precautionary Statement(s)** 

P101 If medical advice is needed, have product container or label at hand

P301+310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician

P330 Rinse mouth

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

P312 Call a POISON CENTRE or doctor/physician if you feel unwell

P308+313 IF exposed or concerned: Get medical advice/attention

**Storage Precautionary Statement(s)** 

P405 Store locked up

**Disposal Precautionary Statement(s)** 

P501 Dispose of contents/container in accordance with local, regional, national and international

regulations

Poisons Schedule (Aust): S6

#### DANGEROUS GOODS CLASSIFICATION

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

Class: 6.1 Toxic

## 3. COMPOSITION INFORMATION

CHEMICAL ENTITY CAS NO. PROPORTION

Lead monoxide 1317-36-8 >99%

#### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation:** Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If breathing laboured and patient cyanotic (blue), ensure airways are clear and have a qualified person give oxygen through a facemask. If breathing has stopped apply artificial respiration at once. In the event of cardiac arrest, apply external cardiac massage. Seek immediate medical advice.

**Skin contact:** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye contact:** If in eyes wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

**Ingestion:** Immediately rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Get to a doctor or hospital quickly.

Product name: Litharge SDS No: DLXPNGEN001990 Issued: 19 February 2016 Version: 1.0 Page: 2 of 8



**PPE for First Aiders:** Wear overalls, safety glasses and impervious gloves. Avoid generating and inhaling dusts. If dust exists, wear dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Hazchem Code: 2Z

**Suitable extinguishing media:** Not combustible, however, if material is involved in a fire use water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

**Fire fighting further advice:** On decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

#### 6. ACCIDENTAL RELEASE MEASURES

#### **SMALL SPILLS**

Wear protective equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

### **LARGE SPILLS**

Wear protective equipment to prevent skin and eye contamination and the inhalation of dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

**Dangerous Goods – Initial Emergency Response Guide No: 34** 

# 7. HANDLING AND STORAGE

**Handling:** Avoid skin and eye contact and inhalation of dust.

**Storage:** Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Keep containers closed when not in use check regularly for spills.

This material is classified as a Dangerous Good Class 6.1 Toxic Substance as per the criteria of the Australian Dangerous Goods Code and must be stored in accordance with the relevant regulations.

This material is a Scheduled Poison S6 and must be stored, maintained and used in accordance with the relevant regulations.

Product name: Litharge SDS No: DLXPNGEN001990

Issued: 19 February 2016 Version: 1.0 Page: 3 of 8



## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**National occupational exposure limits:** No value assigned for this specific material by Safe Work Australia or Department of Labour New Zealand.

However for:

TWA STEL CARCINOGEN NOTICES ppm mg/m3 ppm mg/m3 CATEGORY

Lead, inorganic dusts/fumes - 0.15 - - - -

As published by the Safe Work Australia or Department of Labour New Zealand.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15-minute period, which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

**Engineering measures:** Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask. Keep containers closed when not in use.

**Personal protection equipment:** E: OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.

Wear overalls, safety glasses and impervious gloves. Avoid generating and inhaling dusts. If dust exists, wear dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Hygiene measures:** Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid skin and eye contact and inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

Product name: Litharge SDS No: DLXPNGEN001990 Issued: 19 February 2016 Version: 1.0 Page: 4 of 8



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour: Odourless, yellow to reddish solid.

**Solubility:** Insoluble in water.

Specific Gravity (20℃): 9.53 **Relative Vapour Density (air=1):** N App Vapour Pressure (20℃): N App Flash Point (℃): N App Flammability Limits (%): N App Autoignition Temperature (℃): N App % Volatile by Volume: N App Melting Point/Range (℃): 888 Boiling Point/Range (℃): N Av N Av **Decomposition Point (℃):** 

**pH:** 4.1 – 4.7 (1% Aqueous solution)

Viscosity: N Av

#### 10. STABILITY AND REACTIVITY

Reactivity: No reactivity hazards are known for the material.

**Chemical stability:** This material is thermally stable when stored and used as directed. Slowly absorbs carbon dioxide and moisture from the atmosphere.

Hazardous reactions: No known hazardous reactions.

**Conditions to avoid:** Elevated temperatures.

**Incompatible materials:** Incompatible with oxidising agents, reducing agents, hydrogen peroxide, lithium carbide, perchloric acid, sodium and aluminium and hydrogen trisulfide.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

#### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### **Acute Effects**

**Inhalation:** Inhalation of dust may result in respiratory irritation and the symptoms described for ingestion.

**Skin contact:** Contact with skin may result in irritation.

**Ingestion:** Swallowing can result in nausea, vomiting and abdominal pain.

**Eye contact:** May be an eye irritant.

Product name: Litharge SDS No: DLXPNGEN001990 Issued: 19 February 2016 Version: 1.0 Page: 5 of 8



### **Acute toxicity**

**Inhalation:** This material has been classified as a Category 4 Hazard.

Acute toxicity estimate (based on ingredients): 10 - 20 mg/L

Skin contact: This material has been classified as non-hazardous.

**Ingestion:** This material has been classified as a Category 4 Hazard. Acute toxicity estimate (based on ingredients): 300 - 2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as not corrosive or irritating to eyes.

Skin: this material has been classified as not corrosive or irritating to skin.

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser.

Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous.

### **Chronic Toxicity**

**Mutagenicity:** This material has been classified as non-hazardous.

Carcinogenicity: This material has been classified as a Category 2 Hazard.

**Reproductive toxicity (including via lactation):** This material has been classified as a Category 1A Hazard. Toxic to reproduction and has effects on or via lactation.

**Specific target organ toxicity (repeat exposure):** This material has been classified as a Category 1 Hazard. Exposure via all routes of exposure may result in effects on the central and peripheral nervous system.

#### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as a Category Acute 1 Hazard.

Acute toxicity estimate (based on ingredients): <1 mg/L

**Long-term aquatic hazard:** No information is available to complete an assessment.

**Ecotoxicity:** No information available.

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential: No information available.

**Mobility:** No information available.

Product name: Litharge SDS No: DLXPNGEN001990 Issued: 19 February 2016 Version: 1.0 Page: 6 of 8



### 13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

#### 14. TRANSPORT INFORMATION

#### **ROAD AND RAIL TRANSPORT**

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

UN No: 2291

Dangerous Goods Class: 6 Toxic

Packing Group: III

Hazchem Code: 2Z

Emergency Response Guide No: 34

Proper Shipping Name: LEAD COMPOUND, SOLUBLE, N.O.S. (CONTAINS LEAD MONOXIDE)

**Segregation Dangerous Goods:** Not to be loaded with explosives (Class 1), nitromethane, food and food packaging in any quantity, however exemptions may apply.

#### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

This material is classified as a Marine Pollutant (P) according to the International Maritime Dangerous Goods Code.

UN No: 2291

Dangerous Goods Class: 6 Toxic

Packing Group: III

Proper Shipping Name: LEAD COMPOUND, SOLUBLE, N.O.S. (CONTAINS LEAD MONOXIDE)

### **AIR TRANSPORT**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No: 2291

Dangerous Goods Class: 6 Toxic

Packing Group: III

Proper Shipping Name: LEAD COMPOUND, SOLUBLE, N.O.S. (CONTAINS LEAD MONOXIDE)

Product name: Litharge SDS No: DLXPNGEN001990 Issued: 19 February 2016 Version: 1.0 Page: 7 of 8



#### 15. REGULATORY INFORMATION

#### This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances) The Stockholm Convention (Persistent Organic Pollutants) The Rotterdam Convention (Prior Informed Consent)

## This material is subject to the following international agreements:

Basel Convention (Hazardous Waste)

- Organic solvents excluding halogenated solvents
- International Convention for the Prevention of Pollution from Ships (MARPOL)
  - Annex III Harmful Substances carried in Packaged Form

# This material/constituent(s) is covered by the following requirements:

- The Standard for the *Uniform Scheduling of Medicines and Poisons (SUSMP*) established under the Therapeutic Goods Act (Commonwealth).
- All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

#### Literary reference

This Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd (chemdata.com.au) on behalf of its client.

Reason(s) For Issue: First issue.

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd and Concrete Plus cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

SDS No: DLXPNGEN001990 **Product name: Litharge** Issued: 19 February 2016 Version: 1.0 Page: 8 of 8