

### LUMINATE ALKALI

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : LUMINATE ALKALI

Other means of identification : not applicable

Recommended use : Laundry detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/08/2014

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Skin corrosion : Category 1A Serious eye damage : Category 1

#### **GHS Label element**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

Store locked up. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

913989-04 1 / 8

## **LUMINATE ALKALI**

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration (%)

sodium hydroxide 1310-73-2 30 - 60

**SECTION 4. FIRST AID MEASURES** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they

913989-04 2 / 8

### LUMINATE ALKALI

must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 10 °C to 50 °C

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

#### Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

913989-04 3 / 8

## LUMINATE ALKALI

and body in case of contact or splash hazard.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, colorless

Odor : odorless

pH : 13.0 - 13.8, 100 %

Flash point : not applicable, Does not sustain combustion.

Odor Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapor pressure : no data available
Relative vapor density : no data available
Relative density : 1.469 - 1.513

Water solubility : soluble

Solubility in other solvents

Partition coefficient: n-

octanol/water

no data availableno data available

Autoignition temperature : no data available
Thermal decomposition : no data available
Viscosity, kinematic : no data available
Explosive properties : no data available
Oxidizing properties : no data available
Molecular weight : no data available
VOC : no data available

# **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

913989-04 4 / 8

## LUMINATE ALKALI

nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

## **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

: Causes serious eye damage. Eyes

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

#### **Experience with human exposure**

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

**Toxicity** 

Acute oral toxicity : no data available : no data available Acute inhalation toxicity Acute dermal toxicity : no data available : no data available Skin corrosion/irritation Serious eye damage/eye : no data available

Respiratory or skin

sensitization

irritation

: no data available

Carcinogenicity : no data available Reproductive effects : no data available Germ cell mutagenicity : no data available : no data available Teratogenicity STOT-single exposure : no data available STOT-repeated exposure : no data available Aspiration toxicity : no data available

## **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

913989-04 5/8

#### LUMINATE ALKALI

Environmental Effects : Harmful to aquatic life.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

: no data available

Ingredients

Toxicity to algae

Toxicity to daphnia and other : sodium hydroxide aquatic invertebrates : sodium hydroxide 48 h EC50: 40 mg/l

### Persistence and degradability

no data available

## Bioaccumulative potential

no data available

#### Mobility in soil

no data available

### Other adverse effects

no data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : The product should not be allowed to enter drains, water courses or

the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 1824

Description of the goods : Sodium hydroxide solution

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

913989-04 6 / 8

## LUMINATE ALKALI

UN number : 1824

Description of the goods : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium hydroxide	1310-73-2	1000	2222

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

# California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:

#### 1907/2006 (EU):

not determined

# Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

#### United States TSCA Inventory :

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

# Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

913989-04 7 / 8

### LUMINATE ALKALI

On the inventory, or in compliance with the inventory

## Philippines Inventory of Chemicals and Chemical Substances (PICCS):


On the inventory, or in compliance with the inventory

## China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

### **SECTION 16. OTHER INFORMATION**

#### NFPA:



#### HMIS III:



0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 07/08/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

913989-04 8 / 8