ULTRACHEM INC. 900 CENTERPOINT BLVD. **NEW CASTLE, DE 19720** (302) 325-9880

MATERIAL SAFETY DATA SHEET

Omnilube® 32/46, 68 and 455

EFFECTIVE DATE: 1/8/08 SUPERCEDES: 9/5/07

I. PRODUCT IDENTIFICATION:

Trade Name

Omnilube® 32/46, 68 and 455

Chemical Name:

Polyalphaolefin

Chemical Family: Synthetic hydrocarbon, synthetic ester

II. COMPONENTS & HAZARD STATEMENT:

This product is non-hazardous. California Prop 65: this product may contain a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. No special warning labels are required under OSHA CFR 1910.1200.

III. PHYSICAL DATA:

Viscosity:

39-100 cSt. @ 40°C

Specific Gravity (Water = 1.0):

0.84 - 0.87

Boiling Point:

Not Determined Negligible

Vapor Pressure: Appearance & Odor:

Liquid, colorless, odorless

Solubility in Water:

Negligible

Other Data:

Food Grade H-1/NSF Register

IV. FIRE & EXPLOSION HAZARD DATA:

Flash Point:

~464°F

Autoignition Temperature::

Not Determined

Flammability Limits:

Not Established

Extinguishing Media:

Dry Chemical; CO₂ Foam; Water Spray

Special Fire Fighting Procedure:

Burning may produce irritating/noxious fumes. Firefighters should use NIOSH/MNSA approved self-contained breathing apparatus. Use water to cool fire-exposed containers to prevent pressure

build-up.

V. REACTIVITY DATA:

Stability:	This product is stable and will not react with water.
Materials to Avoid:	Avoid strong oxidizers
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide

	VI.	HEA	LTHI	NFOR	MA	TION:
--	-----	-----	------	------	----	-------

Eye Contact:	Flush eyes with water for 15 minutes. Call a physician if irritation develops
Skin Contact:	Wash skin with soap and water.
Inhalation:	Remove to fresh air.
Ingestion:	First aid not normally required. If uncomfortable, call physician.

EFFECTIVE DATE: 1/8/08	SUPERCEDES: 9/5/07	
PRODUCT: Omnilube® 32/46, 68 and 455		

VII. HEALTH HAZARD DATA:		
Exposure Limits:	Not applicable	
Effects of Overexposure:	Low oral and dermal toxicity. Prolonged or repeated exposure may cause	
	irritation, nausea, and vomiting.	

VII. EMPLOYEE PROTECTION:

For general personal hygiene, wash hands thoroughly after handling material. Avoid contact with skin and eyes.

Chemical impervious gloves are recommended for prolonged exposure.

Use in a well ventilated area

VIII.	STORAGE.	SPILL &	DISPOSAL	PROCEDURES:

Storage:

Store in clean, dry area.

Spills:

Use absorbent materials to soak up fluid.

Disposal:

Incinerate this product and all associated wastes in a licensed facility in accordance with

Federal, state, and local regulations.

IX. HAZARD RATING INFORMATION:				
	HMIS	KEY		
Health:	1	4=Severe	0=Minimal	
Flammability:	1	3=Serious		
Reactivity:	0	2=Moderate	B=Gloves,Goggles	
Personal Protection:	В	1=Slight		

This information contained herein is based on the data available to us and is believed to be true and accurate. Ultrachem makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Ultrachem assumes no responsibility for injury from the use of this product.



For Additional Information:

Ultrachem Inc. 900 CENTERPOINT BLVD. NEW CASTLE, DE 19720 (302) 325-9880