

SAFETY DATA SHEET

1. Identification

Label elements

Product identifier	Gunk Automatic Transmission Flush		
Other means of identification SDS number	M1410TFG		
Part No. Tariff code	M1410TFG 3402.19.5000		
Recommended use	Transmission Flush		
Recommended use Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/			
Manufacturer			
Company name Address	RSC Chemical Solutions 600 Radiator Road Indian Trail, NC 28079 United States		
Telephone	Customer Service: Technical:	(704) 821-7643 (704) 684-1811	
Website E-mail	www.rscbrands.com sds@rscbrands.com		
Emergency phone number	Emergency Telephone: Emergency Contact:	(303) 623-5716 RMPDC (877-740-5015)	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral	Category 4	
	Acute toxicity, inhalation	Category 4	
	Carcinogenicity	Category 1B	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		



Signal word	Danger
Hazard statement	Harmful if swallowed. Harmful if inhaled. May cause cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	99.8% of the mixture consists of component(s) of unknown acute oral toxicity. 99.8% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Light Naphthenic		64742-53-6	80 - < 90
Other components below reportable le	evels		10 - < 20

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid inhalation of vapors and spray mists. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective	

equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Form Components Value Type Distillates (petroleum), PEL 5 mg/m3 Mist. Hydrotreated Light Naphthenic (CAS 64742-53-6) 2000 mg/m3 500 ppm **US. ACGIH Threshold Limit Values** Form Components Туре Value Distillates (petroleum), TWA 5 mg/m3 Inhalable fraction. Hydrotreated Light Naphthenic (CAS 64742-53-6) **US. NIOSH: Pocket Guide to Chemical Hazards** Components Type Value Form Distillates (petroleum), Ceiling 1800 mg/m3 Hydrotreated Light Naphthenic (CAS 64742-53-6) STEL 10 mg/m3 Mist. **Biological limit values** No biological exposure limits noted for the ingredient(s). Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates Appropriate engineering controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment Eve/face protection wear safety glasses with side shields (or goggles) Skin protection Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Other Wear suitable protective clothing. Use of an impervious apron is recommended. **Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece if threshold limits are exceeded. Thermal hazards Wear appropriate thermal protective clothing, when necessary. Keep away from food and drink. Always observe good personal hygiene measures, such as **General hygiene** washing after handling the material and before eating, drinking, and/or smoking. Routinely wash considerations work clothing and protective equipment to remove contaminants. 9. Physical and chemical properties Appearance Liquid. **Physical state** Liquid. Form Liquid. Color Amber

Evaporation rate	< 1 BuAc
Flash point	446.0 °F (230.0 °C)
Initial boiling point and boiling range	680 °F (360 °C) estimated
Initial hailing paint and hailing	690 °F (260 °C) estimated
Melting point/freezing point	-94 °F (-70 °C) estimated
рН	Not available.

Mild hydrocarbon

Not available.

Odor

Odor threshold

Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	< 1 mm Hg @ 20°C	
Vapor density	> 1	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	500 °F (260 °C) estimated	
Decomposition temperature	Not available.	
Viscosity	5.8 cSt @ 40°C 2 cSt @ 100°C	
Other information		
Density	7.42 lbs/gal	
Explosive properties	Not explosive.	
Flammability class	Combustible IIIB estimated	
Oxidizing properties	Not oxidizing.	
Specific gravity	0.89 @ 15.6°C	

The product is stable and non-reactive under normal conditions of use, storage and transport.

Hazardous decomposition No hazardous decomposition products are known.

10. Stability and reactivity

Reactivity

reactions

Chemical stability Possibility of hazardous

Conditions to avoid

Incompatible materials

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effects			
Acute toxicity	Harmful if inhaled. Harmful if swallowed.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		

Material is stable under normal conditions.

Contact with incompatible materials.

Strong oxidizing agents.

No dangerous reaction known under conditions of normal use.

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	May cause cancer.
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)
Not listed.	
US. National Toxicology Pro	ogram (NTP) Report on Carcinogens
Distillates (petroleum), Hy (CAS 64742-53-6)	/drotreated Light Naphthenic Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.

13. Disposal considerations

Other adverse effects

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

Annex II of MARPO

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), Hydrotreated Light Naphthenic (CAS 64742-53-6)

US. Massachusetts RTK - Substance List

Distillates (petroleum), Hydrotreated Light Naphthenic (CAS 64742-53-6)

- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-27-2016
Version #	01
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.