

Revision date : 2014/03/11 Page: 1/15
Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### 1. Identification

#### Product identifier used on the label

# **VERDICT**

#### Recommended use of the chemical and restriction on use

Recommended use: herbicide

# Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Substance number: 269978 EPA Register number: 7969-279

Molecular formula: C17 H17 CI F4 N4 O5 S + C12 H18 CI N O2 S

Chemical family: halogenated, amide, herbicide, mixture

Synonyms: saflufenacil + dimethenamid -P

#### 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

Skin Sens.

Carc.

2 Skin sensitization
Carcinogenicity
Repr.

2 (unborn child)
Reproductive toxicity

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2014/03/11 Page: 2/15
Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### Label elements (Emergency overview)

Pictogram:



# Signal Word: Warning

Hazard Statement:

H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

H361 Suspected of damaging the unborn child.

Precautionary Statements (Prevention):

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician.

P303 + P352 IF ON SKIN (on hair): Wash with plenty of soap and water. P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or

doctor/physician.

P362 Take off contaminated clothing and wash before reuse.

P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

Precautionary Statements (Storage):
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

#### Hazards not otherwise classified

<u>Labeling of special preparations (GHS):</u>

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 14 - 21 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 14 - 21 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 19 - 31 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 19 - 31 % Inhalation - mist

#### **Emergency overview**

Revision date: 2014/03/11 Page: 3/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### WARNING:

Causes substantial but temporary eye injury.

HARMFUL IF SWALLOWED.

HARMFUL IF INHALED.

HARMFUL IF ABSORBED THROUGH SKIN.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Do not get in eyes, on skin, or on clothing.

Avoid inhalation of mists/vapours.

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
163515-14-8	< 56.0 %	(S)-dimethenamid
372137-35-4	< 6.5 %	Saflufenacil
91-57-6	< 1.5 %	Naphthalene, 2-methyl-
91-20-3	< 1.0 %	naphthalene
90-12-0	< 0.5 %	Naphthalene, 1-methyl-

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
163515-14-8	< 56.0 %	(S)-dimethenamid
372137-35-4	< 6.5 %	Saflufenacil
	> 34.5 - < 39.0 %	Proprietary ingredients
91-57-6	< 1.5 %	Naphthalene, 2-methyl-
91-20-3	< 1.0 %	naphthalene
90-12-0	< 0.5 %	Naphthalene, 1-methyl-

#### 4. First-Aid Measures

#### **Description of first aid measures**

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. If not breathing, give artificial respiration.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

Revision date: 2014/03/11 Page: 4/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting unless told to by a poison control center or doctor. Do not give solids or liquids.

### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Hazards: Vomiting may cause aspiration pneumonia due to the ingredients. Because of the increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent, vomiting should be induced only under professional supervision.

#### Indication of any immediate medical attention and special treatment needed

Note to physician

Antidote: No known specific antidote. Treatment: Treat symptomatically.

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

# Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Sulphur dioxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, Hydrocarbons, If product is heated above decomposition temperature, toxic vapours will be released. The

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

# Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

# **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then

Revision date: 2014/03/11 Page: 5/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

# Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

#### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Protect from temperatures below: 5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

# Components with occupational exposure limits

naphthalene OSHA PEL 10 ppm 50 mg/m3;

PEL

ACGIH TWA value 10 ppm; STEL value 15 ppm; Skin

TLV Designation;

The substance can be absorbed through the skin.

Revision date: 2014/03/11 Page: 6/15 Version: 5.0 (30516487/SDS CPA US/EN)

Naphthalene, 1-methyl-

ACGIH TWA value 0.5 ppm; Skin Designation;

TLV The substance can be absorbed through the skin.

Naphthalene, 2-methyl-

ACGIH TWA value 0.5 ppm; Skin Designation;

TLV The substance can be absorbed through the skin.

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

# Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

# Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards., butyl rubber (butyl) – 16 mm coating thickness, laminated plastic (Silver Shield), nitrile rubber (Buna N), Do not use neoprene gloves., Dispose of contaminated gloves after eight hours of use.

#### Eve protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

# **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid Odour: strong

Odour threshold: No data available.

Revision date: 2014/03/11 Page: 7/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

Colour: light brown, clear

pH value: 4.2 (10 g/l, 25 °C)

Freezing point: approx. -20 °C (1,013.3 hPa) Information applies to the

solvent.

Boiling range: approx. 232 - Information applies to the solvent.

278 °C

Flash point: > 112.8 °C Flammability: not highly

flammable

Lower explosion limit: As a result of our experience with this

product and our knowledge of its

composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

intended use.

Autoignition: approx. 491 °C Information applies to the solvent. Vapour pressure: approx. 0.05 hPa (20 °C) Information applies to the

solvent. ( 20 °C)

Density: approx. 1.092

g/cm3

9.1132 Lb/USg (68 °F)

Vapour density: not applicable

Information on: saflufenacil

Partitioning coefficient n-

octanol/water (log Pow):

2.6 (20 °C)

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: 19.56 mPa.s (40 °C

Solubility in water: emulsifiable, insoluble

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

# 10. Stability and Reactivity

# Reactivity

Additional information:

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

The product is not to be labelled as corrosive for transport purposes.

Oxidizing properties: Not an oxidizer.

not fire-propagating

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

Revision date: 2014/03/11 Page: 8/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### Possibility of hazardous reactions

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Incompatible materials

Substances to avoid:

Nitric Acid, Sulfuric acid, strong oxidizing agents

# Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

# 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity:

Slightly toxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (OECD Guideline 423)

**Inhalation** 

Type of value: LC50 Species: rat (male/female)

Value: > 5.77 mg/l (OECD Guideline 403)

An aerosol was tested.

**Dermal** 

Type of value: LD50

Species: rat

Revision date: 2014/03/11 Page: 9/15 Version: 5.0 (30516487/SDS CPA US/EN)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Irritation / corrosion

Assessment of irritating effects:

Causes substantial but temporary eye injury. May cause slight irritation to the skin.

#### Skin

Species: rabbit

Result: Slightly irritating.

May cause moderate irritation to the skin.

Eve

Species: rabbit

Result: Moderately to severely irritating. Causes substantial but temporary eye injury.

# Sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

modified Buehler test Species: guinea pig

Caused skin sensitization in animal studies.

# **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (S)-dimethenamid Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

-----

#### Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethenamid-P

Assessment of mutagenicity:Results from a number of mutagenicity studies with microorganisms and mammalian cell culture are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Information on: Saflufenacil

Assessment of mutagenicity: Results from a number of genotoxicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is genotoxic.

-----

### Carcinogenicity

Revision date: 2014/03/11 Page: 10/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethenamid-P

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: Saflufenacil

Assessment of carcinogenicity: Not carcinogenic.

-----

Information on: solvent naphtha

Assessment of carcinogenicity: Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

\_\_\_\_\_

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethenamid-P

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Information on: Saflufenacil

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

-----

#### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Dimethenamid-P

Assessment of teratogenicity: Causes developmental effects in animals at high, maternally toxic doses.

Information on: Saflufenacil

Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

-----

#### Other Information

Misuse can be harmful to health.

#### **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Medical conditions aggravated by overexposure

Revision date: 2014/03/11 Page: 11/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

# 12. Ecological Information

#### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

LC50 (96 h) 18 mg/l, Oncorhynchus mykiss

Aquatic invertebrates

EC50 (48 h) 15 mg/l, Daphnia magna

Aquatic plants

EC50 (72 h) 0.014 mg/l (growth rate), Pseudokirchneriella subcapitata

#### Toxicity to fish

Information on: Dimethenamid-P LC50 12 mg/l, Cyprinodon variegatus LC50 10.0 mg/l, Lepomis macrochirus

Information on: Saflufenacil

LC50 (96 h) > 120 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) LC50 (96 h) > 120 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

No observed effect concentration (96 h) >= 120 mg/l, Lepomis macrochirus (OECD Guideline 203,

static)

-----

### Aquatic invertebrates

Information on: Saflufenacil

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

-----

#### Aquatic plants

Information on: Dimethenamid-P EC50 0.38 mg/l, Anabaena flos-aquae EC50 34 mg/l, Navicula pelliculosa

Information on: Saflufenacil

EC50 (72 h) 0.108 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

-----

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

# Persistence and degradability

Assessment biodegradation and elimination (H2O)

Revision date: 2014/03/11 Page: 12/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

Information on: S-dimethenamid

Not readily biodegradable (by OECD criteria).

Information on: saflufenacil

Not readily biodegradable (by OECD criteria).

-----

#### **Bioaccumulative potential**

Assessment bioaccumulation potential

Information on: saflufenacil

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

\_\_\_\_\_

# Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: S-dimethenamid

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: saflufenacil

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

-----

#### Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

# 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Revision date : 2014/03/11 Page: 13/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### RCRA:

This product is not regulated by RCRA.

# 14. Transport Information

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

# Sea transport

**IMDG** 

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)

# Air transport

IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)

# **Further information**

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this MSDS for the RQ for this product.

# 15. Regulatory Information

# **Federal Regulations**

# Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Acute; Chronic

**EPCRA 313:** 

<u>CAS Number</u> 91-20-3 <u>Chemical name</u> naphthalene

CERCLA RQ<br/>100 LBSCAS Number<br/>91-20-3Chemical name<br/>naphthalene10 LBS75-21-8Ethylene Oxide

Revision date: 2014/03/11 Page: 14/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

#### State regulations

State RTK	CAS Number	Chemical name
NJ, PA	91-57-6	Naphthalene, 2-methyl-
MA, NJ, PA	91-20-3	naphthalene
MA. PA	90-12-0	Naphthalene, 1-methyl-

# **CA Prop. 65:**

CA PROP 65: An assessment has determined that there is no significant risk present., PROP 65 warning(s) are not required for this product.

#### **NFPA Hazard codes:**

Health: 2 Fire: 1 Reactivity: 1 Special:

#### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### WARNING:

Causes substantial but temporary eye injury.
HARMFUL IF SWALLOWED.
HARMFUL IF INHALED.
HARMFUL IF ABSORBED THROUGH SKIN.
KEEP OUT OF REACH OF CHILDREN.
KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Do not got in every on skip, or on elething

Do not get in eyes, on skin, or on clothing.

Avoid inhalation of mists/vapours.

### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/03/11

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE

Revision date : 2014/03/11 Page: 15/15 Version: 5.0 (30516487/SDS\_CPA\_US/EN)

MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET