

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 Revision Date: 07-26-2017

Replaces:

1. Identification

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Power Steering Fluid

Restrictions on use: Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

Warren Distribution, Inc. 950 S. 10th St., Suite 300

importer, or other responsible party:

Omaha, NE 68108-3296

Phone number: +01 (800) 825-1235 +01 (402) 341-9397

E-mail address: sds@wd-wpp.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

% unknown toxicity (Inhalation Gas):
 % unknown toxicity (Inhalation Vapor):
 % unknown toxicity (Inhalation Dust):
 100 % of the mixture consists of ingredient(s) of unknown toxicity.
 100 % of the mixture consists of ingredient(s) of unknown toxicity.
 100 % of the mixture consists of ingredient(s) of unknown toxicity.

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Lubricating oils, petroleum,	No data available	64742-58-1	90 - 99
hydrotreated spent			

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date: 07-26-2017**

Replaces:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

Eve Contact: None expected to be needed, however, use an eye wash to remove a

chemical from your eye regardless of the level of hazard.

Skin Contact: Wash with soap and water.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

Most important symptoms/effects,

acute and delayed:

None Known

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

No data available

Hazardous combustion products: Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases

Special protective equipment and

precautions for fire-fighters:

No data available

6. Accidental release measures

Personal precautions, protective

equipment and emergency procedures:

No adverse health affects expected from the clean up of spilled material.

Follow personal protective equipment recommendations found in

Section 8 of this SDS.

Methods and materials for containment

Prevent the spread of any spill to minimize harm to human health and

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date:** 07-26-2017

Replaces:

and cleaning up: the environment if safe to do so. Wear complete and proper personal

protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations.

Used fluid should be disposed of at a recycling center.

7. Handling and storage

Precautions for safe handling:No special handling instructions due to toxicity. No data available

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
petroleum, hydrotreated				
spent				

Appropriate engineering controls: Use local exhau

Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None

required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Respirator Type(s): None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date:** 07-26-2017

Replaces:

Eye protection: No special requirements under normal industrial use.

Skin protection: Not normally considered a skin hazard. Where use can result in skin

> contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Gloves: Wear appropriate protective gloves to prevent skin exposure.

General hygiene conditions: No data available

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid Color: Beige Odor: Mild

Odor Threshold: Not determined No data available pH:

Melting point/freezing point:

No data available **Melting Point:** No data available Freezing point:

Initial boiling point and boiling range

(°C):

Flash Point (°C): 226

No data available **Evaporation Rate:** No data available Flammability (solid, gas):

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Lower flammability or explosive

limits:

Not established

Not established

315

No data available Vapor pressure: No data available Vapor density:

0.85 Relative density:

Solubility(ies): Negligible

Partition coefficient: n-octanol/water: No data available

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 Revision Date: 07-26-2017

Replaces:

Auto-ignition temperature:No data availableDecomposition Temperature:Not determinedViscosity:32.58 cSt @ 40°C

Volatile organic compound (VOC)

content and percentage of volatiles:

0.000000

10. Stability and reactivity

Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid (e.g., static discharge, shock, or vibration):

Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products: Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

No data available

Symptoms related to the physical,

chemical and toxicological

characteristics:

None Known

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Although this product has a low order of acute oral toxicity, aspiration of

minute amounts into the lungs during ingestion or vomiting may cause

mild to severe pulmonary injury and possibly death.

Skin Contact: Estimated to be non-irritating to skin (Primary Irritation Index is <0.5

[rabbits]). No hazard in normal industrial use.

Absorption: Likely to be practically non-toxic based on animal data.

Inhalation Toxicity: No hazard in normal industrial use. Likely to be practically non-toxic

based on animal data.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date:** 07-26-2017

Aspiration hazard:

Replaces:

Sensitization: No data available

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

STOT-single exposure:Based on available data, the classification criteria are not met. **STOT-repeated exposure:**Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Other information: No data available

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	Chemical Name LD50 Oral		LC50 Inhalation
Lubricating oils, petroleum, hydrotreated spent	OLD50 Rat > 2000 mg/kg	Dermal LD50 Rabbit > 4480 mg/kg Dermal LD50 Rat > 2000 mg/kg	

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

No data available

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	= 22500 mg/L	No data available	Aquatic LC50 (96h) 79.6 mg/L

Persistence and degradability: Biodegrades at a moderate rate.

Bioaccumulative potential: Bioconcentration may occur.

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 Revision Date: 07-26-2017

Replaces:

Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs

Spent or discarded material is non-hazardous according to environmental

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

regulations.

packaging:

Contaminated packaging: Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Not classified as hazardous for transport (DOT, TDG, IMO/IMDG,

IATA/ICAO).

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date:** 07-26-2017

Replaces:

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:

No data available

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the US TSCA Inventory or are

exempt.

Regulated Components:

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils, petroleum,	64742-58-1	N	N	N	Ν
hydrotreated spent					

Chemical Name	CAS#	California Prop California Pr 65 - Cancer 65 - Dev. Toxi		California Prop 65 - Reprod fem	California Prop 65 - Reprod male	
Lubricating oils,						
petroleum,	64742-58-1	N	N	N	N	
hydrotreated spent						

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	N	N	N	N	N

16. Other information, including date of preparation or last revision.

SDS Prepared by: TPRUETT

Revision Date: 07-26-2017

Revision Number: 6

Product identifier used on the label: MAG 1 PS SEALER 12/12OZ

Stock Number: MAG00172 **Revision Date:** 07-26-2017

Replaces:

Reason for revision:NEW VERSIONReferences:No data availableOther Info:No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.