MATERIAL SAFETY DATA SHEET

SECTION I – PRODUCT AND COMPANY IDENTIFICATION

Manufacturer name and address:

Refer to supplier.

Product name: MASTERS A-PLUS

Product use: Anaerobic adhesive sealant for pipe threads and gaskets.

Supplier name and address:

G. F. THOMPSON CO. LTD.

620 Steven Court Newmarket, Ontario

L3Y 6Z2 WHMIS CLASS: D1A, D2B

Emergency Tel. #:

Mon – Fri, 7:30 am to 5:00 pm EST 905-898-2557 800-499-3673 (toll free) **24 hr Emergency Tel:** 905-252-6219 or 416-786-4336

SECTION II -COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients Polyglycol Dimethacyrlate Polymeric plasticizer Bisphenol A fumarate resin Polyethylene Polytetrafluoroethylene	<u>CAS#</u> 25852-47-5 29408-67-1 39382-25-7 9002-88-4 9002-84-0	wt. % 20-35 20-30 15-25 5-10 5-10	ACGIH TLV None None None None None None	OSHA PEL None None None None None None	OTHER None None None None AEL (Dupont) 10 mg/m³, 8Hr TWA,total
				dust: 5mg/m³,8 Hr	
Titanium dioxide	13463-67-7	1-5	10mg/m³ TWA	15 mg/m³ TWA (total dust)	None
Cumene hydroperoxide	80-15-9	1-3	None	None	1 ppm(6mg/m³) Skin (WEEL)
Saccharin	81-07-2	1-3	None	None	None
Fumed Silica	7631-86-9	1-3	6mg/m³TWA	10mg/m³TWA	3mg/m³TWA respirable dust

SECTION III – PHYSICAL DATA

Physical State: Paste
Colour: White
Odour: Mild

Vapour Pressure: Less than 10 mm @ 80° F

Vapour Density: Not Available

Solubility in Water: Slight Specific Gravity: 1.16 MASTERS A PLUS

Page 2 of 3

Boiling Point: > 300° F

Volatile Organic Compound Content: 0.12%; 1.4g/liter Evaporation Rate (Ether = 1): Not Available pH: Does not apply

SECTION IV - FIREFIGHTING MEASURES

Flash Point (TCC): 200° F

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: None

Hazardous Combustion Products: Oxides of carbon. Toxic fluorine compounds. Irritating

organic vapours

Unusual Fire of Explosion Hazards: None

Flammable/Explosive Limits – lower %: Not available Flammable/Explosive Limits – upper %: Not available

SECTION V - STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Oxides of carbon. Toxic fluorine compounds. Irritating organic

vapours

Incompatibility: Strong oxidizers

SECTION VI – EMERGENCY OVERVIEW

HMIS:

HEALTH: 2 FLAMMABILITY: 1 PHYSICAL HAZARD: 1

WARNING:

CAUSES EYE IRRITATION.

MAY CAUSE ALLERGIC REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

Primary Routes of Entry: Skin, Inhalation, Eyes

Signs and Symptoms of Exposure:

Inhalation: May cause respiratory tract irritation. Vapours may cause headaches

nausea, dizziness and respiratory tract irritation. May cause symptoms of intoxication.

Skin Contact: May cause allergic skin reaction. May cause skin irritation.

Eye Contact: Contact with eyes will cause irritation. **Ingestion:** Not expected to be harmful by ingestion.

Existing Conditions Aggravated

By Exposure: Eye, skin, and respiratory disorders.

MASTERS A PLUS

Page 3 of 3

SECTION VII - FIRST AID

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention. Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention

Skin Contact: Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably lukewarm water for at least 15 minutes,

holding eyelids open all the time. Get medical attention.

SECTION VIII - PERSONAL PROTECTION

Eye/Face Protection: Safety glasses or goggles with side shields

Skin Protection: Use rubber or plastic gloves and protective clothing as necessary

Respiratory Protection:Use NIOSH approved respirator if there is a potential to exceed exposure limits **Engineering Controls:**Forced ventilation may be required if concentrations exceed exposure limits

SECTION IX - HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapour and mist. Wash

thoroughly after handling. Use only with adequate ventilation.

Storage: Store between 46° and 82°F unless otherwise labelled to preserve shelf life.

Special Shipping Information:

Transportation of Dangerous Goods Regulations (TDGR): Not regulated for transport by ground within Canada.

SECTION X- ACCIDENTAL RELEASE MEASURES/ DISPOSAL

SECTION A RECIDENTAL RELEASE MEASURES, DISTOSA

Personal Precautions: Wear proper protective equipment

Measures for Environmental

Protection: Do not allow entry into drains or surface waters

Clean-up Measures: Soak up with an inert absorbent. Store in partly filled, closed container until

disposal.

Recommended method of disposal: Dispose of according to Federal, Provincial and Local regulations.

SECTION XI- PREPARATION INFORMATION

Prepared by: G. F. THOMPSON CO. LTD.

Preparation date: September 30, 2015