



Meguiar's USA  
17991 Mitchell South  
Irvine, CA 92614  
Tel: 949-752-8000  
Fax: 949-752-5784

In case of **emergency or spill**, contact CHEMTREC at 800-424-9300

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** MC204 - Motorcycle Metal Polish

**Print date:** 07/05/2007

**Reference Number:** 20-173B

**Prepared Date:** 07/05/2007

#### Use of the Substance/Preparation

**Recommended use:** Polishing agent/Burnishing compound.

#### Company/Undertaking Identification

**Meguiar's Holland**  
Laan der Verenigde Naties 40  
33174 DA Dordrecht  
Holland  
Tel: 31-78-6210268

**Meguiar's Hong Kong**  
Suite 6-7, 20/F Marina House  
68 Hing Man Street  
Shaukeiwan  
Hong Kong  
Tel: 852-2967-0202

**Meguiar's France**  
3 rue de Verdun - Bât. D  
78590 Noisy Le Roi  
France  
Tel: 33-1-30-80-02-16

**Meguiar's UK Ltd.**  
3 Lamport Court  
Heartlands  
Daventry NN11 8UF  
Tel: 0870 241 6696  
Fax: 01327 300 116

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Hazardous Ingredients

| Components              | CAS #      | % Weight | OSHA PEL<br>TWA     | EINECS No. | Classification |
|-------------------------|------------|----------|---------------------|------------|----------------|
| Light Distillate        | 64742-14-9 | 10-20    | None                | ---        | ---            |
| Aluminum Oxide          | 1344-28-1  | 10-15    | 10mg/m <sup>3</sup> | 215-691-6  | F;R-15, R-10   |
| Calcined Kaolin Clay    | 66402-68-4 | 5-10     | 10mg/m <sup>3</sup> | 266-340-9  | Xi; R38        |
| Kaolin                  | 1332-58-7  | 2-5      | 10mg/m <sup>3</sup> | 310-194-1  | R42            |
| Hydrotreated Distillate | 64742-46-7 | 1-5      | None                | ---        | R65            |

### 3. HAZARDS IDENTIFICATION

**Most important hazards:** This product contains chemicals listed on Canada WHMIS. See Section 15.

### 4. FIRST AID MEASURES

**General Advice:** In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**Inhalation:** Avoid breathing vapors or mists.

**Skin contact:** Thoroughly wash exposed area with water.

**Eye contact:** Flush eyes with water as a precaution. If eye irritation persists, consult a specialist.

**Ingestion:** Rinse mouth. Drink 1 or 2 glasses of water.

## 5. FIRE-FIGHTING MEASURES

**NFPA:**

**Health:** 1

**Flammability:** 1

**Reactivity:** 0

**Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Specific hazards:**

Not applicable

**Special protective equipment for firefighters:**

Not applicable

**Extinguishing media which must not be used for safety reasons:**

Not applicable

**Specific methods:**

Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Not applicable

**Environmental precautions:**

Local authorities should be advised if significant spillages cannot be contained.

**Methods for cleaning up:**

Wipe up with absorbent material (e.g. cloth, fleece).

## 7. HANDLING AND STORAGE

**Handling:**

**Technical measures/precautions:**

Not applicable

**Safe handling advice:**

None under normal processing

**Storage:**

Store at room temperature in the original container. Do not freeze.

**Incompatible products:**

No materials to be specially mentioned

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures to reduce exposure:** Not applicable.

**Respiratory protection:** Not applicable

**Skin and body protection:** Not applicable.

**Eye protection:** Avoid contact with eyes. If splashes are likely to occur, wear:. Goggles.

**Hand protection:** Preventative skin protection:. Rubber gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### General Information

**Appearance:** Not applicable

**Color:** Off-white

**Physical state:** Liquid

**Odor:** Sweet

### Important Health Safety and Environmental Information

|                             |                    |
|-----------------------------|--------------------|
| <b>pH @70° F:</b>           | N/A                |
| <b>Flash point:</b>         | 200 (°F), 93 (°C ) |
| <b>Boiling point/range:</b> | 380 (°F), 193 (°C) |
| <b>Water Solubility:</b>    | Slightly soluble   |
| <b>Vapor density:</b>       | >1                 |
| <b>Evaporation rate:</b>    | <1                 |
| <b>VOC content:</b>         | 15%                |
| <b>Specific gravity:</b>    | 1.04               |

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under recommended storage conditions.

**Polymerization:** None under normal processing.

**Conditions to avoid:** Extremes of temperature and direct sunlight

**Materials to avoid:** Not applicable

**Hazardous decomposition products:** Not determined

## 11. TOXICOLOGICAL INFORMATION

### Component Information

**Additional Information:** The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

## **Product Information**

**Aquatic toxicity:** No information available

## **Component Information**

**Ecotoxicity effects:** This product has no known eco-toxicological effects.

| Components                      | Ecotoxicity - Freshwater Algae                                    | Exotoxicity - Microtox |
|---------------------------------|-------------------------------------------------------------------|------------------------|
| Calcined Kaolin Clay 66402-68-4 | = 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum capricornutum) |                        |

## **13. DISPOSAL CONSIDERATIONS**

### **Waste from residues / unused products:**

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

### **Contaminated packaging:**

Disposal must be made according to local and federal regulations.

### **Ewc waste disposal no:**

Not applicable

### **Further information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

## **14. TRANSPORT INFORMATION**

### **General Transportation Statement**

This product does not require classification by DOT, IATA, ICAO or IMDG.

### **Other information:**

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

## **15. REGULATORY INFORMATION**

| Components                         | TSCA    | DSL/NDSL | Canada - WHMIS Classification |
|------------------------------------|---------|----------|-------------------------------|
| Aluminum Oxide 1344-28-1           | XU      |          | F;B6                          |
| Calcined Kaolin Clay 66402-68-4    | Present | Present  | B4;D2B                        |
| Kaolin 1332-58-7                   | Present | Present  | D2B                           |
| Hydrotreated Distillate 64742-46-7 | Present | Present  |                               |

### **CERCLA/SARA 313 Emission reporting**

None

## **16. OTHER INFORMATION**

### **Prepared by:**

Health & Safety

### **Literary reference:**

None

**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

**End of Safety Data Sheet**