

SAFETY DATA SHEET

Creation Date 13-May-2014 Revision Date 28-Aug-2015 Revision Number 2

1. Identification

Product Name Mercuric Sulfate (Certified ACS)

Cat No. : M190I-100; M190I-500

Synonyms Mercuric sulfate

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300
One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887

Fair Lawn, NJ 07410 Tel: (201) 796-7100

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Specific target organ toxicity - (repeated exposure)

Target Organs - Kidney, Reproductive System.

Label Elements

Signal Word

Danger

Hazard Statements

Fatal if swallowed Fatal in contact with skin Fatal if inhaled

May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eve protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Gently wash with plenty of soap and water

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

3. Composition / information on ingredients

Component	CAS-No	Weight %
Mercuric sulfate	7783-35-9	> 99

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists, consult a specialist.

Skin Contact Immediate medical attention is required. Wash off immediately with plenty of water for at

least 15 minutes.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

Physical hazards

N/A

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects No information available. Symptoms of overexposure are dizziness, headache, tiredness,

nausea, unconsciousness, cessation of breathing. May cause adverse kidney effects:

Instability

ecological information. Avoid release to the environment. Collect spillage.

Symptoms may be delayed

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Very toxic. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Health

4

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Flammability

N	F	P	Α
14		Г.	_

	6. Accidental release measures
Personal Precautions	Evacuate personnel to safe areas. Avoid dust formation. Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak.
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust Up formation.

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not breathe vapors/dust.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Co	mponent	ACGIH TLV	OSHA PEL	NIOSH IDLH
Merc	curic sulfate	TWA: 0.025 mg/m³ TWA: 0.1 mg/m³ Skin	(Vacated) Ceiling: 0.1 mg/m ³	IDLH: 10 mg/m³ TWA: 0.05 mg/m³
				Ceiling: 0.1 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Mercuric sulfate	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³ TWA: 0.1 mg/m ³
	Skin	_	Skin

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StatePowder SolidAppearanceOff-whiteOdorOdorless

Odor Threshold
pH

No information available
1 50 g/l aq.sol

Melting Point/Range No data available

Boiling Point/Range
No information available
No information available

Evaporation Rate Not applicable Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressurenegligible

Vapor Density Not applicable

Specific Gravity 6.470

Solubility Reacts with water

Partition coefficient: n-octanol/water No data available

Autoignition Temperature

Decomposition Temperature

450 °C

Decomposition Temperature450 °CViscosityNot applicableMolecular FormulaHg O4 SMolecular Weight296.64

10. Stability and reactivity

ed ACS) Revision Date 28-Aug-2015

Reactive Hazard None known, based on information available

Stability Stable under normal conditions. Decomposes in contact with water.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Water

Hazardous Decomposition Products Sulfur oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Mercuric sulfate	LD50 = 57 mg/kg (Rat)	LD50 = 625 mg/kg (Rat)	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Mercuric sulfate	7783-35-9	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental EffectsNo information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure Kidney Reproductive System

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness,

delayed

cessation of breathing: May cause adverse kidney effects: Symptoms may be delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and DegradabilitySoluble in water Persistence is unlikely based on information available.

Mercuric Sulfate (Certified ACS)

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1645

Proper Shipping Name MERCURY SULFATES

Hazard Class 6.1 Packing Group II

TDG

UN-No UN1645

Proper Shipping Name MERCURY SULFATE

Hazard Class 6.1 Packing Group II

<u>IATA</u>

UN-No UN1645

Proper Shipping Name MERCURY SULPHATE

Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN1645

Proper Shipping Name MERCURY SULPHATE

Hazard Class 6.1 Subsidiary Hazard Class P Packing Group II

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Mercuric sulfate	Х	Х	-	231-992-5			Χ	Χ	Χ	Χ	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

	Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Γ	Mercuric sulfate	7783-35-9	> 99	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Mercuric sulfate	X	10 lb	X	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Mercuric sulfate	X		-

OSHA Occupational Safety and Health Administration

Not applicable

CFRCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Mercuric sulfate	10 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals:

	Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category	
	Mercuric sulfate	7783-35-9	Developmental	-	Developmental	
State Dight to Know						

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Mercuric sulfate	X	X	X	X	-

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D1A Very toxic materials

D2B Toxic materials



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 13-May-2014

 Revision Date
 28-Aug-2015

 Print Date
 28-Aug-2015

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS