HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

MICATEX® FINE

Revision Date: 08-May-2014 Revision Number: 9

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name MICATEX® FINE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fluid Loss Additive

Sector of use SU2 - Mining, (including offshore industries)

Product category PC20 - Products such as pH-regulators, flocculants, precipitants, neutralization agents,

other unspecific

Process categories PROC4 - Use in batch and other process (synthesis) where opportunity for exposure

arises

1.3 Details of the supplier of the safety data sheet

Halliburton Manufacturing Services, Ltd. Halliburton House, Howemoss Crescent

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §	mergency telephone - §45 - (EC)1272/2008				
Europe	112				
Denmark	Poison Control Hotline (DK): +45 82 12 12 12				
France	ORFILA (FR): + 01 45 42 59 59				
Germany	Poison Center Berlin (DE): +49 030 30686 790				
Italy	Poison Center, Milan (IT): +39 02 6610 1029				
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)				
Norway	Poisons Information (NO):+ 47 22 591300				
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97				
Spain	Poison Information Service (ES): +34 91 562 04 20				
United Kingdom	NHS Direct (UK): +44 0845 46 47				

2. Hazards Identification

2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Carcinogenicity	Category 1A - (H350)
Specific Target Organ Toxicity - (Repeated Exposure)	Category 1 - (H372)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Classification T - Toxic.

Risk Phrases R49 May cause cancer by inhalation.

R48/23 Toxic: danger of serious damage to health by prolonged exposure through

inhalation.

2.2 Label Elements

Hazard Pictograms



Signal Word Danger

Hazard Statements

H372 - Causes damage to organs through prolonged or repeated exposure H350i - May cause cancer by inhalation

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P314 - Get medical attention/advice if you feel unwell

Contains

SubstancesCAS NumberMica12001-26-2Crystalline silica, quartz14808-60-7

2.3 Other Hazards

None known

3. Composition/information on Ingredients	

Substances	EINECS	CAS Number	PERCENT (w/w)	EEC Classification	EU - CLP Substance Classification	REACH No.
Mica	Not applicable	12001-26-2	60 - 100%	Not applicable	Not applicable	No data available
Crystalline silica, quartz	238-878-4	14808-60-7	1 - 5%	T; R49 R48/23	Carc. 1A (H350i) STOT RE 1 (H372)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. First aid measures

4.1 Description of first aid measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15

minutes and get medical attention if irritation persists.

Skin Wash with soap and water. Get medical attention if irritation persists.

Ingestion

Under normal conditions, first aid procedures are not required.

4.2 Most Important symptoms and effects, both acute and delayed

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

All standard fire fighting media

Extinguishing media which must not be used for safety reasons

None known.

5.2 Special hazards arising from the substance or mixture

Special Exposure Hazards

Not applicable.

5.3 Advice for firefighters

Special Protective Equipment for Fire-Fighters

Not applicable.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Avoid creating and breathing dust.

See Section 8 for additional information

6.2 Environmental precautions

None known.

6.3 Methods and material for containment and cleaning up

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

6.4 Reference to other sections

See Section 8 and 13 for additional information.

7. Handling and Storage

7.1 Precautions for Safe Handling

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

7.2 Conditions for safe storage, including any incompatibilities

Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container.

7.3 Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits

Substances	CAC Number	EII	UK OEL	Matharlanda	France OFI
Substances	ICAS Number	EU	UNUEL	l Netherlands	l France OEL

Mica	12001-26-2	Not applicable	STEL: 30 mg/m³ STEL: 2.4 mg/m³ TWA: 10 mg/m³ TWA: 0.8 mg/m³	Not applicable	Not applicable
Crystalline silica, quartz	14808-60-7	Not applicable	STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³	TWA: 0.075 mg/m ³	0.1 mg/m³

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Mica	12001-26-2	Not applicable	VLA-ED: 3 mg/m ³	TWA: 3 mg/m ³	Not applicable
Crystalline silica, quartz	14808-60-7	0,15 mg/m ³	VLA-ED: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.2 mg/m ³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Mica	12001-26-2	Not applicable	Not applicable	Not applicable	STEL: 12 mg/m³ STEL: 6 mg/m³ TWA: 6 mg/m³ TWA: 3 mg/m³
Crystalline silica, quartz	14808-60-7	Not applicable	Not applicable	Not applicable	STEL: 0.9 mg/m ³ STEL: 0.3 mg/m ³ TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Mica	12001-26-2	Not applicable	Not applicable	Not applicable	TWA: 2.0 mg/m ³ TWA: 10 mg/m ³
Crystalline silica, quartz	14808-60-7	Not applicable	NDS: 2 mg/m³ NDS: 0.3 mg/m³ NDS: 4.0 mg/m³ NDS: 1.0 mg/m³	TWA: 0.15 mg/m ³	Not applicable

Substances	CAS Number	Denmark
Mica	12001-26-2	Not applicable
Crystalline silica, quartz	14808-60-7	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³

Derived No Effect Level (DNEL)

No information available.

Worker

General Population

Predicted No Effect Concentration (PNEC)

No information available.

8.2 Exposure controls

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain exposures

below applicable exposure limits.

Personal protective equipment

Respiratory ProtectionWear a NIOSH certified, European Standard EN 149 (FFP2/FFP3), AS/NZS 1715, or

equivalent respirator when using this product.

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be laundered

before reuse. Use precautionary measures to avoid creating dust when removing or

laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

Environmental Exposure Controls No information available

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State: Powder Color: Brown to Gray

Odor: Odorless Odor Threshold: No information available

Property Values

Remarks/ - Method

pH: 7-9

Freezing Point/RangeNo data availableMelting Point/RangeNo data availableBoiling Point/RangeNo data availableFlash PointNo data availableEvaporation rateNo data availableVapor PressureNo data availableVapor DensityNo data available

Specific Gravity 2.9

Insoluble in water Water Solubility Solubility in other solvents No data available Partition coefficient: n-octanol/water No data available No data available **Autoignition Temperature Decomposition Temperature** No data available No data available **Viscosity Explosive Properties** No information available **Oxidizing Properties** No information available

9.2 Other information

VOC Content (%) No data available

10. Stability and Reactivity

10.1 Reactivity

Not applicable

10.2 Chemical Stability

Stable

10.3 Possibility of Hazardous Reactions

Will Not Occur

10.4 Conditions to Avoid

None anticipated

10.5 Incompatible Materials

Hydrofluoric acid.

10.6 Hazardous Decomposition Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or cristobalite (1470 C).

11. Toxicological Information

11.1 Information on Toxicological Effects

Acute Toxicity

Inhalation Prolonged breathing of mica dust may produce pneumoconiosis. Inhaled crystalline silica

in the form of quartz or cristobalite from occupational sources is carcinogenic to humans

(IARC, Group 1). There is sufficient evidence in experimental animals for the

carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health

effects (See "Chronic Effects/Carcinogenicity" subsection below).

Eye ContactMay cause mechanical irritation to eye. **Skin Contact**May cause mechanical skin irritation.

Ingestion None known

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mica	12001-26-2	> 15000 mg/kg (Rat)	No data available	No data available
Crystalline silica, quartz	14808-60-7	> 5000 mg/kg (Rat)	No data available	No data available

o a so ta i i o o o	CAS Number	Skin corrosion/irritation
Mica	12001-26-2	Non-irritating to the skin
Crystalline silica, quartz	14808-60-7	Non-irritating to the skin

Substances	CAS Number	Eye damage/irritation	
Mica	12001-26-2	Mechanical irritation of the eyes is possible.	
Crystalline silica, quartz	14808-60-7	Mechanical irritation of the eyes is possible.	

Substances	CAS Number	Skin Sensitization	
Mica	12001-26-2	No information available	
Crystalline silica, quartz	14808-60-7	Did not cause sensitization on laboratory animals	

Substances	CAS Number	Respiratory Sensitization	
Mica	12001-26-2	No information available	
Crystalline silica, quartz	14808-60-7	No information available	

	CAS Number	Mutagenic Effects	
Mica	12001-26-2	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.	
Crystalline silica, quartz	14808-60-7	Not regarded as mutagenic.	

	CAS Number	Carcinogenic Effects	
Mica	12001-26-2	Did not show carcinogenic effects in animal experiments (similar substances)	
Crystalline silica, quartz		Contains crystalline silica which may cause silicosis, a delayed and progressive lung disease. The IARC and NTP have determined there is sufficient evidence in humans of the carcinogenicity of crystalline silica with repeated respiratory exposure.	

	CAS Number	Reproductive toxicity	
Mica	12001-26-2	No information available	

Crystalline silica, quartz	14808-60-7	No information available	
Substances	CAS	TOT - single exposure	
	Number		
Mica	12001-26-2	o information available	
Crystalline silica, quartz	14808-60-7	No significant toxicity observed in animal studies at concentration requiring classification.	

Substances	CAS Number	STOT - repeated exposure	
Mica	12001-26-2	No information available	
Crystalline silica, quartz	14808-60-7	Causes damage to organs through prolonged or repeated exposure if inhaled Lungs	

	CAS Number	Aspiration hazard
Mica	12001-26-2	Not applicable
Crystalline silica, quartz	14808-60-7	Not applicable

12. Ecological Information

12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Mica	12001-26-2	No information available	No information available		
Crystalline silica, quartz	14808-60-7	EC50(72h): 89 mg/L (biomass) (Scenedesmus subspicatus) (similar substance)	LC50(96h): 508 mg/L (Danio rerio) (similar substance)	No information available	LC50(48h): 731 mg/L (Daphnia magna) (similar substance) LC50(48h) 33.5 mg/L (Ceriodaphnia dubia) (similar substance)

12.2 Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Mica	12001-26-2	The methods for determining biodegradability are not applicable to inorganic substances.
Crystalline silica, quartz	14808-60-7	The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Substances	CAS Number	Log Pow
Mica	12001-26-2	No information available
Crystalline silica, quartz	14808-60-7	No information available

12.4 Mobility in soil

No information available

12.5 Results of PBT and vPvB assessment

Substances	PBT and vPvB assessment
Crystalline silica, quartz	Not PBT/vPvB

12.6 Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

13. Disposal Considerations

13.1 Waste treatment methods

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

IMDG/IMO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

RID

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Not applicable
Not applicable
Not applicable

ADR

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:
Not applicable
Not applicable
Not applicable
Not applicable

IATA/ICAO

UN Number: Not restricted.
UN Proper Shipping Name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental hazard: Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 0: Generally not water endangering.

15.2 Chemical Safety Assessment

No information available

16. Other Information

Full text of R-phrases referred to under Sections 2 and 3

R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation. R49 May cause cancer by inhalation.

Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 08-May-2014
Revision Note
Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet