

MATERIAL SAFETY DATA SHEET

REVISION DATE: 02/28/2014 REVISION NUMBER: 1:

DATE PRINTED: 02/28/2014 PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: MINERAL TAMER

PRODUCT CODE: 118111

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health:2/2Fire:0/0Reactivity:1/1Special/Protective Equipment:None/B

NAME OF THE Rochester Midland Corporation

MANUFACTURER: 155 Paragon Drive

Rochester, New York 14624

USA

Emergency Phone:

INFOTRAC: 1-800-535-5053 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed. **SKIN CONTACT:** May cause mild skin irritation.

INHALATION: None in normal use. Inhalation of spray mist may be irritating. **EYE CONTACT:** Causes moderate eye irritation. May Cause Eye Burns.

CHRONIC EFFECTS: None known.

EFFECTS/CARCINOGENICITY: None listed under EPA, IARC, and ACGIH.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Inhibited organic salt MIXTURE	25 - 35	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Drink several glasses of water or milk. Contact Physician. Never give anything by mouth to an

unconcious person.

SKIN: Rinse thoroughly with water.

INHALATION: Move person to fresh air. Aid breathing if necessary.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least

15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: (F): None to boiling (C): None

to boiling None

METHOD:

MINERAL TAMER

FLAMMABLE LIMITS IN AIR

LOWER (%):

UPPER (%):

No data

No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA: Water. Carbon dioxide. Dry chemical.

FIRE FIGHTING PROCEDURES: Cool exposed containers with water spray. Fire-fighters should wear

self-contained breathing apparatus and full protective clothing when

fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Absorb with a non-reactive clay.

LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS: Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection.

ENVIRONMENTAL PRECAUTIONS: Keep out of drains, sewers, streams, or other bodies of water.

METHODS FOR CLEANING UP: Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKENCaution: Do not store in metal containers. Store in a cool, dry area.

IN HANDLING AND STORAGE:

OTHER PRECAUTIONS: Keep out of reach of children.

SPECIFIC USE(S): Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS: None known.

RESPIRATORY PROTECTION: Avoid breathing vapor or mist. NIOSH approved respirator if spray mist in air causes irritation.

PROTECTIVE GLOVES: Chemical resistant gloves are recommended to minimize skin contact.

EYE PROTECTION: Safety glasses are recommended to minimize eye contact.

OTHER PERSONAL PROTECTION It is the responsibility of the end user of this product to determine level of PPE required that is

EQUIPMENT: consistent with safe use of this product.

VENTILATION: General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear green liquid. Floral scent.

BOILING POINT (F): 212° F (C) 100° C

VAPOR PRESSURE:
VAPOR DENSITY (AIR=1):
SOLUBILITY IN WATER:
SPECIFIC GRAVITY:
VOC Content (%):

Not determined
Not determined
1.08 - 1.10
< 0.5

EVAPORATION RATE: Not determined

PH: 0.6 - 0.85 (10% in DI water)

10. STABILITY AND REACTIVITY

MINERAL TAMER

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.

HAZARDOUS DECOMPOSITION: Oxides of Carbon. Chlorines. Oxides of Nitrogen. Contact with hypochlorites such as bleach,

sulfides, or cyanides will liberate toxic gas. Contact with alkaline materials such as ammonia will generate heat. Hydrogen gas may be released by contact with certain metals. When

heated to high temperatures, the following may be produced:

INCOMPATIBILITY (MATERIALS TO

Avoid contact with: Oxidizing materials. Hazardous if product comes in contact with: Chlorates.

AVOID):

Nitrites.

CONDITIONS/HAZARDS TO AVOID:

Heating above 110° F results in exothermic decomposition with rapid release of CO2 gas.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established EFFECTS OF CHRONIC EXPOSURE: Not established. OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICALNo data at this time

INFORMATION:

CHEMICAL FATE INFORMATION:
MOBILITY:
PERSISTENCE/DEGRADABILITY:
BIOACCUMULATIVE POTENTIAL:
OTHER ADVERSE EFFECTS:
No data at this time.
Not applicable.
Not applicable
Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Inhibited organic salt MIXTURE	25 - 35	Not Listed	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Inhibited organic salt MIXTURE	25 - 35	Not Listed	Not Listed	Not Listed

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable levels.

None of the components of this material are included in the New Jersey Substance List nor are present at or above reportable levels. None of the components of this material are included in the Pennsylvania Substance List nor are present at or above reportable levels.

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

MINERAL TAMER