HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: MORFLO E SURFACTANT

Revision Date: 02-Jan-2013

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: MORFLO E SURFACTANT

Synonyms:NoneChemical Family:Sulfonic acidApplication:Surfactant

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Alkybenzene sulfonic acid	85536-14-7	10 - 30%	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin burns. May be harmful if swallowed.

4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

5. FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Not Determined

Not Determined

Not Determined

Not Determined

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards Decomposition in fire may produce toxic gases. Do not allow runoff to enter

waterways.

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Fire-Fighters

NFPA Ratings: Health 3, Flammability 0, Reactivity 1

HMIS Ratings: Health 3, Flammability 0, Reactivity 1

6. ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Neutralize to pH of 6-8. Scoop up and remove.

7. HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after

use. Launder contaminated clothing before reuse.

Storage Information Store away from alkalis. Store in a cool well ventilated area. Keep container closed

when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering ControlsUse in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

Respiratory Protection Acid gas respirator.

Hand Protection Polyvinylchloride gloves.

Skin Protection Full protective chemical resistant clothing.

Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Red

9. PHYSICAL AND CHEMICAL PROPERTIES

Odor: Mild acrid
pH: 1.5
Specific Gravity @ 20 C (Water=1): 1
Density @ 20 C (lbs./gallon): 8.33

Bulk Density @ 20 C (lbs/ft3): Not Determined

Boiling Point/Range (F): 212 Boiling Point/Range (C): 100

Freezing Point/Range (F):

Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg):

Vapor Density (Air=1):

Percent Volatiles:

Evaporation Rate (Butyl Acetate=1):

Not Determined

Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Contact with water. Metal salts such as aluminum chloride. Strong alkalis.

Hazardous Decomposition

Products

Oxides of sulfur. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Causes severe respiratory irritation.

Skin Contact Causes severe burns.

Eye Contact May cause eye burns.

Ingestion Causes burns of the mouth, throat and stomach.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

Other Information None known.

Toxicity Tests

Oral Toxicity: LD50: > 5000 mg/kg (Rat)

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Persistence/Degradability

Not determined

Biodegradable

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: TLM96: 25 mg/l (Golden orfe)
Acute Crustaceans Toxicity: TLM48: 136 mg/l (Daphnia magna)

Acute Algae Toxicity: Not determined

Chemical Fate InformationNot determinedOther InformationNot applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Alkylbenzene Sulfonic Acid), 8, III NAERG 154

Canadian TDG

Corrosive Liquid, Acidic, Inorganic, N.O.S.(Contains Alkylbenzene Sulfonic Acid), 8, UN3264, III

ADR

UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Alkylbenzene Sulfonic Acid), 8, III

Air Transportation

ICAO/IATA

UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S., 8, III (Contains Alkylbenzene Sulfonic Acid)

Sea Transportation

IMDG

UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (Contains Alkylbenzene Sulfonic Acid), 8, III EmS F-A, S-B

Other Transportation Information

Labels: Corrosive

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Corrosivity D002

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class E Corrosive Material

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Halliburton products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS