# SAFETY DATA SHEET



Manufactured for:

Foredom Electric

**TPG** 

### Section 1. Identification

**GHS** product identifier : TPG, FLEXIBLE SHAFT LUBRICANT

: 04479019, 04479051, 04479103, 04479271, 04479720, 2518996, MS10006 **Product code** 

SDS# : DUB00346 Other means of : Not available.

identification

number

**Product type** : Solid.

Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Lithium complex grease

DuBois Chemicals Canada, Inc. Supplier/Manufacturer : DuBois Chemicals, Inc. 3630 E. Kemper Road

> : 1-866-923-4919 (US and Canada) 01-651-523-0314 (Int'l and Mexico)

1155 North Service Road West Unit 6 16 Stony Hill Rd. Cincinnati. Ohio 45241 Oakville, Ontario, L6M 3E3 Canada Phone: 1-800-438-2647 Bethel, Ct. 06801 Phone: 1-866-861-3603 203-792-8622 **Emergency telephone** 

### Section 2. Hazards identification

**OSHA/HCS** status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Classification of the : Not classified. substance or mixture

**GHS label elements** 

Signal word : No signal word.

: No known significant effects or critical hazards. **Hazard statements** 

**Precautionary statements** 

**Prevention** : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable.

Supplemental label

elements

: Avoid contact with eyes. May cause irritation to the eyes. In case of contact with eyes, rinse immediately with plenty of water. If irritation persists, get medical attention.

**Hazards not otherwise** : None known.

classified

# Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Distillates (petroleum), solvent-refined heavy paraffinic	80 - 90	64741-88-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 5/7/2015. Version: 1 1/7 Date of previous issue : No previous validation.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : May cause slight transient irritation.

Inhalation : No known significant effects or critical hazards.Skin contact : No known significant effects or critical hazards.

**Ingestion**: Ingestion may cause gastrointestinal irritation and diarrhea.

#### Over-exposure signs/symptoms

Eye contact : pain or irritation

watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

: Use an extinguishing agent suitable for the surrounding fire.

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing

media

Unsuitable extinguishing

media

: None known.

Specific hazards arising

from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: No specific data.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision: 5/7/2015.Date of previous issue: No previous validation.Version: 12/7

### Section 6. Accidental release measures

#### **Personal precautions**

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

#### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods for cleaning up

#### Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

#### Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

# Handling Storage

- : Put on appropriate personal protective equipment (see Section 8).
- : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

### Occupational exposure limits

Ingredient name	CAS#	ACGIH	OSHA	Mexico
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction	TWA: 5 mg/m³ 8 hours.	LMPE-PPT: 5 mg/m³ 8 hours. Form: mist LMPE-CT: 10 mg/m³ 15 minutes. Form: mist

#### **Engineering measures**

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Personal protection**

Respiratory

: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### **Hands**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### **Eyes**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles

Date of issue/Date of revision: 5/7/2015.Date of previous issue: No previous validation.Version: 1

# Section 8. Exposure controls/personal protection

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms)



# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [Moist solid.]

Color : Orange.
Odor : Bland.

Odor threshold : Not available.

pH : Not applicable.

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: >93.3°C (>199.9°F)

Burning time : Not available.
Burning rate : Not available.
Evaporation rate : Not available.

Flammability (solid, gas) : Highly flammable in the presence of the following materials or conditions: open flames,

sparks and static discharge.

: Not available.

Lower and upper explosive

(flammable) limits

Vapor pressure : Not available.
Vapor density : Not available.

Relative density : 0.9

**Solubility** : Insoluble in the following materials: cold water and hot water.

Solubility in water : Not available.

Partition coefficient: n- : Not available.

octanol/water

**Auto-ignition temperature** : 249°C (480.2°F)

Decomposition temperature : Not available.

Viscosity : Not available.

Elemental Phosphorus : 0.0275 %

VOC content : Not available.

Date of issue/Date of revision : 5/7/2015. Date of previous issue : No previous validation. Version : 1 4/7

# Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** 

: No specific data.

Incompatible materials

: Highly reactive or incompatible with the following materials: oxidizing materials. : Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

**Hazardous decomposition** 

products **Storage** 

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Carcinogenicity**

#### Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Distillates (petroleum), solvent-refined heavy paraffinic	A4	-	-	-	-	-

Information on the likely

routes of exposure Dermal contact. Eye contact. Inhalation.

Potential acute health effects

**Eye contact** : May cause slight transient irritation.

Inhalation : No known significant effects or critical hazards. : No known significant effects or critical hazards. Skin contact

: Ingestion may cause gastrointestinal irritation and diarrhea. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : pain or irritation

> watering redness

Inhalation : No specific data. : No specific data. Skin contact Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate

: Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

Date of issue/Date of revision : 5/7/2015. 5/7 Date of previous issue : No previous validation. Version: 1

### **Section 11. Toxicological information**

**General** : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

**Numerical measures of toxicity** 

**Acute toxicity estimates** 

Not available.

### Section 12. Ecological information

**Ecotoxicity** Not available.

Aquatic ecotoxicity

Not available.

### Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### **Section 15. Regulatory information**

**U.S. Federal regulations** 

: TSCA 12(b) one-time export: No products were found.

TSCA 12(b) annual export notification: No products were found.

United States inventory (TSCA 8b): All components are listed or exempted.

**EPA Registration Number** 

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs) SARA 302/304** 

: Not available. : Not listed

Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

**SARA 311/312** 

Classification : Not applicable.

State regulations

**Massachusetts** : None of the components are listed. **New York** : None of the components are listed.

**New Jersey** : The following components are listed: MINERAL OIL (UNTREATED and MILDLY

TREATED)

Date of issue/Date of revision : 5/7/2015. 6/7 Date of previous issue : No previous validation. Version: 1

## Section 15. Regulatory information

**Pennsylvania** : None of the components are listed.

California Prop. 65

Not available.

**Canada** 

**Canadian lists** 

Canadian NPRI : None of the components are listed.

Canada inventory : All components are listed or exempted.

Canadian PCP/DIN Number: Not available.

**International regulations** 

International lists : Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: Not determined.

Korea inventory: Not determined.

Malaysia Inventory (EHS Register): Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

### Section 16. Other information

**History** 

Date of printing : 5/7/2015.

Date of issue/Date of : 5/7/2015.

revision

Date of previous issue : No previous validation.

Version : 1

**Notice to reader** 

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 5/7/2015. Date of previous issue : No previous validation. Version : 1 7/7