# **HALLIBURTON**

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 453/2010

# **MSA ACID WITH KCI**

Revision Date: 13-May-2014 Revision Number: 4

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name MSA ACID WITH KCI

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Solvent

### 1.3 Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN

United Kingdom

Emergency Phone Number: +44 1224 795277 or +1 281 575 5000

www.halliburton.com

For further information, please contact

**E-Mail address:** fdunexchem@halliburton.com

#### 1.4 Emergency telephone number

+44 1224 795277 or +1 281 575 5000

Emergency telephone - §	45 - (EC)1272/2008
Europe	112
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin Corrosion / irritation	Category 1 - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318

### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

Classification C - Corrosive.

**Risk Phrases** 

R34 Causes burns.

### 2.2 Label Elements

#### **Hazard Pictograms**



Signal Word Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

## Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

**Contains** 

SubstancesCAS NumberAcetic acid64-19-7Potassium chloride7447-40-7

#### 2.3 Other Hazards

None known

	3. Composition/information on Ingredients											
Substances EINECS CAS Number PERCENT EEC EU - CLP Substance REACH No (w/w) Classification												
Acetic acid	200-580-7	64-19-7	10 - 30%	R10 C; R35	Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	No data available						
Potassium chloride	231-211-8	7447-40-7	5 - 10%	Not applicable	Not applicable	No data available						

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. First aid measures

4.1 Description of first aid measures

**Inhalation** If inhaled, remove from area to fresh air. Get medical attention if respiratory

irritation develops or if breathing becomes difficult.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after

flushing.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention. Remove contaminated clothing and

launder before reuse.

**Ingestion** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and

seek medical attention. Never give anything by mouth to an unconscious

person.

#### 4.2 Most Important symptoms and effects, both acute and delayed

May cause eye, skin, and respiratory burns.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

# 5. Firefighting Measures

## 5.1 Extinguishing media

#### **Suitable Extinguishing Media**

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

None known.

#### 5.2 Special hazards arising from the substance or mixture

## **Special Exposure Hazards**

Decomposition in fire may produce toxic gases.

#### 5.3 Advice for firefighters

#### **Special Protective Equipment for Fire-Fighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### 6. Accidental release measures

## **6.1 Personal precautions, protective equipment and emergency procedures**

Use appropriate protective equipment.

See Section 8 for additional information

#### 6.2 Environmental precautions

Prevent from entering sewers, waterways, or low areas.

## 6.3 Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

## 6.4 Reference to other sections

See Section 8 and 13 for additional information.

## 7. Handling and Storage

## 7.1 Precautions for Safe Handling

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice

#### 7.2 Conditions for safe storage, including any incompatibilities

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use.

## 7.3 Specific End Use(s)

Exposure Scenario

Other Guidelines

No information available
No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits** 

Substances	CAS Number	EU	UK OEL	Netherlands	France OEL
Acetic acid	64-19-7	10 ppm	Not applicable	Not applicable	10 ppm
Potassium chloride	7447-40-7	Not applicable	10 mg/m <sup>3</sup>	Not applicable	Not applicable

Substances	CAS Number	Germany MAK/TRK	Spain	Portugal	Finland
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> MAK: 10 ppm MAK:	15 ppm VLA-EC; 37 mg/m³ VLA-EC VLA-ED: 10 ppm	STEL: 15 ppm TWA: 10 ppm	STEL: 10 ppm STEL: 25 mg/m <sup>3</sup> TWA: 5 ppm TWA: 13
		25 mg/m <sup>3</sup>	VLA-ED: 25 mg/m <sup>3</sup>		mg/m³
Potassium chloride	7447-40-7	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	STEL: 20 ppm STEL: 37.5 mg/m³ TWA: 10 ppm TWA: 25 mg/m³
Potassium chloride	7447-40-7	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Acetic acid	64-19-7	10 ppm	NDSCh: 30 mg/m <sup>3</sup> NDS: 15 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup> STEL: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>
Potassium chloride	7447-40-7	Not applicable	Not applicable	Not applicable	Not applicable

Substances	CAS Number	Denmark
Acetic acid	64-19-7	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>
Potassium chloride	7447-40-7	Not applicable

## **Derived No Effect Level (DNEL)**

No information available.

Worker

Substances	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Long-term	Acute / short	Hazards for
	exposure -	term	exposure -	term	exposure -	term	exposure -	term	the eyes -
	systemic	exposure -	local effects,	exposure -	systemic	exposure -	local effects,	exposure -	local effects
	effects,	systemic	Inhalation	local effects,	effects,	systemic	Dermal	local effects,	
	Inhalation	effects,		Inhalation	Dermal	effects,		Dermal	
		Inhalation				Dermal			
Acetic acid	Not available	Not available	25 mg/m³	25 mg/m³	Not available	Not available	Not available	Not available	Not available

**General Population** 

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Acetic acid	Not	Not	25 mg/m <sup>3</sup>	25 mg/m <sup>3</sup>	Not	Not	Not	Not	Not	Not	Not
	available	available			available	available	available	available	available	available	available

Predicted No Effect Concentration (PNEC)

No information available.

Substances	Freshwater	Marine water			Sediment (freshwater)		Air		Secondary poisoning
				plant		water)			
Acetic acid	3.06 mg/l	0.306 mg/l	30.58 mg/l	85 mg/l	11.4 mg/kg	1.14 mg/kg	Not available	0.478 mg/kg	Not available

8.2 Exposure controls

**Engineering Controls** Use in a well ventilated area.

Personal protective equipment

**Respiratory Protection** Organic vapor/acid gas respirator.

Hand Protection Impervious rubber gloves.

**Skin Protection** Rubber apron.

**Eye Protection**Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions**Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls No information available

# 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid Color: Clear

Odor: Acrid Odor Threshold: No information available

Property Values
Remarks/ - Method

<del>pH:</del> < 2.5

Freezing Point/Range No data available
Melting Point/Range No data available

**Boiling Point/Range** No data available Flash Point No data available **Evaporation rate** No data available **Vapor Pressure** No data available No data available **Vapor Density Specific Gravity** No data available **Water Solubility** Soluble in water No data available Solubility in other solvents No data available Partition coefficient: n-octanol/water **Autoignition Temperature** No data available **Decomposition Temperature** No data available No data available **Viscosity** No information available **Explosive Properties** No information available **Oxidizing Properties** 

9.2 Other information

VOC Content (%) No data available

## 10. Stability and Reactivity

#### 10.1 Reactivity

Not applicable

10.2 Chemical Stability

Stable

## 10.3 Possibility of Hazardous Reactions

Will Not Occur

#### **10.4 Conditions to Avoid**

None anticipated

### 10.5 Incompatible Materials

Strong alkalis. Strong oxidizers.

## **10.6 Hazardous Decomposition Products**

Carbon monoxide and carbon dioxide.

## 11. Toxicological Information

## 11.1 Information on Toxicological Effects

**Acute Toxicity** 

**Inhalation** Causes severe respiratory irritation.

**Eye Contact**Causes severe eye irritation May cause eye burns. **Skin Contact**Causes severe skin irritation. May cause skin burns.

**Ingestion** Irritation of the mouth, throat, and stomach.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

## Toxicology data for the components

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	64-19-7	3310 mg/kg (Rat) 600 mg/kg (Rabbit) 4960 mg/kg (Mouse)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat)4 h
Potassium chloride	7447-40-7	2600 mg/kg (Rat) 2430 mg/kg (Rat) 3020 mg/kg (Rat) 383 mg/kg (Mouse) 1500 mg/kg (Mouse)	> 2000 mg/L (Rabbit) (similar substance)	No data available

Substances	CAS Number	Skin corrosion/irritation	
Acetic acid	64-19-7	forrosive to skin	
Potassium chloride	7447-40-7	Non-irritating to the skin (rabbit) (similar substances)	

Substances	CAS Number	Eye damage/irritation	
Acetic acid	64-19-7	Corrosive to eyes	

\_\_\_\_\_

Potassium chloride	7447-40-7	May cause mild eye irritation. (rabbit) (similar substances)		
Ch atamaaa	loas	lour our were an		
Substances	CAS Number	Skin Sensitization		
Acetic acid	64-19-7	No information available		
Potassium chloride	7447-40-7	Did not cause sensitization on laboratory animals (mouse) (similar substances)		
		<del>_</del>		
Substances	CAS Number	Respiratory Sensitization		
Acetic acid	64-19-7	No information available		
Potassium chloride	7447-40-7	No information available		
Substances	CAS Number	Mutagenic Effects		
Acetic acid	64-19-7	In vivo tests did not show mutagenic effects. In vitro tests did not show mutagenic effects		
Potassium chloride	7447-40-7	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects. (similar substances)		
	1			
Substances	CAS Number	Carcinogenic Effects		
Acetic acid	64-19-7	Did not show carcinogenic effects in animal experiments		
Potassium chloride	7447-40-7	Did not show carcinogenic effects in animal experiments (similar substances)		
Substances	CAS	Donne ductive tovicity		
Number		Reproductive toxicity		
Acetic acid	64-19-7	Did not show teratogenic effects in animal experiments.		
Potassium chloride	7447-40-7	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)		
Substances	CAS	lottot simula suurasuura		
Substances	Number	STOT - single exposure		
Acetic acid	64-19-7	No significant toxicity observed in animal studies at concentration requiring classification.		
Potassium chloride	7447-40-7	May cause respiratory irritation.		
Substances	CAS	STOT - repeated exposure		
	Number			
Acetic acid	64-19-7	No significant toxicity observed in animal studies at concentration requiring classification. Not applicable due to corrosivity of the substance.		
Potassium chloride	7447-40-7	No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)		
Substances	CAS	Aspiration hazard		
	Number	· ·		
Acetic acid	64-19-7	Not applicable		
Potassium chloride	7447-40-7	Not applicable		

# 12. Ecological Information

## 12.1 Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Acetic acid	64-19-7	EC50: 90 mg/L (Microcystis aeruginosa) EC50(72h): > 1000 mg/L (>300.82 mg/L – acetate ion) (Skeletonema costatum)	LC50: 75 mg/l	(Pseudomonas putida)	EC50: 47 mg/l (Daphnia magna) LC50: 32 mg/L (Artemia salina) EC50(48h) > 1000 mg/L (>300.82 mg/L – acetate ion) (Daphnia magna) NOEC(21d): 31.4 - 37.9 mg/L (Daphnia magna) (reproduction)

Potassium chloride	7447-40-7	EC50: 2500 mg/l (Desmodesmus	LC50: 1060 mg/L (Lepomis macrochirus);	No information available	TLM96: 100-330 ppm (Crangon crangon)
		subspicatus)	LC50: 750-1020 mg/L		
			(Pimephales promelas)		

#### 12.2 Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Acetic acid	64-19-7	Readily biodegradable (>95%% @ 28d)
Potassium chloride		The methods for determining biodegradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Substances	CAS Number	Log Pow
Acetic acid	64-19-7	-0.17 BCF 3.16 (Calculated)
Potassium chloride	7447-40-7	No information available

## 12.4 Mobility in soil

No information available

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Method

Disposal should be made in accordance with federal, state, and local regulations.

**Contaminated Packaging** Follow all applicable national or local regulations.

# 14. Transport Information

IMDG/IMO

UN Number: UN2790

UN Proper Shipping Name: Acetic Acid Solution

Transport Hazard Class(es): 8
Packing Group: |||

**Environmental Hazards:** Not applicable **EMS:** EmS F-A, S-B

**RID** 

UN Number: UN2790

**UN Proper Shipping Name:** Acetic Acid Solution

Transport Hazard Class(es): 8
Packing Group: |||

Environmental hazard: Not applicable

**ADR** 

UN Number: UN2790

UN Proper Shipping Name: Acetic Acid Solution

Transport Hazard Class(es): 8
Packing Group: |||

Environmental hazard: Not applicable

## IATA/ICAO

UN Number: UN2790

UN Proper Shipping Name: Acetic Acid Solution

Transport Hazard Class(es): 8
Packing Group: |||

Environmental hazard: Not applicable

Special Precautions for User None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

## 15. Regulatory Information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Inventories** 

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory
Canadian DSL Inventory
All components listed on inventory or are exempt.
All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

## 15.2 Chemical Safety Assessment

No information available

## 16. Other Information

#### Full text of R-phrases referred to under Sections 2 and 3

R10 Flammable.

R34 Causes burns.

R35 Causes severe burns.

#### Key literature references and sources for data

www.ChemADVISOR.com/

Revision Date: 13-May-2014

Revision Note
Not applicable

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

## **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**