## **Material Safety Data Sheet**

## Bedford Technology, LLC Select™ Plastic Lumber FiberForce® Reinforced Plastic Lumber

Foamed, colored, recycled, Polyolefin material, colored BLUE

**Section 1: Contact Information** 

Product Manufacturer: Bedford Technology, LLC

2424 Armour Road P O Box 609

Worthington MN 56187-0609

Telephone Number: 1-507-372-5558

Emergency Telephone Numbers: 1-507-372-5558

Revision Date: November 21, 2008

Section 2: Composition/Information on Ingredients

**HAZARDOUS COMPONENTS: None** 

Section 3: HAZARDS IDENTIFICATION

Principle routes of exposure: Low risk of entry in present form

Skin Contact Low Hazard for usual industrial or commercial handling
Eye Contact Low Hazard for usual industrial or commercial handling
Inhalation Low Hazard for usual industrial or commercial handling

Ingestion Ingestion is not expected to occur.

Section 4: FIRST AID MEASURES

**Skin Contact** Encapsulated in plastic and likelihood of exposure is negligible

**Eye Contact** Not likely to be a hazard in present form

**Inhalation** Not likely to be a hazard in present form. If exposed to excessive levels

of dust while machining, remove to fresh air.

**Ingestion** Not likely to be a hazard in present form

**Section 5: Physical and Chemical Properties** 

Boiling point: N/A Specific gravity: .70-.95 grams cubic cm

Vapor pressure: N/A Melting point: 225 – 275 F

Vapor density: N/A Evaporative Rate: Nil

Solubility in water: N/A

Appearance: Colored solid plastic lumber

Odor: Slight Olefinic

**Section 6: Fire and Explosion Hazard Data:** 

Flash point: 600° F (ASTM D-1929)

Extinguishing media: Water Spray, Carbon Dioxide, Foam or Dry Chemical

Special fire fighting instructions:

Use self-contained breathing apparatus and full

protective gear

Product : Blue Plastic Lumber page 1of 2 revised 11/20/2008

NFPA Health: 0 Flammability: 1 Instability: 0

Hazardous Combustion Products: NONE

**Section 7: Stability and Reactivity** 

Stability: Stable

Materials to avoid: None known

Combustion/decomposition products: Water, Carbon Dioxide, Carbon Monoxide, Nitrogen. Because

a significant amount of the material is recycled plastic, other undetermined compounds could be released in small

quantities.

Hazardous Polymerization: Will not occur.

Section 8: Precautions for Safe Handling and Use

In case of spills or accidental release: Scoop or vacuum material. Place in a suitable container for

disposal in accordance with any local, state, or federal laws.

Storage temperature: This product can be maintained at a temperature less than or

equal to 120°F.

Storage pressure: N/A

Storage precautions: Do not store near heat, open flames, strong oxidants or alkalis.

Store flat and well supported across the entire span.

**Section 9: Exposure Controls/Personal Protection** 

Engineering measures to reduce exposure if machining/fabrication process generates excessive dust or fumes

Respiratory Protection: Appropriate, approved respiratory protection to keep

concentrations below PEL.

Eye Protection: Wear eye/face protection appropriate for the hazard.

Skin and Body Protection Low hazard for common handling practices

Work/Hygiene Protection: Wash before eating, drinking or smoking

**Section 10: Toxicological Information** 

Local Effects:

Skin Non Toxic
Eye Non Toxic
Inhalation No data available
Ingestion No data available
Sensitization No data available
Chronic toxicity No data available

Carcinogenicity: Not a carcinogen

Information contained in this MSDS is taken from information provided by the suppliers of our raw materials. While Bedford Technology believes the information contained herein is accurate to the best of our knowledge, Bedford Technology makes no warranty, express or implied with respect to the accuracy or reliability of this information. This data is offered for your consideration, investigation and verification.

Product : Blue Plastic Lumber page 2of 2 revised 11/20/2008