

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	YSI 7170-2970 Ammonium-Potassium Buffer		
Version #	01		
Issue date	15-July-2014		
Revision date	-		
Supersedes date	-		
CAS #	Mixture		
Product code	7170-2970		
Product use	Analysis Standard/Reagent		
Manufacturer information	YSI, Inc 1700/1725 Brannum Lane Yellow Springs, Ohio 45387 MSDSinfo@ysi.com (937) 767-7241 CHEMTREC (US/Canada) (800) 424-9300 CHEMTREC (International) 011 703-527-3887 (Collect calls accepted)		
Supplier	Not available.		
2. Hazards Identification			
Emergency overview	Health injuries are not known or expected under normal use.		
Potential health effects			
Routes of exposure	Eye contact. Skin contact.		
Eyes	Health injuries are not known or expected under normal use.		
Skin	Health injuries are not known or expected under normal use.		
Inhalation	Health injuries are not known or expected under normal use.		
Ingestion	Health injuries are not known or expected under normal use.		
Signs and symptoms	Direct contact with eyes may cause temporary irritation.		

3. Composition / Information on Ingredients

Components	CAS #	Percent
Ammonium chloride	12125-02-9	< 1
Benzoic acid	65-85-0	< 1
Ethylenediamine tetraacetic acid	60-00-4	< 1
Lithium Acetate Dihydrate	6108-17-4	< 1
Potassium chloride	7447-40-7	< 1
Water	7732-18-5	> 95

4. First Aid Measures

First aid procedures	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.
General advice	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

5. The Fighting measures	
Flammable properties	Not flammable by WHMIS criteria.
Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Protection of firefighters	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
Explosion data	
Sensitivity to static discharge	Not sensitive.
Sensitivity to mechanical impact	Not sensitive.
Hazardous combustion products	None known.

6. Accidental Release Measures

Personal precautions Environmental precautions Methods for containment Methods for cleaning up	Keep unnecessary personnel away. For personal protection, see section 8 of the MSDS. Do not contaminate water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Should not be released into the environment. This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS.
7. Handling and Storage	
Handling	Use care in handling/storage. Handle and open container with care. Observe good industrial hygiene practices.

Storage

hygiene practices. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form	
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.	
,	TWA	10 mg/m3	Fume.	
Canada. Alberta OELs (Occupatio	onal Health & Safety Code, Sci	nedule 1, Table 2)		
Canada. Alberta OELs (Occupatio Components	onal Health & Safety Code, Scl Type	nedule 1, Table 2) Value	Form	
	-		Form Fume.	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Canada. Manitoba OELs (Re	g. 217/2006, The Workplace Safety A	and Health Act)	
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Canada. Ontario OELs. (Cor	ntrol of Exposure to Biological or Ch	emical Agents)	
Components	Туре	Value	Form
Ammonium chloride (CAS 12125-02-9)	STEL	20 mg/m3	Fume.
	TWA	10 mg/m3	Fume.
Canada. Quebec OELs. (Min	istry of Labor - Regulation Respection	ng the Quality of the Work E	nvironment)
Components	Туре	Value	Form
Ammonium chloride (CAS	STEL	20 mg/m3	Fume.
12125-02-9)			
12125-02-9)	TWA	10 mg/m3	Fume.
ineering controls	TWA Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establi	air changes per hour) should pplicable, use process enclosu tain airborne levels below reco	pe used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I
	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main	air changes per hour) should pplicable, use process enclosu tain airborne levels below reco	pe used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I
ineering controls	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main	air changes per hour) should pplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels	be used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I to an acceptable level.
ineering controls	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establi	air changes per hour) should pplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels	be used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I to an acceptable level.
ineering controls sonal protective equipment Eye / face protection	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establi If contact is likely, safety glasses with	air changes per hour) should i pplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels side shields are recommende uipment normally required. Wh	be used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I to an acceptable level. d.
ineering controls sonal protective equipment Eye / face protection Skin protection	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establin If contact is likely, safety glasses with Wear suitable protective clothing. No personal respiratory protective eq concentrations above the exposure limits	air changes per hour) should i pplicable, use process enclosu tain airborne levels below reco shed, maintain airborne levels side shields are recommende uipment normally required. Wh	be used. Ventilation rates res, local exhaust ventilation mmended exposure limits. I to an acceptable level. d.

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Clear and colorless.
Odor	None.
Odor threshold	Not available.
рН	5.2 - 5.5
Vapor pressure	Equivalent to water
Vapor density	Equal to water vapor.
Boiling point	212 °F (100 °C)
Melting point/Freezing point	Not available.
Solubility (water)	Infinitely soluble
Specific gravity	1
Flash point	None.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
Evaporation rate	Not available.

10. Chemical Stability & Reactivity Information

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	None known.
Hazardous decomposition products	No hazardous decomposition products are known.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. Toxicological Information

Toxicological data			
Components	Species	Test Results	
Ammonium chloride (CAS 12125-	02-9)		
Acute			
Oral			
LD50	Rat	1650 mg/kg	
Benzoic acid (CAS 65-85-0)			
Acute			
Dermal			
LD50	Rabbit	> 5000 mg/kg	
Inhalation			
LC50	Rat	> 0.026 mg/l, 1 Hours	
Oral			
LD50	Rat	1700 mg/kg	
Potassium chloride (CAS 7447-40)-7)		
Acute			
Oral			
LD50	Rat	2600 mg/kg	
Acute effects	Not classified.		
Sensitization	Not expected to be a skin sensitizer.		
Local effects	Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause temporary irritation.		
Chronic effects	Not expected to be hazardous by WHMIS	criteria.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/irritation	Direct contact with eyes may cause temporary irritation.		
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Reproductive effects	This product is not expected to cause repre-	oductive or developmental effects.	
Teratogenicity	Not available.		
Symptoms and target organs	Direct contact with eyes may cause tempo	rary irritation.	
Synergistic materials	Not available.		
Further information	This product has no known adverse effect on human health.		

12. Ecological Information

Ecotoxicological data		Creation	Tast Dassilta
Components		Species	Test Results
Ammonium chloride (CAS 12125-	.02-9)		
Aquatic			
Fish	LC50	Lake trout, siscowet (Salvelinus namaycush)	0.28 mg/l, 96 hours
Benzoic acid (CAS 65-85-0)			
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	180 mg/l, 96 hours
Ethylenediamine tetraacetic acid	(CAS 60-00-4)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	113 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	34 - 62 mg/l, 96 hours
Potassium chloride (CAS 7447-40)-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	83 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	435 mg/l, 96 hours
Ecotoxicity	Not expected	to be harmful to aquatic organisms.	
Environmental effects	An environme	ntal hazard cannot be excluded in the ever	nt of unprofessional handling or disposal.
Aquatic toxicity		s not classified as environmentally hazardo t large or frequent spills can have a harmfu	
Persistence and degradability	Not available.		
Partition coefficient			
Benzoic acid (CAS 65-85-0)		1.87	
13. Disposal Consideration	ons		
Disposal instructions	Collect and re	claim or dispose in sealed containers at lic	ensed waste disposal site.
Waste from residues / unused products		accordance with local regulations. Empty c ues. This material and its container must be uctions).	
	•	·	

Contaminated packaging

14. Transport Information

TDG

Not regulated as dangerous goods.

emptied.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

China

Not regulated as dangerous goods.

15. Regulatory Information

Canadian regulations	This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.	
WHMIS status	Non-controlled	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Inventory of Existing Chemical Substances in China (IECSC)

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	YSI, Inc cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Prepared by	Not available.