$0.9 \cdot 1$

MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-008

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2005

1. PRODUCT IDENTIFICATION

Product Name:

AVOJUICE BERRY JUICIE™

1.2 Chemical Name:

AQUEOUS LOTION

1.3 Synonym

NA

1.4 Trade Names: AV 901, AV906, AV908

1.5 Product Use:

PROFESSIONAL OR SUNDRY USE ONLY

1.6 Manufacturer's Name:

OPI PRODUCTS, INC.

1.7 Manufacturer's Address:

13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA

1.8 Emergency Phone:

CHEMTREC: (703) 527-3887

1.9 Business Phone:

(818) 759-2400

2. COMPOSITION & INGREDIENT INFORMATION

						EXPO	SURE LIMI	TS IN AIR	(mg/m³)	
					ACGIH	– ppm	0	SHA - ppi	m	OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	≤ 90.0	NE	NE	NE	NE	NE	
PROPYLENE GLYCOL	57-55-6	TY2000000	200-338-0	≤ 5.0	NE	NE	NE	NE	NE	
DIMETHICONE	9006-65-9	TY2000000	NA	≤ 5.0	NE	NE	NE	NE	NE	
BEHENTRIMONIUM METHOSULFATE	81646-13-1	NA	279-791-1	≤ 3.0	NE	NE	NE	NE	NE	
CETEARYL ALCOHOL	8005-44-5	NA	267-008-6	≤ 1.0	NE	NE	NE	NE	NE	
POLYQUARTERNIUM-37	26161-33-1	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
DICAPRYLATE/DICAPRATE	68583-51-7	NA	271-516-3	≤ 1.0	NE	NE	NE	NE	NE	
PPG-1 TRIDECETH-6	NA	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
ASCORBYL (VITAMIN C) PALMITATE	137-66-6	CI7671040	205-305-4	≤ 1.0	NE	NE	NE	NE	NE	
TOCOPHEROL	1406-18-4	NA	215-798-8	≤ 1.0	NE	NE	NE	NE	NE	
ALOE BARBADENSIS (ALOE VERA) EXTRACT	85507-69-3	NA	287-390-8	≤ 1.0	NE	NE	NE	NE	NE	
PERSEA GRATISSIMA (AVOCADO) EXTRACT	84695-98-7	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
VACCINIUM ANGUSTIFOLIUM (BLUEBERRY) FRUIT EXTRACT	NA	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
RUBUS IDAEUS (RASPBERRY) FRUIT EXTRACT	84929-76-0	NA	284-554-0	≤ 1.0	NE	NE	NE	NE	NE	
FRAGARIA VESCA (STRAWBERRY) FRUIT EXTRACT	84929-78-2	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
OCTYL PALMITATE	29806-73-3	NA	249-862-1	≤ 1.0	NE	NE	NE	NE	NE	
LECITHIN	8002-43-5	OG7565000	297-639-2	≤ 1.0	NE	NE	NE	NE	NE	
CAPRIC/CAPRYLIC TRIGLYCERIDE	65381-09-1	NA	265-724-3	≤ 1.0	NE	NE	NE	NE	NE	
BENZOPHENONE-4	4065-45-6	DB5044300	223-772-2	≤ 1.0	NE	NE	NE	NE	NE	
BENZOPHENONE-3	31-57-7	NA	205-031-5	≤ 1.0	NE	NE	NE	NE	NE	
ISOPROPYLPARABEN	4191-73-5	NA	224-069-3	≤ 1.0	NE	NE	NE	NE	NE	
ISOBUTYLPARABEN	4247-02-3	NA	224-208-8	≤ 1.0	NE	NE	NE	NE	NE	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	≤ 1.0	NE	NE	NE	NE	NE	
METHYLPARABEN	99-76-3	DH2450000	202-785-7	≤ 1.0	NE	NE	NE	NE	NE	
ETHANOL	64-17-5	KQ6300000	200-578-6	≤ 1.0	1000	NA	1000	NA	NA	
BUTYLATED HYDROXYTOLUENE	128-37-0	NA	204-881-4	≤ 1.0	(10)	NA	(10)	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 1.0	NE	NE	NE	NE	NE	
CI 42090 (BLUE 1)	3844-45-9	BQ4725000	223-339-8	≤ 1.0	NE	NE	NE	NE	NE	
CI 17200 (RED 33)	3567-66-6	QJ6197000	222-656-9	≤ 1.0	NE	NE	NE	NE	NE	

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.

MATERIAL SAFETY DATA SHEET

Page 2 of 7 MSDS-008

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2005 3. HAZARD IDENTIFICATION Hazard Identification: 3.1 NA Routes of Entry: 3.2 YES YES Inhalation: NO Absorption: Ingestion: 3.3 Effects of Exposure INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. SKIN & FYFS: Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact. INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals. 3.4 Symptoms of Overexposure Symptoms of overexposure may include redness, itching, and irritation. 3.5 Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. 3.6 Chronic Health Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Benzophenone, propylene glycol, methylparaben, butylparaben and isopropylparaben, contained in very small quantities in this product, may be mild allergens to some sensitive individuals. 3.7 Target Organs: Eyes, skin. 4. FIRST AID MEASURES First Aid: 4 1 INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. EYES: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. SKIN: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. INHALATION: Remove victim to fresh air at once. 4.2 Medical Conditions Aggravated by Exposure: 0 HEALTH None known. **FLAMMABILITY** 0 REACTIVITY 0 PROTECTIVE EQUIPMENT

EYES

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-008

Prep	pared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2005
	5. FIREFIGHTING MEASURES
5.1	Flashpoint & Method: Non-flammable.
5.2	Autoignition Temperature: NA
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA
5.4	Fire & Explosion Hazards: This product is non-flammable.
5.5	Extinguishing Methods:
5.6	Firefighting Procedures: NA
	6. ACCIDENTAL RELEASE MEASURES
6.1	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
	7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices: Avoid eye contact.
7.2	Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
8.2	Respiratory Protection: None required if used in a well-ventilated area.
8.3	Eye Protection: Avoid eye contact. None required under normal conditions of use.
8.4	Hand Protection: None required under normal conditions of use. Body Protection:
5.5	None required under normal conditions of use.

MATERIAL SAFETY DATA SHEET

Page 4 of 7 **MSDS-008**

rep	pared to OSHA, ACC, ANS	SI, WHMIS & 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 01/01/2005
		0 BHASICVI & CH	IEMICAL PROPERTIES	
1	Density:	0.995	IEMICAL PROPERTIES	
.2	Boiling Point:	0.775 ND		
.3	Melting Point:	ND ND		
.4	Evaporation Rate:	ND		
9.5	Vapor Pressure:	ND		
9.6	Molecular Weight:	ND		
9.7	Appearance & Color:	Semi-viscous, blue colored cre	eam with fragrant, berry odor.	
9.8	Odor Threshold:	ND		
9.9	Solubility:	Soluble in water.		
9.10	рН	ND		
9.11	Viscosity:	NA		
9.12	Other Information:	NA		
		10. STABILITY	/ & REACTIVITY	
0.1	Stability: This product is stable.			
10.2	Hazardous Decomposition Prod	lucts:		
	Oxides of carbon and n	itrogen.		
10.3	Hazardous Polymerization: Will not occur.			
10.4	Conditions to Avoid:			
		gh heat and direct sunlight.		
10.5	Incompatible Substances: None known.			
		11. TOXICOLOGI	CAL INFORMATION	
11.1	Toxicity Data:			
		en tested for specific toxicity data.		
11.2	Acute Toxicity: See section 3.5			
11.3	Chronic Toxicity:			
	See section 3.6			
11.4	Suspected Carcinogen: No.			
11.5	Reproductive Toxicity:			
		ted to produce reproductive toxicity in	humans.	
	Mutagenicity: This product is not repor	ted to produce mutagenic effects in hu	mans.	
	Embryotoxicity:			
		ted to produce embryotoxic effects in h	numans.	
	Teratogenicity: This product is not repor	ted to produce teratogenic effects in hi	umans.	
	Reproductive Toxicity:	-		
11 /	•	ted to produce reproductive effects in t	humans.	
11.6	Irritancy of Product: See Section 3.3			
11.7	Biological Exposure Indices:			
1.8	NE Physician Recommendations:			
5	Treat symptomatically.			
		12. ECOLOGICA	AL INFORMATION	
12.1		a available for this product.		
12.2	Effects on Plants & Animals: There is no specific data	a available for this product.		
12.3	Effects on Aquatic Life:	a tanable for find product.		
		a available for this product.		

MATERIAL SAFETY DATA SHEET

Page 5 of 7

MSDS-008

РГЕР	ared to Osha, ACC, Ansi, whimis & 2001/58 EC standards MSDS Revision: 1.0 MSDS Re	vision Date: 01/01/2005
	13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal: Dispose of in accordance with Federal, state and local regulations.	
13.2	Special Considerations: NA	
	14. TRANSPORTATION INFORMATION	
	basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for eatitional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ach mode of transportation.
14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN): NOT REGULATED	
14.4	TDGR (Canadian GND): NOT REGULATED	
14.5	ADR/RID (EU): NOT REGULATED	
	15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:	
	NA .	
15.2	SARA Threshold Planning Quantity: NA	
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from ir	nventory status.
15.4	CERCLA Reportable Quantity (RQ): NA	
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	ter G (Cosmetics).
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7	State Regulatory Information: Ethanol is covered under specific state criteria. Components of this product are not listed on the Californiare exempt from the requirements.	ia Proposition 65 lists or they
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.	

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-008

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 01/01/2005 16. OTHER INFORMATION Other Information: Use only as directed. Discontinue use immediately if irritation develops. Terms & Definitions: 16.2 See page 7 of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street $O \cdot P \cdot I$ No. Hollywood, CA 91605 USA (818) 759-2400 phone (818) 759-5770 fax http://www.opi.com/ Prepared by: 16.5 ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 310-370-3600 phone Dangerous Goods 310-370-5700 fax Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-008

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 01/01/2005

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL Permissible Exposure Limit	
IDLH Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR	Cardiop	ulmona	ry resu	uscitation -	method in	which a	person
	whose	heart	has	stopped	receives	manual	chest
	compre	ssions a	nd bre	eathing to d	circulate blo	ood and p	rovide
	ovvden	to the h	odv				


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	3 Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:













Synthetic Apron

Dust & Vapor

Respirator





Vapor Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	No Results	
NE	Not Established	
ND	Not Determined	
ML	ML Maximum Limit	
SCBA	Self-Contained Breathing Apparatus	


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion	
Temperature	in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by	
	volume, that will explode or ignite in the presence of	
	an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air	
	by volume, that will explode or ignite in the presence of	
	an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2 Moderate Hazard		
3 Severe Hazard		
4 Extreme Hazard		
ACD Acidic		
ALK Alkaline		
COR	OR Corrosive	
-W-	Use No Water	
OX Oxidizer		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{lo}	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or			
TC, TCo, LCio, & LCo	toxic effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TL _m	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

		M	*		9	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful