MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-179

Prep	ared to OSHA, ACC, ANSI,	NOHSC, WHMI	S & 2001/58 E	C Standards	MSDS F	Revisio	n: 1.0		MSD	S Revis	ion Do	ite: 12,	/01/200)7
			1. PRO	DUCT IDEN	NTIFIC	ATIO	N							
1.1	Product Name:													
	MANICURE / PEDI	CURE MA	SSAGE – F	PAPAYA C	ITRUS									
1.2	Chemical Name:													
	NA													
1.3	Synonyms:													
	NA													
1.4	Trade Names: SR7G3													
1.5	Product Use:													
	PROFESSIONAL OR SUNDR	Y USE ONLY												
1.6	Distributor's Name:													
	OPI PRODUCTS, INC													
1.7	Distributor's Address:													
1.0	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA													
1.8	Emergency Phone:	E27 2007 /	±1 (000) 42.	A 2007										
1.9	CHEMTREC: +1 (703) Business Phone:	327-3007 /	+1 (800) 424	4-300/										
1.7	+1 (818) 759-2400 / 1-800-	-341-9999												
	11 (0.0) 707 2100 7 1 000	<u> </u>												
			2. HAZ	ARD IDEN	TIFIC A	ATIO	N							
2.1	Hazard Identification:													
	This product is NOT Class	ified as a HAZ	ZARDOUS SUBS	STANCE or as	a DANG	EROUS	GOO	OS acc	ording	to the	e class	ificatio	on crite	eria of
	[NOHSC: 1088 (1999)] and	ADG Code (A	Australia).					- 1		1				
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES													
2.3	Effects of Exposure:			•••	,		_							
	•	ct is swallowed	•		•									
		rritating to the on is unlikely; h								itiva in	dividu	ale		
		on is officery, i	lowever vapor	is of fills produ	ici iliay k	Je sligi	y	uning i	0 36113	IIIVE III	aiviau	JI3.		
2.4	Symptoms of Overexposure:			11 - 1-1 1 1										
2.5	Symptoms of skin overexp Acute Health Effects:	oosure may ind	ciuae reaness,	, itcning, and i	rritation c	от аттес	rea a	eas.						
2.0	Slight irritation near effect	ed areas of so	me sensitive ir	ndividuals.										
2.6	Chronic Health Effects:													
	No chronic health effects	are known.												
2.7	Target Organs:													
	Eyes, skin													
		2 201	ADOCITIO	N A INCA	DIENIT	· INTE	<u> </u>	A TIC						
		3. COM	MPOSITIO	N & INGRI	DIENI	INF	OR _M					, ,		
						Δ C	GIH			MITS IN	I AIK (r	ng/m³ OSHA		
							om	NOHSC ppm		•	,			OTHER
					0/			ES-	ES-	ES-				
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
AQUA (WATER)		7732-18-5	ZC0110000	231-191-2	≤ 85.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDR	OGENATED CANOLA OIL	120962-03-0	NA	NA	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
	ROSPERMUM PARKII	91080-23-8	NA	293-515-7	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
	A BUTTER)													
	ALCOHOL	36653-82-4	MM0225000	253-149-0	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERYL STEARATE		31566-31-1	RG1925000	250-705-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-1	100 STEARATE	9004-99-3	MD907300	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CARB	OMER	9007-20-9	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
XANT	HAN GUM	11138-66-2	NA	281-675-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLY	SORBATE 60	9005-67-8	WG2934000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
		•		1		1	1	1					i	

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007

							EXPOSI	JRE LIM	ITS IN	AIR (n	na/m³)	
					AC	GIH		NOHSC			OSHA		
					pp	om		ppm	•		ppm		OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	
CARICA PAPAYA (PAPAYA) FRUIT EXTRACT	84012-30-6	NA	281-675-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PERSEA GRATISSIMA (AVOCADO) OIL	84695-98-7	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LECITHIN	8002-43-5	OG7565000	232-307-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TOCOPHERYL ACETATE	58-95-7	GP820000	200-405-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
RETINYL PALMITATE	79-81-2	VH6860000	201-228-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLNE GLYCOL	57-55-6	TY200000	200-338-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HEXYLENE GLYCOL	107-41-5	SA0810000	203-489-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAPRYLYL GLYCOL	1117-86-8	NA	214-254-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TRIETHANOLAMINE	102-71-6	KL9275000	203-049-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM9275000	203-049-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
POTASSIUM SORBATE	24634-61-5	WG2170000	246-376-1	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PARFUM / FRAGRANCE	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZYL ALCOHOL	100-51-6	D3150000	202-859-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CITRAL	5392-40-5	RG5075000	226-394-6	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CITRONELLOL	106-22-9	RH340000	203-375-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
COUMARIN	91-64-5	GN4200000	202-086-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LIMONENE	5989-57-5	GW6360000	227-813-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HEXYL CINNAMAL	101-86-0	GD6560000	2020-983-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLPHENYL METHYLPROPIONAL	80-54-6	MW4895000	201-289-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LINALOOL	78-70-6	RG5775000	201-134-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROXYISOHEXYL 3- CYCLOHEXANE CARBOXALDEHYDE (HMPCC)	51414-25-6	NA	257-187-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ORANGE 4 / CI 15510 / DAIDAI205	633-96-5	DB7084000	211-199-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
RED 4 / CI 147000	4548-53-2	QK205000	224-909-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES

		4. FIRST AID MEASURES						
4.1	First Aid:							
	INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.							
	EYES: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician.							
	SKIN:	IN: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.						
	INHALATION:	ATION: Remove victim to fresh air at once.						
4.2	Medical Conditions Aggravated by Exposure:							
	None known	None known						
	FLAMMABILITY 0							

REACTIVITY
PROTECTIVE EQUIPMENT

SKIN

EYES

MATERIAL SAFETY DATA SHEET

Page 3 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: ΝΔ 5.2 Autoignition Temperature: ND 5.3 Flammability Limits: Lower Explosive Limit (LEL): NE Upper Explosive Limit (UEL): NE Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke. 5.5 Extinguishing Methods: NA 5.6 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills [e.g., <1 gallon (3.79 liters)] wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.79 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid eye contact. Do not eat, drink or smoke when handling this product. Keep away from foodstuffs and beverages. 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. 7.3

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

MATERIAL SAFETY DATA SHEET

Page 4 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Respiratory Protection: None required. 8.3 Eye Protection: None required under normal conditions of use. Avoid eye contact. May cause irritation in some sensitive individuals. When handling large quantities [e.g., ≥ 1 gallon (3.79 liters)], safety glasses with side shields should be used. 8.4 None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities [e.g., ≥ 1 gallon (3.79 liters)], wear rubber or impervious plastic gloves. 8.5 No apron required when handling small quantities. When handling large quantities [e.g., ≥ 1 gallon (3.79 liters)], eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: 0.995 9.2 Boiling Point: ND 9.3 Meltina Point: ND 9.4 Evaporation Rate: ND 9.5 Vapor Pressure: ND 9.6 Molecular Weight: ND 9.7 Appearance & Color: Orange emulsion with fruity fragrance. 9.8 Odor Threshold: ND 99 Solubility: **Partial** 9.10 6.75 to 7.5 9.11 Viscosity: 80,000 to 100,000 cPs 9.12 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Products If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen). 10.3 Hazardous Polymerization: Will not occur. Conditions to Avoid: 10.4 Open flames, high heat and direct sunlight. Incompatible Substances: 10.5 None Known

MATERIAL SAFETY DATA SHEET

Page 5 of 8

MSDS-179

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007
	11. TOXICOLOGICAL INFORMATION
1.1	Toxicity Data: The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of the product, which are found in the scientific literature. These data have not been presented in this document.
1.2	Acute Toxicity: See section 2.5
1.3	Chronic Toxicity: See section 2.6
1.4	Suspected Carcinogen: NE
1.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
1.6	Irritancy of Product: See Section 2.3
1.7	Biological Exposure Indices: NE
1.8	Physician Recommendations: Treat symptomatically.
	12. ECOLOGICAL INFORMATION
2.1	Environmental Stability: There is no specific data available for this product.
2.2	Effects on Plants & Animals: There is no specific data available for this product.
2.3	Effects on Aquatic Life: There is no specific data available for this product.
	13. DISPOSAL CONSIDERATIONS
3.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.
3.2	Special Considerations: Dispose of in accordance with federal, state and local regulations.

MATERIAL SAFETY DATA SHEET

Page 6 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, CTDGR, SCT and ADGR 49 CFR (GND): 14.1 **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** TDGR (Canadian GND): 14.4 **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): **NOT REGULATED** 14.7 ADGR (Australia): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 U.S. FPA SARA Reporting Requirements: Benzyl Alcohol (CAS No. 100-51-6) 15.2 U.S. EPA SARA Threshold Planning Quantity: None of the chemicals in this product have a TPQ TSCA Inventory Status: 15.3 All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. 15.4 U.S. EPA CERCLA Reportable Quantity (RQ): NA 15.5 Other FU.S. ederal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Clean Air Act: This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depleters. Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. 15.7 U.S. State Regulatory Information: Ingredients in this mixture on found on the following state criteria lists: California Right to Know List Coumarin Massachusetts Hazardous Substances List Benzyl Alcohol, Propylene glycol Minnesota Hazardous Substances List Benzyl Alcohol, Propylene glycol Pennsylvania Hazardous Substances List Benzyl Alcohol, Propylene glycol 67/548/EEC (European Union) and Australia NOHSC:2011 (2003) Requirements: 15.8 The primary component of this product are not listed in Annex I of EU Directive 67/548/EEC. (Xi) Irritant. R: 43 - May cause sensitization by skin contact. S: 3/7-20-26 - Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes; rinse with water immediately and seek medical advice.

Fax: +1 (310) 370-5700

http://www.shipmate.com

MATERIAL SAFETY DATA SHEET

Page 7 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 12/01/2007 16. OTHER INFORMATION 16.1 Other Information: Do not ingest. If swallowed, do not induce vomiting; seek medical attention. Avoid eye contact. Keep out of reach of children. If redness or other signs of adverse reaction occur, discontinue use immediately. If irritation persists, seek medical attention. 16.2 Terms & Definitions: See last page of this MSDS. This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 OPI Products, Inc 13034 Saticoy St. $O \cdot P \cdot I$ NO. Hollywood, California 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5770 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, OR 97759 Tel: +1 (310) 370-3600

Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-179

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 12/01/2007

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number
--

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV	Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the
	body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:







FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{Io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TCo, LCio, & LCo	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	Canada's Controlled Product Regulations					

EC INFORMATION:

		M	*		Q	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash				<u>(T)</u>	®		
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive