

REFINED PRODUCTS

MATERIAL SAFETY DATA SHEET (In accordance with Regulations (EC) no. 453/2010)

# PETRONATE® HL

Date: January 2016 S.REACH.NLD.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1.Product Identifier

Product name	PETRONATE <sup>®</sup> HL
Chemical Name	sodium petroleum sulfonate
Other means of identification	Not Available
CAS number	68608-26-4
EC number	271-781-5
REACH registration number	01-2119527859-22-0000

#### 1.2.Relevant identified uses of the substance or mixture and uses advised against

Product Category Chemical	PC24 Lubricants, greases, release products PC25 Metal working fluids PC17 Hydraulic Fluids				
Product Category Consumer	PC24 Lubricants, greases, release products				
Sectors of Use	SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites				
Relevant identified uses	This oil soluble Sodium Sulfonate is used in soluble oils and semi-synthetic fluids to improve emulsion properties				
Uses advised against	Any use except those identified				

# 1.3.Details of the supplier of the safety data sheet

Registered company	SONNEBORN REFINED PRODUCTS B.V.					
name	55111.25111.12111.2511.105551.5511.					
Address	ainhavenweg 6 - 1043 AL Amsterdam - The Netherlands					
Telephone	+31-20-6117475					
Fax	+31-20-6111170					
Website	www.sonneborn.com					
Email	QEHS@Sonneborn.com					

# 1.4.Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	+31-20-6117475

Continued...

#### PETRONATE® HL

Other emergency telephone numbers

Not Available

#### **SECTION 2 HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Considered a dangerous substance according to Reg. (EC) No 1272/2008 and its amendments. Not classified as Dangerous Goods for transport purposes.

Classification according to regulation (EC) No 1272/2008 [CLP] [1]

Eye Irritation Category 2

Legend:

1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

#### 2.2. Label elements

**CLP** label elements



SIGNAL WORD

WARNING

#### Hazard statement(s)

H319

Causes serious eye irritation

# Supplementary statement(s)

# Precautionary statement(s) Prevention

Wear protective gloves/protective clothing/eye protection/face protection.

# Precautionary statement(s) Response

P305+P351+P338  IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuously rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.		

# Precautionary statement(s) Storage

## Precautionary statement(s) Disposal

# 2.3. Other hazards

May produce discomfort of the eyes\*.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1.Substances

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
1.68608-26-4 2.271-781-5 3.Not Available 4.01-2119527859-22-0000	50-65	sodium petroleum sulfonate	Eye Irritation Category 2; H319 <sup>[1]</sup>

Legend:

1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI 4. Classification drawn from C&L

Version No: 3.3 Page 3 of 9

#### PETRONATE® HL

#### 3.2.Mixtures

See 'Information on ingredients' in section 3.1

# **SECTION 4 FIRST AID MEASURES**

#### 4.1. Description of first aid measures

4.1. Description of mis	tala measures
General	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> <li>If this product comes in contact with eyes:</li> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If skin or hair contact occurs:</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other</li> <li>measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- · Carbon dioxide.
- Water spray or fog Large fires only.

### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

# 5.3. Advice for firefighters

Fire Fighting	
Fire/Explosion Hazard	<ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>On combustion, may emit toxic fumes of carbon monoxide (CO).</li> <li>May emit acrid smoke.</li> <li>Mists containing combustible materials may be explosive.</li> <li>Combustion products include:, carbon dioxide (CO2), sulfur oxides (SOx), other pyrolysis products typical of burning organic material</li> </ul>

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

Version No: 3.3 Page 4 of 9

# PETRONATE® HL

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

# 6.2. Environmental precautions

See section 12

# 6.3. Methods and material for containment and cleaning up

Minor Spills	Collect the isolated product and other contaminated material in tanks or containers that are appropriate for
	recuperation or disposing in a safe matter

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.  Wear protective clothing when risk of exposure occurs.  Use in a well-ventilated area.  Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling.  Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this MSDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.
Fire and explosion protection	See section 5
Other information	Store in original containers. Keep containers securely sealed. No smoking, naked lights or ignition sources. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks.

# 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Glass container is suitable for laboratory quantities</li> <li>Metal can or drum</li> <li>Packaging as recommended by manufacturer.</li> <li>Check all containers are clearly labelled and free from leaks.</li> </ul>

# 7.3. Specific end use(s)

See section 1.2

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# 8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL): SEE SAFETY CHEMICAL ASSESSMENT PREDICTED NO EFFECT LEVEL (PNEC): NOT APPLICABLE

OCCUPATIONAL EXPOSURE LIMITS (OEL)

Version No: 3.3 Page 5 of 9

#### PETRONATE® HL

#### **INGREDIENT DATA**

Source	Ingredient	Material name	TWA	STEL	Peak	Notes	
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	
EMERGENCY LIMITS							
Ingredient	Material name	TEEL-1		TEEL-2	TEEL	3	
PETRONATE	Not Available Not Availa		ilable	Not Available		Not Available	
		·					
Ingredient	Original IDLH			Revised IDLH			
sodium petroleum Sulfonate	Not Available			Not Available			

# 8.2. Exposure controls

All emissions must be treated by appropriate engineering controls as for example: before emissions to air, depuration of gaseous effluents to eliminate contaminants

	· · · · · · · · · · · · · · · · · · ·
8.2.1. Appropriate engineering controls	
8.2.2. Personal protection	
Eye and face	Safety glasses with side shields Chemical goggles.
protection	h
Skin protection	Protective clothing to EN 368 standard as minimum
Hands/feet protection	Hand protection to EN 374 standard as minimum
Body protection	Protective clothing to EN 368 standard as minimum
Other protection	•
Thermal hazards	Not Available

# **Respiratory protection**

Not Available

# 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance	Solid, produced in the presence of liquid mineral oil solvent, which changes the physical state of the substance from solid to liquid	Relative density (Water = 1)	> 1,00 at 16°C
Odour	Mild petroleum	Partition coefficient n-octanol / water	Not Available *) - 9.2
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available *) - 9.2
pH (as supplied)	Not Available	Decomposition temperature	Not Available *) - 9.2
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	>30 mm2/s at 40°C
Initial boiling point and boiling range (°C)	>100°C	Molecular weight (g/mol)	Not Available *) - 9.2
Flash point (°C)	>180°C – ASTM D 92	Taste	Not Available *) - 9.2
Evaporation rate	Not Available *) - 9.2	Explosive properties	Not Available *) - 9.2
Flammability	Not Available *) - 9.2	Oxidising properties	Not Available *) - 9.2
Upper Explosive Limit (%)	Not Available *) - 9.2	Surface Tension (dyn/cm or mN/m)	Not Available *) - 9.2

Version No: 3.3 Page 6 of 9

#### PETRONATE® HL

Lower Explosive Limit (%)	Not Available *) - 9.2	Volatile Component (%vol)	<5
Vapour pressure (kPa)	Not Available *) - 9.2	Gas group	Not Available *) - 9.2
Solubility in water	may emulsify	pH as a solution (1%)	Not Available *) - 9.2
(g/L)			
Vapour density (Air = 1)	>1	VOC g/L	Not Available *) - 9.2

# 9.2. Other information - \*)

The study is considered to be scientifically unjustified.

The registered substance is produced, supplied and marketed in the presence of a liquid mineral oil solvent. Removal of this solvent is expected to cause a change in the equilibrium of the chemical structure of the alkyrated benzene sulfonates resulting in a degradation of the chemical structure to a structure that is not representative of the substance being placed on the market in the EU. It is, in consequence, not possible to undertake any study of the registered substance in the absence of the solvent. This is further compounded by the fact that the presence of the mineral oil solvent changes the physical state of the registered substance from solid to liquid and will therefore have a considerable effect on the result of any test conducted on the substance in solvent. It is therefore considered justifiable to omit any study

# **SECTION 10 STABILITY AND REACTIVITY**

10.1.Reactivity	See section 7.2
10.2.Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

# **SECTION 11 TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Inhaled	Not normally a hazard due to non-volatile nature of product	
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other class the lack of corroborating animal or human evidence.	sification systems as 'harmful by ingestion'. This is because of
Skin Contact	The liquid may be miscible with fats or oils and may degrease the sk dermatitis. The material is unlikely to produce an irritant dermatitis at Anionic surfactants can cause skin redness and pain, as well as a rain and skin reactions are possible with sensitive skin. Open cuts, abraded or irritated skin should not be exposed to this mentry into the blood-stream, through, for example, cuts, abrasions of Examine the skin prior to the use of the material and ensure that any	s described in EC Directives . ash. Cracking, scaling and blistering can occur. Irritation aterial r lesions, may produce systemic injury with harmful effects.
Eye	Direct eye contact with some anionic surfactants in high concentration concentrations can cause discomfort, excess blood flow, and corneating the concentrations can be concentrations.	<u> </u>
	TOXICITY	IRRITATION
PETRONATE	Not Available	Not Available
	TOXICITY	IRRITATION
sodium petroleum sulfonate	Not Available	Not Available

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS.

Version No: 3.3 Page 7 of 9

#### PETRONATE® HL

Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	<b>~</b>	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

— Data required to make classification available

X - Data available but does not fill the criteria for classification

Data Not Available to make classification

#### **SECTION 12 ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

# 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

# 12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

#### 12.5.Results of PBT and vPvB assessment

	Р	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT and vPvB Criteria fulfilled?	Not Available	Not Available	Not Available

#### 12.6. Other adverse effects

No data available

# **SECTION 13 DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

# Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- ▶ Consult State Land Waste Authority for disposal.

Version No: 3.3 Page 8 of 9

#### PETRONATE® HL

	Bury or incinerate residue at an approved site.     Recycle containers if possible, or dispose of in an authorised landfill.
Waste treatment options	Not Available
Sewage disposal options	Not Available

#### **SECTION 14 TRANSPORT INFORMATION**

#### **Labels Required**

Marine Pollutant NO

#### Land transport (Not Applicable): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable	
14.2. Packing group	Not Applicable	
14.3. UN proper shipping name	Not Applicable	
4.4. Environmental hazard	No relevant data	
5. Transport hazard class(es)	Class Not Applicable Subrisk Not Applicable	
	Hazard identification (Kemler)	Not Applicable
	Classification code	Not Applicable
14.6. Special	Special provisions	Not Applicable
precautions for user	Explosive Limit and Limited Quantity Index	Not Applicable
	ERAP Index	Not Applicable
	Limited quantity	Not Applicable

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78		
(Annex II) - List of Noxious Liquid	sodium petroleum sulfonate	Y
Substances Carried in	codium periologin canoniale	•
Bulk		

# **SECTION 15 REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

# SODIUM PETROLEUM SULFONATE(68608-26-4\*) - 9.2 IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

### 15.2. Chemical safety assessment

Version No: 3.3 Page 9 of 9

# PETRONATE® HL

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

National Inventory	Status	
Australia - AICS	Υ	
Canada - DSL	Y	
Canada - NDSL	N (sodium petroleum sulfonate)	
China - IECSC	Y	
Europe - EINEC / ELINCS / NLP	Y	
Japan - ENCS	Y	
Korea - KECI	Y	
New Zealand - NZIoC	Y	
Philippines - PICCS	Υ	
USA - TSCA	Υ	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

# **SECTION 16 OTHER INFORMATION**

# Full text Risk and Hazard codes

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

#### www.chemwatch.net

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.