Safety Data Sheet acc. to OSHA HCS

Reviewed on 02/11/2014

1 Identification

· Product identifier

· Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

· Article number: 8250942

· CAS Number: 206-44-0 · EC number: 205-912-4

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bruker Daltonik GmbH

Fahrenheitstrasse 4

D-28359 Bremen / Germany Tel.: +49(421) 2205-0

Fax: +49(421) 2205-100 E-mail: care@bdal.de

· Information department:

Bruker Daltonik GmbH Tel.: +49 (421) 2205-240 · Emergency telephone number:

Tel.: +49 (361)730730

Gemeinsames Giftinformationszentrum (GGIZ) (Poison Control Center)

USA

National Capital Poison Center, +1 202 362 3867

2 Hazard(s) identification

Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

Harmful if swallowed.



N; Dangerous for the environment

Very toxic to aquatic organisms.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 1)

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

fluoranthene

· Hazard statements

Harmful if swallowed.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system
- · NFPA ratings (scale 0-4)



Health = 1 Fire = 1Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description:

206-44-0 fluoranthene

- · *Identification number(s):*
- · EC number: 205-912-4

4 First-aid measures

- · Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek medical advice.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse the mouth with water immediately

Immediately call a doctor.

- · Information for doctor No particular measures are known treat according to symptoms.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Wear self-contained respiatory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Avoid causing dust.

· Reference to other sections

Clean the accident area carefully.

See Section 8 for information on personal protection equipment.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Prevent formation of dust.

Keep eye irrigation utensils (bottle) ready for use at place of work.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Protect from dampness and humidity.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2014 Reviewed on 02/11/2014

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

Store protective clothing separately.

· Breathing equipment:

If dust is produced.

Short term filter device:

Filter P1.

· Protection of hands:



Only use chemical-protective gloves with CE-labeling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · As protection from splashes gloves made of the following materials are suitable: PVC gloves
- · Eye protection:



Tightly sealed goggles.

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Crystalline

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2014 Reviewed on 02/11/2014

Trade name: ETD III Consumable Kit
Disposable Reactant Cartridge II

(Contd. of page 4)

Color: Yellow

· Odor: Not determined

· Change in condition

Melting point/Melting range: 105 - 110 °C (221 - 230 °F) (lit.)

Boiling point/Boiling range: 384 °C (723 °F) (lit.)

• Flash point: 198 °C (388 °F) (closed cup)

· Flammability (solid, gaseous) Product is not flammable.

• Danger of explosion: Product does not present an explosion hazard.

· **Density:** Not determined

· Solubility in / Miscibility with

Water: Insoluble

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values the	at are relevant	for classification:
----------------------	-----------------	---------------------

206-44-0 fluoranthene

 Oral
 LD50
 2000 mg/kg (rat)

 Dermal
 LD50
 3180 mg/kg (rab)

- · Primary irritant effect:
- · on the skin: irritant effect on skin and mucous membranes possible.
- · on the eye: irritative effect possible
- · Sensitization: No sensitizing effects known.
- · Subacute to chronic toxicity:

Carcinogenic toxicity

IARC: 3

Not classifiable as to carcinogenicity to humans

Mutagenic toxicity

Laboratory experiments have shown mutagenic effects

· Additional toxicological information:

Harmful if swallowed.

Possibly harmful by inhalation and harmful if absorbed through the skin.

Warning, substance not yet fully tested

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

206-44-0 fluoranthene

(Contd. on page 6)

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 5)

· NTP (National Toxicology Program)

Substance is not listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:		
206-44-0 fluoranthene		
Daphnientoxizität	0.78 mg/l (Daphnia magna) (EC50 (20h))	
EC50 (3d)	>0.005 - < 0.01 mg/l (Daphnia magna)	
Fischtoxizität	0.0077 mg/l (Onchorhynchus mykiss) (LC50 (96h))	
	560 mg/l (Cyprinodon variegatus) (NOEC (96h))	
NOEC	(48h) 0.085 mg/l (Daphnia magna)	

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation** Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1 4 70		, •
14 Transport	tinto	rmation
IT II WIUSPUI	טוטוט	

· UN-Number · DOT, ADR, IMDG, IATA	UN3077
· UN proper shipping name · IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fluoranthene), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fluoranthene)

(Contd. on page 7)

Trade name: ETD III Consumable Kit
Disposable Reactant Cartridge II

(Contd. of page 6)

· Transport hazard class(es)

 $\cdot DOT$



· Class 9 Miscellaneous dangerous substances and articles.

· ADR, IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles

· Label

· Packing group · ADR, IMDG, IATA III

ADR, INDO, IATA

Environmental hazards:
Marine pollutant:
Special marking (ADR):
Special marking (IATA):
Symbol (fish and tree)
Symbol (fish and tree)

· Special precautions for user Warning: Miscellaneous dangerous substances and articles

· Danger code (Kemler): 90 · EMS Number: F-A,S-F

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot DOT$

• Remarks: Special marking with the symbol (fish and tree).

· UN "Model Regulation":

15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · Cancerogenity categories

· EPA (Environmental Protection Agency)

206-44-0 fluoranthene

D

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· MAK (German Maximum Workplace Concentration)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 7)

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

fluoranthene

· Hazard statements

Harmful if swallowed.

· Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Sara
- · Section 355 (Exremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Chemicals known to cause cancer:

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Changes made since last issue dated 18.05.2011 at the following points: *

· Department issuing MSDS:

IGG-AD Ingenieurbüro für Gefahrstoff- und Gefahrgutberatung

Bismarckstraße 10

D-68623 Lampertheim

Fax: 0049-(0)6206-58422 http://www.igg-ad.de info@igg-ad.de

· Contact:

Dr. U. Prinz (u.prinz@igg-ad.de)

Dipl.-Chem. H. Hinse (heidrun.hinse@igg-ad.de)

- · Date of preparation / last revision 02/11/2014 / -
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2014 Reviewed on 02/11/2014

Trade name: ETD III Consumable Kit Disposable Reactant Cartridge II

(Contd. of page 8)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

·* Data compared to the previous version altered.

IISA -