

(513) 353-3000 · FAX (513) 353-1090

Material Safety Data P.O. BOX 11331 . CINCINNATI, OHIO 45211

SECTION 1

PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aguamate Granular, Granular

Product ID #:

4500

Synonyms:

Calcium Hypochlorite, Cal Hypo, Ca (OCI) 2

Date:

08-05-2010

Supplier:

Arch Chemicals, Inc.

501 Merritt 7 PO Box 5204

3

Norwalk, CT 06856

EMERGENCY PHONE NUMBERS 24-HOUR PHONE NUMBER: CHEMTREC: 1-800-424-9300 For Information Call: (513)353-3000

SECTION 2

HAZARD IDENTIFICATION

Toxic by inhalation., Corrosive to eyes and skin, Lung toxin, Oxidizer **OSHA Hazard Classification:**

Routes of Entry:

Inhalation, skin, eyes, ingestion

Chemical Interactions:

No known or reported interactions.

Medical Conditions Aggravated:

Asthma, respiratory and cardiovascular disease

Human Threshold Response Data

Odor Threshold Irritation Threshold

NFPA

Approximately 1.4 mg/m3 (based on odor threshold of chlorine)

Approximately 13-22 mg/m3 (based on irritation threshold of chlorine)

Hazardous Material Identification System/National Fire Protection Association Classifications

PPI/Special hazard Physical/Instability Health Flammability **Hazard Ratings:** 0 1 3 **HMIS** OX 0 1

Immediate Acute Health Effect

Inhalation Toxicity:

HARMFUL IF PRODUCT IS INHALED IN HIGH CONCENTRATIONS. CAUSES BURNS TO RESPIRATORY TRACT. Inhalation of dust or vapor from this product can be irritation to the nose, mouth, throat and lungs. In confined areas, mechanical agitation can result in high levels of dust, and reaction with incompatible materials (as listed in Section 10) can result in high concentrations of chlorine vapor, either of which may result in burns to the respiratory tract, producing lung edema, shortness of breath, wheezing, choking, chest pains, impairment of lung function and possible permanent lung damage.

Skin Toxicity:

DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS. Dermal exposure to dry material causes moderate skin irritation characterized by redness and swelling. Dermal exposure to wet material can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause permanent

Eye Toxicity;

CAUSES BURNS TO EYES. Severe irritation and/or burns can occur following eye exposure. Direct

contact may cause impairment of vision and corneal damage.

Ingestion Toxicity;

MODERATELY TOXIC IF SWALLOWED. CAUSES BURNS TO DIGESTIVE TRACT. Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding, and/or tissue ulceration or perforation. Significant exposure to this material can lead to serious health effects and/or

Acute Target Organ Toxicity:

This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.

Prolonged (chronic) Health Effects

Carcinogenicity:

This product is not known or reported to be carcinogenic by any reference source including IARC,

OSHA, NTP or EPA.

Baleco Int'l Inc.

Calcium Hypochlorite

Page 1 of 8

Reproductive and

No reproductive or developmental risk to humans is expected from exposure to this product. **Developmental Toxicity:**

Repeated inhalation exposure may cause impairment of lung function and permanent lung Inhalation:

damage.

Effects similar to those from acute exposure. In addition, chronic exposure to wet material may Skin Contact:

cause effects secondary to tissue destruction.

There are no known or reported effects from chronic ingestion except for effects similar to those Ingestion:

experienced from single exposure. The acute corrosivity of this product makes chronic ingestion

of significant amounts unlikely.

This material is not known or reported to be a skin or respiratory sensitizer. Sensitization:

There are no known or reported effects from repeated exposure except those secondary to Chronic Target Organ Toxicity:

burns.

Supplemental Health

No additional health information available. Hazard Information:

COMPOSITION/INFORMATION ON INGREDIENTS SECTION 3

CAS OR CHEMICAL NAME	CAS#	% RANGE
CALCIUM HYPOCHLORITE	7778-54-3	60-80
SODIUM CHLORIDE	7647-14-15	10-20
CALCIUM CHLORATE	10137-74-3	0-5
CALCIUM CHLORIDE	10043-52-4	0-5
CALCIUM HYDROXIDE	1305-62-0	0-4
CALCIUM CARBONATE	471-34-1	0-5
WATER	7732-18-5	5.5-10

SECTION 4

FIRST AID MEASURES

Call a poison control center or doctor for treatment advice. For 24-hour emergency medical General Advice:

assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then Inhalation:

give artificial respiration, preferably mouth-to mouth if possible. Call a poison control center or

doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of Skin Contact:

water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove Eve Contact:

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have Ingestion:

person sip a glass of water if able to swallow. Do no induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Probable mucosal damage may contraindicate the use of gastric lavage. Notes to Physician:

SECTION 5

FIRE FIGHTING MEASURES

This product is chemically reactive with many substances. Any contamination of the product with Flammability Summary (OSHA):

other substances by spill or otherwise may result in a chemical reaction and fire. This product is a strong oxidizer which is capable of intensifying a fire once started. Product is not known to be

flammable, combustible or pyrophoric.

Flammable Properties

Not applicable Flash Point: Not applicable Autoignition Temperature:

Water only. Do not use dry extinguishers containing ammonium compounds. Extinguishing Media:

Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire Fire Fighting Instructions:

fighting.

Upper Flammable/Explosive Limit, % in air: Not applicable Lower Flammable/Explosive Limit, % in air: Not applicable

Page 2 of 8 Calcium Hypochlorite Baleco Int'l Inc.

SECTION 6

Personal Protection for Emergency Situations:

ACCIDENTAL RELEASE MEASURES

Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

Spill Mitigation Procedures

Air Release:

Water Release:

Land Release:

Additional Spill Information:

Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.

This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.

Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers, tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7

Handling:

Storage:

Shelf Life Limitations:

Incompatible Materials for Storage:

Do Not Store At temperatures Above:

HANDLING AND STORAGE

Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes wash off with water. Remove contaminated clothing and wash before reuse.

Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.

Do not store product where the average daily temperature exceeds 95°F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.

Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.

Average daily temperature of 35° C/ 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended

exposure limit.

Protective Equipment for Routine Use of Product

Respiratory Protection:

Wear a NIOSH approved respirator if levels above the exposure limits are possible.

Respirator Type:

A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres

or if exposure concentrations exceed ten (10) times the published limit.

Skin Protection:

Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate

work area.

Eye Protection:

Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type:

Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Exposure Limit Data

Chemical Name	CAS#	Name of Limit	Exposure
CALCIUM HYPOCHLORITE	7778-54-3	ARCH-ROEG*	1 mg/m3 TWA
CALCIUM HYPOCHLORITE	7778-54-3	NIOSH-IDLH	37-48 mg/m3 based on IDLH concentration of chlorine
CALCIUM HYDROXIDE	1305-62-0	ZUS_ACGIH	5 mg/m3 TWA
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHAPO	5 mg/m3 TWA
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHA1	15 mg/m3 TWA Total dust
CALCIUM HYDROXIDE	1305-62-0	ZUS_OSHAP1	5 mg/m3 TWA respirable fraction
CALCIUM CARBONATE	471-34-1	ZUS_OSHAP1	15 mg/m3 TWA Total dust
CALCIUM CARBONATE	471-34-1	ZUS_OSHAP1	5 mg/m3 TWA respirable dust fraction

^{*}ARCH-ROEG: Arch recommended Occupational Exposure Guideline.

PHYSICAL AND CHEMICAL PROPERTIES SECTION 9

Physical State:

solid

Form:

Free flowing, powder

Color:

white

Odor:

Chlorine-like (Active ingredient) 143.00

Molecular Weight: Specific Gravity;

pH:

Not Applicable

Boiling Point:

10.4-10.8 (1% solution in neutral, distilled water) (@25 Deg. C)

Freezing Point:

Not applicable Not applicable

Melting Point:

Not applicable

Density:

0.8g/cc

Vapor Pressure:

(@25 Deg.C) Not applicable

Vapor Density:

Not applicable

Viscosity:

Not applicable No data

Fat Solubility: Solubility in Water:

18% (@25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a

residue.

Partition coefficient

n-octanol/water:

No data

Evaporation Rate:

No applicable Oxidizer

Oxidizing: Volatiles, % by vol.:

VOC Content:

Not applicable

Not applicable

HAP Content:

Not applicable

SECTION 10

STABILITY AND REACTIVITY

Stability and Reactivity Summary: Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.

Conditions to Avoid:

Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95°F. Prevent ingress of humidity and moisture into container or package. Always close the lid.

Chemical Incompatibility:

This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce a heat and toxic gases and spatter.

Hazardous Decomposition

Chlorine Products:

170-180°C-, 338-356°F Decomposition Temperature:

SECTION 11

TOXICOLOGICAL INFORMATION

COMPONENT ANIMAL TOXICOLOGY

Oral LD50 value:

LD50 (65% calcium hypochlorite) 850 mg/kg RAT CALCIUM HYPOCHLORITE

LD50 = 3,000 mg/kg RAT SODIUM CHLORIDE LD50 = 1,000 mg/kg RAT CALCIUM CHLORIDE LD50 = 7,340 mg/kg RAT CALCIUM HYDROXIDE

Dermal LD50 value:

LD50 (65% calcium hypochlorite) 2,000 mg/kg Rabbit CALCIUM HYPOCHLORITE

SODIUM CHLORIDE LD50 >10,000 mg/kg Rabbit CALCIUM CHLORIDE LD50 = 2,630 mg/kg Rabbit

CALCIUM HYDROXIDE No data

Inhalation LC50 value:

Inhalation LC50 (65% calcium hypochlorite), (Nose Only) = 2.04 mg/L RAT CALCIUM HYPOCHLORITE Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = 0.51 mg/L RAT CALCIUM HYPOCHLORITE

Inhalation LC50 1 h > 42 mg/L RAT SODIUM CHLORIDE

No data CALCIUM CHLORIDE CALCIUM HYDROXIDE No data

Product Animal Toxicity

LD50 Approximately 800 mg/kg Rat Oral LD50 value:

LD50 > 2,000 mg/kg Rabbit Dermal LD50 value: (Nose Only) > 0.51 mg/L Rat Inhalation LC50 value:

DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS. Skin Irritation:

Eve Irritation: Corrosive to eyes.

This material is not known or reported to be a skin or respiratory sensitizer. Skin Sensitization:

This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous Acute Toxicity:

membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will

produce burns to the skin.

There are no known or reported effects from repeated exposure except those Subchronic / Chronic

secondary to burns. Toxicity:

Calcium hypochlorite has been tested for teratogenicity in laboratory Reproductive and

animals. Results of this study have shown that calcium hypochlorite is not a teratogen. Developmental Toxicity:

Not known or reported to cause reproductive or developmental toxicity. CALCIUM CHLORIDE

Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it Mutagenicity:

Page 5 of 8 Calcium Hypochlorite Baleco Int'l Inc.

did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage to humans is judged not significant.

CALCIUM CHLORIDE This product was determined to be non-mutagenic in the Ames assay. It was also shown to be nonclastogenic in the chromosomal aberration test.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including

IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).

CALCIUM CHLORIDE This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

SECTION 12 ECOLOGICAL INFORMATION

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

Bluegill- (nominal, static) 96 h LC50 0.088 mg/l Rainbow trout (Salmo gairdneri)- (nominal, static) 96 h LC50 0.016 mg/l Daphnia magna- (nominal, static) 48 h LC50 0.011 mg/l

Bobwhite quail
Mallard ducklings
Bobwhite quail
Dietary LC50>5,000 ppm

Dietary LC50>5,000 ppm

Oral LD50 3,474 mg/kg

Ecological Toxicity Values for: CALCIUM CHLORIDE

BluegillMosquito fishFathead minnow (Pimephales promelas)Daphnia magnaCeriodaphnia dubiaNitzschia linearis (diatom)
(nominal, static) 96 h LC50=13,400 mg/l
(nominal, static) 96 h LC50=4,630 mg/l
(nominal, static) 48 h LC50=2,770 mg/l
(nominal, static) 48 h LC50=1,830 mg/l

SECTION 13 DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40

CFR 261 and would have the following EPA hazardous waste number: D001. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions

under 40 CFR 268 and must be managed accordingly.

Disposal Methods: As a hazardous solid waste it should be disposed of in accordance with local, state and federal

regulations.

Potential US EPA Waste Codes: D001

SECTION 14 TRANSPORT INFORMATION

Land (US DOT): UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 II
Water (IMDG): UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 II

Flash Point: Not applicable

Baleco Int'l Inc. Calcium Hypochlorite Page 6 of 8

UN2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 II Air (IATA):

ERG#140 Emergency Response Guide Number:

Material is not regulated as a marine pollutant for ground transportation within the US **Transportation Notes:**

if shopped in non-bulk packages. REPORTABLE QUANTITY: 10 lbs. (Per 49 CFR 172.101,

Appendix) F-H, S-Q

REGULATORY INFORMATION SECTION 15

UNITED STATES:

EMS:

Toxic Substances Control Act (TSCA):

This is an EPA registered pesticide

EPA Pesticide Registration Number:

1258-940

FIFRA Listing of Pesticide Chemicals (40 CFR 180): This product is regulated under the Federal Insecticide, Fungicide and Rodenticide

Act. It must be used for purposes consistent with its labeling.

Superfund Amendments and Reauthorization Act (SARAO Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2):

Immediate (Acute) Health Hazard Health

Fire Hazard Physical

Emergency Planning & community Right to Know (40 CFR 355, App. A): Extremely Hazardous Substance Section 302-Threshold Planning Quantity:

> TPQ (threshold planning quantity) ZUS SAR302

None established

Reportable Quantity (49 CFR 172.101, Appendix):

Reportable quantity ZUS_CERCLA

Calcium hypochlorite Value: 10 lbs.

None established Reportable quantity ZUS SAR302

Supplier Notification Requirements (40 CFR 372.45), 313 Reportable Components

None established ZUS SAR313 De minimis concentration

Clean Air Act Toxic ARP Section 112r:

None established **CAA 112R**

Clean Air Act Socmi:

None established HON SOC

Clean Air Act Toxic ARP Section 111:

None established CAA 11 Clean Air Act Haz. Air Pollutants Section 112: None established ZUS_CAAHAP ZUS CAAHRP None established None established CAA AP

State Right-to-Know Regulations Status of Ingredients

Pennsylvania:

r cinisyivania.		
CAS#	COMPONENT NAME	
10137-74-3	CALCIUM CHLORATE	
1305-62-0	CALCIUM HYDROXIDE	
7778-54-3	CALCIUM HYPOCHLORITE	

ZUSPA RTK

US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34, Labor and Industry Chapter 323; 1990-01-01; CHLORIC ACID, CALCIUM SALT; hazardous substance US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34, Labor and Industry Chapter 323; 1990-01-01; CALCIUM HYDROXIDE (CA(OH)2); hazardous substance US. Commonwealth of Pennsylvania - Department of Labor and Industry; Pennsylvania Code Title 34, Labor and Industry Chapter 323; 1990-01-01; HYPOCHLOROUS ACID, CALCIUM SALT; environmental hazard,

hazardous substance

New Jersev:

CAS#	COMPONENT NAME	and the second s
10137-74-3	CALCIUM CHLORATE	
1305-62-0	CALCIUM HYDROXIDE	
7778-54-3	CALCIUM HYPOCHLORITE	

ZUSPA RTK

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey

Page 7 of 8 Calcium Hypochlorite Baleco Int'l Inc.

Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]; 1989-12-01; CALCIUM CHLORATE; hazardous substance

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]; 1989-12-01; CALCIUM HYDROXIDE; hazardous substance

US. New Jersey Department of Environmental Protection -; Bureau of Hazardous Substances New Jersey Right to Know Law, Hazardous Substance List [P.L. 1983, C. 315, NJSA 34:5A-1 et seq]; 1989-12-01; CALCIUM HYPOCHLORITE; special health hazard substance, special health hazard, reactive - second degree

Massachusetts:

MIGGSGCTIGSCCCS.		
CAS#	COMPONENT NAME	
10137-74-3	CALCIUM CHLORATE	
1305-62-0	CALCIUM HYDROXIDE	
7778-54-3	CALCIUM HYPOCHLORITE	

ZUSPA_RTK

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know law, The Massachusetts Substance List, 105 CMR 670.000; 1991-07-01; CALCIUM CHLORATE; massachusetts hazardous substance

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know law, The Massachusetts Substance List, 105 CMR 670.000; 1991-07-01; CALCIUM HYDROXIDE massachusetts hazardous substance

US. The Commonwealth of Massachusetts Department of Public Health; Massachusetts Right-to-know law. The Massachusetts Substance List, 105 CMR 670.000

1991-07-01; CALCIUM HYPOCHLORITE; massachusetts hazardous substance

California Proposition 65:

CAS # COMPONENT NAME

ZUSCA_P65

None established

WHMIS Hazard Classification:

Ingredient Disclosure List (WHMIS)

2007-08-24

Threshold limits: 1 Weight percent

991

Calcium Hydroxide

SECTION 16

OTHER INFORMATION

The information in this material safety data sheet should be provided to all who will use, handles, store, transport, or otherwise be exposed to this product. This Information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this material safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or of any other nature, are made hereunder with respect to information or the product to which the information refers.

Prepared By:

MSDS Department

Baleco Int'l Inc Cinti, OH 45211 (513)353-3000

End of MSDS