

I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: MAG 1 5W-30 DEXOS 12/1QT

Product Code: MG0D53PL

Emergency Phone: (800) 424-9300 (202) 483-7616 (CHEMTREC)

Poison Control (800) 222-1222

Center:

Company: Warren Distribution, Inc.

727 S. 13th St. Omaha, NE 68102

Information Phone: (800) 825-1235 (402) 341-9397

Revision Number: 1

II. HAZARDS IDENTIFICATION

Routes of Entry: None known. **Chemical Interactions:** None known.

Medical Conditions Aggravated by Exposure: No medical conditions affected by exposure.

Acute Health Effects:

Inhalation Irritation: Inhalation of vapors (generated at high temperatures only) or oil mist may cause mild

irritation of the nose, throat, and respiratory tract.

Skin Contact: Lubricating oils are generally considered no more than minimally irritating to the skin. **Eye Contact:** Lubricating oils are generally considered no more than minimally irritating to the eyes.

May cause slight irritation of the eyes.

Ingestion Irritation: Although this product has a low order of acute oral toxicity, aspiration of minute

amounts into the lungs during ingestion or vomiting may cause mild to severe

Revision Date: 2010-11-12 09:19:17

pulmonary injury and possibly death.

Ingestion Toxicity: Lubricating oils are generally no more than slightly toxic if swallowed.

Chronic Health

Effects:

Carcinogenicity: Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive No data available to indicate product or any components present at greater than 0.1%

Toxicity: may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

Skin Contact: Prolonged and repeated contact may result in defatting and drying of the skin that may

cause various skin disorders such as dermatitis, folliculitis, or oil acne. Other adverse

effects not expected from brief skin contact.

HMIS Ratings:Health:1Health:1Fire:1Fire:1Reactivity:0Reactivity:0

PPE: B

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name % CAS # OSHA Exposure Limits



Revision Date: 2010-11-12 09:19:17

64742-54-7 Distillates, hydrotreated heavy paraffinic 90 - 99 No PEL established

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

IV. FIRST-AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer

> oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If overcome by vapor from hot product, immediately remove victim to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If

overexposed to oil mist, remove from further exposure.

Eyes: Flush with water. If irritation occurs, get medical attention. Rest eyes for 30 minutes.

If redness, burning, blurred vision, or swelling occurs, transport to nearest medical

facility for additional treatment.

Skin Contact: Remove contaminated clothing and shoes and wipe excess from skin. Flush skin with

> water then wash with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. If redness, swelling, pain, and/or blisters occur, transport to

the nearest medical facility for additional treatment.

Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention **Ingestion:**

immediately. Provide medical care provider with this MSDS.

Aspiration during swallowing or vomiting may severely damage the lungs. **Notes to Doctor:**

V. FIRE FIGHTING MEASURES

Flammability

Summary:

Combustible at elevated temperatures

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

> or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

> Material may be ignited only if preheated to temperatures above the high flash point, for

the hot burning liquid.

Fire and/or Explosion

Hazards:

example in a fire.

Fire Fighting Methods

and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous Carbon dioxide, Carbon monoxide

Combustion Products:

Flash Point: 204 deg. C, [399 deg. F]

Autoignition N/A

Temperature:

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions No health affects expected from the clean up of this material if contact can be avoided.

and Equipment: Follow personal protective equipment recommendations found in Section 8 of this

Methods for Clean-up: Prevent the spread of any spill to minimize harm to human health and the environment if

safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal

evaluation.Do not flush to sewer.

VII. HANDLING AND STORAGE



Revision Date: 2010-11-12 09:19:17

Handling Precautions: Mildly irritating material. Avoid unnecessary exposure.

Store in a cool dry ventilated location. Isolate from incompatible materials and **Storage Conditions:**

conditions. Keep container(s) closed. Do not expose to extreme temperatures or

flames.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: No exposure limits exist for the constituents of this product. No engineering controls are

likely to be required to maintain operator comfort under normal conditions of use.

Respiratory No respiratory protection required under normal conditions of use.

Protection:

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

Wear safety glasses when handling this product if there is a likelihood of contact with **Eye Protection:**

eves.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact, practice

good personal hygiene. Wash hands and other exposed areas with mild soap and water

before eating, drinking, and when leaving work.

Neoprene gloves are recommended. **Gloves:**

Control Parameters:

Chemical Name ACGIH TLV-TWA ACGIH STEL **IDLH OSHA STEL**

Distillates, hydrotreated heavy paraffinic No STL No IDLH No TLV No STEL

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Amber Odor: Mild pH: ND

Viscosity: 10.93@100C **Solubility in Water:** Negligible; 0-1%

Evaporation Rate: No data **Vapor Pressure:** No data **Boiling Point (°C):** N/A **Specific Gravity:** 0.852 **Density:** 7.11 Flash Point (°C): 204 **Flash Point Method:** COC Autoignition N/A

Temperature (°C):

Upper Flammability Unknown

Limit, % in air:

Lower Flammability Unknown

Limit, % in air:

X. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition.

Strong oxidizing agents **Materials to Avoid:**



Hazardous Decomp. Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition

Products: products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,

calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

Revision Date: 2010-11-12 09:19:17

Hazardous Will not occur.

Polymerization:

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingestion:No data.Inhalation:No data.Eyes (Draize score):No data.Skin (Draize score):No data.Sensitization:No data.

Component Toxicology Data (NIOSH):

Chemical Name CAS Number LD50/LC50

Petroleum distillates, 64742-54-7 Inhalation LC50 Rat 2.18 mg/L 4 h; Oral LD50 Rat >2000 mg/kg;

hydrotreated heavy paraffinic Dermal LD50 Rabbit >2000 mg/kg

XII. ECOLOGICAL INFORMATION

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Mobility: No data.

Persistence: No data.

Bioconcentration: Bioconcentration is not expected to occur.

Degradability: No data.

XIII. DISPOSAL CONSIDERATIONS

Disposal of Packaging: Recycle containers whenever possible.

Disposal Methods: Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used

oil.

XIV. TRANSPORTATION INFORMATION

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

XV. REGULATORY INFORMATION

TSCA Status: All components of this material are on the US TSCA Inventory or are exempt.

NAFTA Tariff Code: 2710.11.0000

State Restrictions: ND

WHMIS: This is not a WHMIS controlled product.

Chemical Name Regulation % Range

None Listed CERCLA RQ
None Listed SARA 313

None Listed SARA 302-Extremely

Hazardous Substances

None Listed TSCA 12b export notification

None Listed CA Prop 65 - Cancer
None Listed Canadian WHMIS List
None Listed Massachusetts RTK List
None Listed New Jersey RTK List



None Listed Pennsylvania RTK List None Listed Minnesota Hazardous

Substance List

Revision Date: 2010-11-12 09:19:17

90 - 99

None Listed Rhode Island Hazardous

Substance List

Petroleum distillates, hydrotreated heavy Canadian Domestic Substance 90 - 99

paraffinic Li

Phosphorodithioic acid, O,O-di-C1-14-alkyl Canadian Domestic Substance 0.5 - 1.5

esters, zinc salts List

2,6-Di-tert-butyl-p-cresol Canadian Domestic Substance 0.001- 0.01

List

Distillates (petroleum), hydrotreated heavy

paraffinic - A complex combination of

hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the r

Phosphorodithioic acid, O,O-di-C1-14-alkyl EINECS EU Inventory 0.5 - 1.5

esters, zinc salts

2,6-Di-tert-butyl-p-cresol EINECS EU Inventory 0.001- 0.01

Consumer Product Safety Improvement Act of 2008 General Conformity Certification:

EINECS EU Inventory

The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

XVI. ADDITIONAL INFORMATION

Superseded by: None

Revision Date: 2010-11-12 09:19:17

Created by: HAZEMS

Disclaimer: This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have

reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing

patents. No warranty is made, either expressed or implied.