Safety Data Sheet: MAXI-LUBE

Supercedes Date 10/25/2013

Product Name MAXI-LUBE Recommended use Lubricant Information on Manufacturer CHEMSEARCH DIV. OF NCH CORP. BOX 152170 IRVING, TX 75015 1. PRODUCT AND COMPANY IDENTIFICATION

Product Code 4464 Chemical nature Petroleum oil blend Emergency Telephone Number

Telephone inquiry 972-579-2477

2. HAZARD IDENTIFICATION

Color Black

GHS

Classification <u>Physical Hazards</u> None <u>Health Hazard</u> Serious Eye Damage/Eye Irritation <u>Other hazards</u> None

Category 2B

Labeling Signal Word WARNING

<u>Hazard Statements</u> H315 - Causes skin irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists, get medical attention.

15 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	64742-52-5	60-100
Calcium carbonate	1317-65-3	7-13
Aluminum benzoate fatty acid complex	82980-54-9	5-10
Tricalcium phosphate	1306-06-5	1-5
Styrene-Ethylene/Propylene Block Copolymer	68648-89-5	1-5
Molybdenum disulfide	1317-33-5	1-5

General advice	Avoid contact with skin, eyes and clothing.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact	Wipe up with absorbent material (e.g. cloth, fleece). Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth.
Notes to physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES						
Flash Point	450 °F / 232 °C	Method	Open cup			

Issuing Date 04/18/2014

Odor Oily

Physical State Grease

Suitable Extinguishing Water spray. Foam. Car surrounding environmer Specific hazards arisin Material can create slipp Protective Equipment a	rbon dioxide (CO2). Dry chemical. Us nt. Ig from the chemical Dery conditions. and Precautions for Firefighters		Lower No data available propriate to local circumstances and the d or equivalent) and full protective gear.
•	ealth 1	Flammability 1	Instability 0
HMIS H	ealth 1	Flammability 1	Instability 0
	6. ACCIDE	NTAL RELEASE MEASURES	
Personal Precautions	Use personal prot create slippery co		kage or spillage if safe to do so. Material can
Environmental Precaut	ions Do not flush into s	urface water or sanitary sewer systen	٦.
Methods for Containme			ent material, (e.g. sand, earth, ainer for disposal according to local / national

Methods for Cleaning Up Neutralizing Agent

7. HANDLING AND STORAGE

Pick up and transfer to properly labeled containers.

Not applicable.

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.							
Storage	Store in orig	ginal con	tainer. Keep con	tainers t	ightly closed in a dr	y, cool and well-ventilated pla	ce.	
Storage Temperature	Minimum	10 °	F/-12 °C		Maximum	150 °F / 66 °C		
Storage Conditions	Indoor	Х	Outdoor	Х	Heated	Refrigerated		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³	TWA: 5 mg/m ³	No data available
Calcium carbonate	No data available	TWA: 15 mg/m ³	TWA: 10 mg/m ³
		TWA: 5 mg/m ³	TWA: 5 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Tricalcium phosphate	No data available	No data available	No data available
Styrene-Ethylene/Propylene Block Copolymer	No data available	No data available	No data available
Molybdenum disulfide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	No data available
	TWA: 3 mg/m ³		

Engineering Measures

Personal Protective Equipment Eye/Face Protection Skin Protection Respiratory Protection

General Hygiene Considerations

Ensure adequate ventilation, especially in confined areas.

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State
Color
Odor Threshold
pH
Evaporation Rate
VOC Content (%)
Vapor Pressure
Solubility
Melting Point/Range
Boiling Point/Range
Flash Point
Autoignition Temperature
Flammability Limits in Air %

Grease Black Not applicable Not applicable 0 (BuAc = 1) 0 < $0.01 \text{ mmHg} @ 70^{\circ}\text{F}$ Negligible No data available $475^{\circ}\text{F} / 246^{\circ}\text{C}$ $450^{\circ}\text{F} / 232^{\circ}\text{C}$ No information available. No information available. Viscosity Odor Appearance Specific Gravity Percent Volatile (Volume) VOC Content (g/L) Vapor Density n-Octanol/Water Partition Decomposition Temperature Flammability (solid, gas) Method Semi-Solid Oily Textured black paste 0.93 0 0 11.3 (Air = 1.0) No data available No data available No data available Open cup

Upper No data available Lower No data available

10. STABILITY AND REACTIVITY

Chemical Stability Conditions to Avoid

Incompatible Products Hazardous Decomposition Products Possibility of Hazardous Reactions Stable. Hazardous polymerization does not occur. Extremes of temperature and direct sunlight, Keep away from open flames, hot surfaces, and sources of ignition. Strong oxidizing agents, Acids. Carbon oxides, Sulfur oxides, Oxides of phosphorus. None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated ba	sed on chapter 3.1 of the GHS document (Rev. 3, 2009):
Oral LD50	500.00
Dermal LD50	2,002.00
Inhalation LC50	
Gas	No information available
Mist	108.00
Vapor	No information available
Principle Route of Exposure	Eye contact, Skin contact.
Primary Routes of Entry	Eye contact
Acute Effects	
Eyes	May cause eye irritation.
Skin	May cause skin irritation.
Inhalation	Low hazard for usual industrial or commercial handling.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic Toxicity	Prolonged skin contact may defat the skin and produce dermatitis. Kidney injury may occur.
Target Organ Effects	Respiratory system, Kidney, Eyes, Blood, Bone.
Aggravated Medical Conditions	Respiratory disorders, Skin disorders, Kidney disorders, Blood disorders.
Component Information	

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates,	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	no data available	no data available	no data available
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	= 6450 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	no data available
complex					
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene	no data available	no data available	no data available	no data available	no data available
Block Copolymer					
Molybdenum disulfide	no data available	no data available	> 2820 mg/m ³ (Rat) 4 h	no data available	no data available

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates,	no data available	no data available	no data available	no data available	no data avalilable
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Tricalcium phosphate	no data available	no data available	no data available	no data available	no data available
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	no data available
Molybdenum disulfide	no data available	no data available	no data available	no data available	respiratory system, kidneys, eyes, blood, bones, joints

Carcinogenicity

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates,	not applicable				
hydrotreated heavy naphthenic					
(<3% DMSO extractable)					
Calcium carbonate	not applicable				
Aluminum benzoate fatty acid	not applicable				
complex					
Tricalcium phosphate	not applicable				
				I	

4464 - MAXI-LUBE

Issuing Date 04/18/2014

| Styrene-Ethylene/Propylene
Block Copolymer | not applicable |
|---|----------------|----------------|----------------|----------------|----------------|
| Molybdenum disulfide | not applicable |

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated heavy naphthenic (<3% DMSO extractable)	no data available	LC50 > 5000 mg/L Oncorhynchus mykiss 96 h	no data available	1000: 48 h Daphnia magna mg/L EC50	N/A
Calcium carbonate	no data available	no data available	no data available	no data available	N/A
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A
Tricalcium phosphate	no data available	no data available	no data available	no data available	N/A
Styrene-Ethylene/Propylene Block Copolymer	no data available	no data available	no data available	no data available	N/A
Molybdenum disulfide	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability Bioaccumulation

No information available. No information available. No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Container Disposal

Mobility

Dispose of in accordance with local regulations. Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION				
DOT	Not regulated			
TDG	Not regulated			
ICAO	Not regulated			
ΙΑΤΑ	Not regulated			
IMDG/IMO	Not regulated			

15. REGULATORY INFORMATION

Inventories	
TSCA	Complies
DSL	Does not Comply
U.S. Federal Regulations	
SARA 313	

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard	
Yes	Yes	No	No	No	
CERCLA				•	
Component		Hazardous Substance	es RQs	CERCLA EHS RQs	
Petroleum distillates, hydrotreated heavy naphthenic		Not applicable		Not applicable	
(<3% DMSO extractable)					
Calcium carbonate		Not applicable		Not applicable	
Aluminum benzoate fatty acid complex		Not applicable		Not applicable	
Tricalcium phosphate		Not applicable		Not applicable	
Styrene-Ethylene/Propylene Block Copolymer		Not applicable		Not applicable	
Molybdenum disulfide		Not applicable		Not applicable	

16. OTHER INFORMATION

Prepared By	Adrienne McKee
Supercedes Date	10/25/2013
Issuing Date	04/18/2014
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CHEMSEARCH DIV. OF NCH CORP.assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.