

SAFETY DATA SHEET MERCURIC IODIDE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: MERCURIC IODIDE

CH EM ICA L NAME 2: MERCURY(II) IODIDE

PART No.: RM160

SUPPLIER: J M Loveridge plc

Southbrook Road, Southampton

Hampshire SO15 1BH

Tel: 023 8022 2008 Fax: 023 8022 2117

2. COMPOSITION/INFORMATION ON INGREDIENTS:

EU IND EX No.: 080-002-00-6

EEC (EINECS) No. 231-873-8

CAS No.: 7774-29-0

3. HAZARDS IDENTIFICATION:

Very toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES:

GENERAL: IN ALL CASES OF DOUBT OR WHEN SYMPTOMS PERSIST, ALWAYS SEEK

MEDICAL ATTENTION

INHALATION: Move affected person to fresh air.If recovery not rapid, seek medical attention. If

breathing stops, provide artificial respiration. Keep affected person warm and at rest.

INGESTION: DO NOT INDUCE VOMITING. In case of spontaneous vomiting, be sure that vomit

can freely drain because of danger of suffocation. Only when conscious, rinse mouth with plenty of water and give plenty of water to drink - (approx 500ml). Keep patient at

rest and obtain medical attention.

SKIN: Remove contaminated clothing. Wash affected area with plenty of soap and water. If

irritation persists, seek medical attention. Launder clothing before re-use.

EYES: Rinse immediately with plenty of water for at least 5 minutes while lifting the eye lids.

Seek medical attention. Continue to rinse.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Use extinguishing media suitable against surrounding fire or the cause of fire.

SPECIAL FIRE FIGHTING

PROCEDURES:

Take measures to retain water used for extinguishing. Do not release contaminated water into drains, soil and surface water. Dispose of contaminated water and soil

according to local regulations.

HAZARDOUS COMBUSTION

PRODUCTS:

Burning will produce oxides of carbon. - may decompose in fire situation to release

iodine fumes and possibly mercury vapour.

PROTECTIVE MEASURES IN FIRE: Fire fighters should wear self-contained breathing apparatus.

6. A CCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTION IN SPILL: Avoid direct contact with skin, eyes and clothing. Wear appropriate protective clothing.

PRECAUTIONS TO PROTECT

ENVIRONMENT:

Prevent contamination of soil, drains and surface water.

SPILL CLEAN UP METHODS: Take-up spillage with absorbent, inert material and place in a suitable and closable

labelled container for recovery or disposal. Wash the area clean with water and

detergent, observing environmental requirements.

7. HANDLING AND STORAGE:

USAGE PRECAUTIONS: HANDLING - Product should be used in accordance with good industrial principles for

handling and storing of hazardous chemicals.

STO RAGE PRECAUTIONS: Store in a cool, dry, well ventilated place, in securely closed original container. Avoid

direct sunlight.

STORAGE CRITERIA: Toxic storage.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

INGREDIENT NAME: CAS No.: STD LT EXP 8 Hrs ST EXP 15 Min

MERCURIC IODIDE 7774-29-0 OES 0.025 mg/m3

INGREDIENT COMMENTS: Refer to the current edition of HSE Guidance Note EH 40/200* for occupational

exposure limits; - exposure limit listed as mercury and its inorganic divalent

compounds.

VENTILATION: Use engineering controls to maintain airborne concentrations below OES. Respiratory

protection required in insufficiently ventilated woking areas.

RESPIRATORS: If unable to control dust emissions below the suggested limit, an approved dust

protection to P3 standard is recommended.

PROTECTIVE GLOVES: Use impervious gloves made of butyl rubber or PVC.

EYE PROTECTION: Approved chemical safety goggles or face protection.

OTHER PROTECTION: Wear personal protective equipment appropriate to the quantity of material handled.

HY GIENIC WORK PRACTICES: SKIN PROTECTION - apply barrier cream to hands and exposed skin.

Promptly remove contaminated clothing. Apply good personnal hygiene principles, such

as washing of hands, arms and face.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Red crystalline powder or dust.

DENSITY/SPECIFIC GRAVITY (g/ml): 6.28 Temperature (°C): 20

SOLUBILITY DESCRIPTION: Slightly soluble in water.

SOLUBILITY VALUE (g/100g H2O

20°C):

0.01

10. STABILITY AND REACTIVITY:

STABILITY: Stable under normal conditions of use.

MATERIALS TO AVOID: Violent reaction with sodium and potassium metal.

Avoid contact with inter-halogens eg. bromine trifluoride.

HAZARDOUS DECOMP. PRODUCTS: Thermal decomposition may release noxious, toxic or corrosive gases or vapours. -

including iodine fumes and mercury vapour.

11. TOXICOLOGICAL INFORMATION:

TOXIC DOSE - LD 50: 18 - 40 mg/kg (oral rat)

INHALATION: Repeated or prolonged exposure may cause irritation of the respiratory system.

INGESTION: Toxic by ingestion. May cause severe systemic effects. May cause nausea, vomiting,

dizziness and depression of CNS.

SKIN: Mercuric iodide is considered to be a strong allergen.

Danger of cumulative effects over prolonged period of use. Can be absorbed through

skin.

EYES: May cause eye irritation, burning sensation or lacrymation. Repeated or prolonged

exposure may cause permanent damage.

OTHER HEALTH EFFECTS: Evidence of reproductive effects.

ROUTE OF ENTRY: Inhalation. Skin absorption.

MEDICAL SYMPTOMS: Chronic symptoms may include severe nervous disturbances, tremors, complaints of

excessive salivation, loosening of teeth, dark line on gum margins.

Prolonged exposure to Iodides may produce skin rashes and blisters; in severe cases

anaemia, loss of weight and depression may occur.

12. ECOLOGICAL INFORMATION:

ECOLOGICAL INFORMATION: Avoid release to the environment. Very toxic to aquatic organisms.

Mercury(II) iodide is classified as Marine Pollutant.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS: This material and/or its container must be disposed of as hazardous waste according to

Special Waste Regulations 1996 or according to local regulations, in compliance with

Duty of Care Regulations and Special Waste Regulations.

WASTE CLASS: WASTE CODE: 0705** HAZARDOUS PROPERTY: H6, H14

14. TRANSPORT INFORMATION:

LABEL FOR CONVEYANCE:



UK ROAD PACK GR .: II

ADR CLASS No.: 6.1

ADR CLASS: Division 6.1:Toxic substances.

ADR ITEM No.: 52°(b)

HAZARD No. (ADR): 60 Toxic or slightly toxic substance.

ADR MARGINAL: 2601

ADR LABEL No.: 6.1

HAZCHEM CODE: 2X

PROPER SHIPPING NAME I: MERCURY IODIDE

UN No. SEA: UN 1638

IM DG CLASS: 6.1

IM DG PAGE No.: 6183

IM DG PACK GR .:

MARINE POLLUTANT: Yes.

UN No., AIR: UN-ID 1638

ICAO CLASS: 6.1
AIR PA CK GR.:

15. REGULATORY INFORMATION:

LABEL FOR SUPPLY:





RISK PHRASES: R-26/27/28 Very toxic by inhalation, in contact with skin and if swallowed.

R-33 Danger of cumulative effects.

R-50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

SAFETY PHRASES: S-13 Keep away from food, drink and animal feeding stuffs.

S-28A After contact with skin, wash immediately with plenty of water.

S-45 In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S-60 This material and its container must be disposed of as hazardous waste. S-61 Avoid release to the environment. Refer to special instructions/ Safety Data

Sheets

UK REGULATORY REFERENCES: Classification, Packaging and Labelling Regulations 1984. Chemicals (Hazard

Information & Packaging) Regulations 1993.

16. OTHER INFORMATION:

INFORMATION SOURCES: This product has been classified in accordance with CHIP3 regulations.

REVISION COMMENTS: Edition 01; Revised item(s):

ISSUED BY: MK

SDS No.: 297

DATE: 12/07/02

DISCLAIMER: The foregoing data has been compiled for safety information only and does not form

part of any selling specification. Information contained in this Data Sheet is to the best of JMLs knowledge correct at the time of publication. Customers should always satisfy themselves, that the product which they have selected is entirely suitable for their purpose under their conditions of use and in compliance with current regulations. For

any further information, please contact the supplier.