

Version 1.3 Revision Date 11/16/2015

Print Date 05/06/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP MORADO SUPER CLEANER 20GL
Material number	:	0000000000085650
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

GHS Classification

Appearance	liquid
Colour	purple
Odour	ether-like

Skin corrosion Serious eye damage	: Category 1A : Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P260 Do not breathe mist. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.



Version 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
Potential Health Effects	P304 + P340 + P310 IF INHALEI and keep at rest in a position cor Immediately call a POISON CEN P305 + P351 + P338 + P310 IF I water for several minutes. Remor and easy to do. Continue rinsing CENTER or doctor/ physician. P363 Wash contaminated clothir Storage: P405 Store locked up. Disposal: Dispose of contents/container in regulation.	mfortable for breathing. ITER or doctor/ physician. IN EYES: Rinse cautiously with ve contact lenses, if present . Immediately call a POISON ng before reuse.
Carcinogenicity:		
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with u humans 2-butoxyethanol	nknown relevance to 111-76-2
OSHA	No component of this product preserequal to 0.1% is identified as a carci carcinogen by OSHA.	nt at levels greater than or
NTP	No component of this product presered equal to 0.1% is identified as a know by NTP.	5

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
sodium hydroxide	1310-73-2	>=1-<5
2-butoxyethanol	111-76-2	>= 1 - < 5
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 1 - < 5
Alcohols, C10-14, ethoxylated	66455-15-0	>= 1 - < 5
		_

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. Consult a physician after significant exposure.



Version 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
In case of skin contact	: If skin irritation persists, call a physic Wash off immediately with plenty of minutes. If on clothes, remove clothes.	
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s Rinse immediately with plenty of wa	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physician DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital	n. rected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Dry chemica Water spray Alcohol-resis Carbon diox	jet stant foam
Unsuitable extinguishing media	High volume	water jet
Specific hazards during firefighting	Do not allow courses.	v run-off from fire fighting to enter drains or water
Hazardous combustion products	Carbon diox Carbon mor Smoke Sulphur oxid	noxide
Specific extinguishing methods	Use extingu	ishing measures that are appropriate to local es and the surrounding environment.
Further information	must not be Fire residue	aminated fire extinguishing water separately. This discharged into drains. s and contaminated fire extinguishing water must of in accordance with local regulations.
Special protective equipment for firefighters	Wear self-co necessary.	ontained breathing apparatus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	: Use personal protective equipment.
emergency procedures	
Environmental precautions	: Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform



Version 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
	respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mater acid binder, universal binder, sawd Sweep up or vacuum up spillage a container for disposal.	ust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1
		С	2 mg/m3	OSHA P0
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200 mg/g	ACGIH BEI
		acid (BAA)		shift (As		

SAFETY DATA SHEET



ZEP MORADO SUPER CLEANER 20GL

sion 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
	e	soon as possible after exposure ceases)
emarks: Creatinine		· I I I
Engineering measures	: Handle only in a place equipped appropriate exhaust).	I with local exhaust (or other
Personal protective equip	ment	
Respiratory protection	: Use respiratory protection unles ventilation is provided or exposition that exposures are within recom-	ure assessment demonstrates
Hand protection		
Remarks	: The suitability for a specific wor with the producers of the protect	
Eye protection	: Ensure that eyewash stations a the workstation location. Safety glasses	nd safety showers are close to
Skin and body protection	: Impervious clothing Choose body protection accord concentration of the dangerous	•
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid	
Colour	: purple	
Odour	: ether-like	
Odour Threshold	: No data available	
рН	: 13.0 - 14.0	
Melting point/freezing point	: No data available	
Boiling point	: 98.9 °C	
Flash point	: 93.3 °C Method: closed c	up
Evaporation rate	: 1	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	



ersion 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.063 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 6.6 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Metals Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:		
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

Components:



Version 1.3

Revision Date 11/16/2015

Print Date 05/06/2016

sodium hydroxide: Acute dermal toxicity

: Acute toxicity estimate Rabbit: 1,350 mg/kg

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Product:

Carcinogenicity -	:	Not classifiable as a human carcinogen.
Assessment		

Reproductive toxicity

No data available

sodium hydroxide: 2-butoxyethanol: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts: Alcohols, C10-14, ethoxylated:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available



Version 1.3	Revision Date 11/16/2015	Print Date 05/06/2016
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	•
Remarks	This product neither contains, new with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air):

SAFETY DATA SHEET



ZEP MORADO SUPER CLEANER 20GL

Version 1.3

Revision Date 11/16/2015

Print Date 05/06/2016

UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute Health Hazard	
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:			

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.3

Revision Date 11/16/2015

Print Date 05/06/2016





OSHA GHS Label Information:

Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	 Danger: Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe mist. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with w ater/ show er. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Storage: Store locked up. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.3
Revision Date:	11/16/2015
Print Date:	05/06/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.