



# Shell Canada Limited Material Safety Data Sheet

Effective Date: 2011-03-01

Supersedes: 2008-03-05

## 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT: **MOTOMASTER SUPREME 10W-30**  
SYNONYMS: GF-4 Gasoline Engine Oil  
PRODUCT USE: Lubricating oil  
PRODUCT CODE: **460-300**

### SUPPLIER

Shell Canada Limited (SCL)  
P.O. Box 100, Station M  
400-4th Ave. S.W.  
Calgary, AB Canada  
T2P 2H5

### TELEPHONE NUMBERS

Shell Emergency Number  
**CANUTEC 24 HOUR EMERGENCY NUMBER**  
For general information:

1-800-661-7378  
1-613-996-6666  
1-800-661-1600  
[www.shell.ca](http://www.shell.ca)

This MSDS was prepared by the Toxicology and Product Stewardship Section of Shell Canada Limited.

\*An asterisk in the product name designates a trade-mark of Shell Brands International AG. Used under license.

## 2. HAZARDS IDENTIFICATION

**Physical Description:** Liquid Amber colour Hydrocarbon Odour

**Routes of Exposure:** Exposure will most likely occur through skin contact or from inhalation of mechanically or thermally generated oil mists.

### Hazards:

This product is not expected to be irritating and has a low level of toxicity under normal use.

Inhalation of oil mist or vapours from hot oil may cause irritation of the upper respiratory tract.

For further information on health effects, see Section 11.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

THIS PRODUCT IS NOT A WHMIS CONTROLLED SUBSTANCE.

See Section 8 for Occupational Exposure Guidelines.

## 4. FIRST AID MEASURES

**Eyes:** Flush eyes with water for at least 15 minutes while holding eyelids open. If irritation occurs and persists, obtain medical attention.

**Skin:** Wipe excess from skin. Wash contaminated skin with mild soap and water for at least 15 minutes. If irritation occurs and persists, obtain medical attention. If material is injected under the skin, get medical attention promptly to prevent serious damage; do not wait for symptoms to develop.

**Ingestion:** Not normally required; obtain medical attention if large amounts have been ingested. Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.

- Inhalation:** Remove victim from further exposure. Additional first aid treatment is not ordinarily required.
- Notes to Physician:** In general, lubricating oils have low oral toxicity. High pressure injection under the skin may have serious consequences and may require urgent treatment.

#### 5. FIRE FIGHTING MEASURES

- Extinguishing Media:** Dry Chemical  
Foam
- Firefighting Instructions:** Caution, spilled material is slippery. Material will not burn unless preheated. Product will float and can be reignited on surface of water. Do not use a direct stream of water as it may spread fire. Use water to cool fire exposed containers. Water may be used to flush spills away from exposure. Do not enter confined fire space without adequate protective clothing and an approved positive pressure self-contained breathing apparatus.
- Hazardous Combustion Products:** Carbon dioxide, carbon monoxide and unidentified organic compounds may be formed upon combustion.

#### 6. ACCIDENTAL RELEASE MEASURES

Eliminate all ignition sources. Isolate hazard area and restrict access. Avoid prolonged or repeated contact with skin. Wear appropriate breathing apparatus (if applicable) and protective clothing. Stop leak only if safe to do so. Spilled material is slippery. Dike and contain land spills; contain spills to water by booming. For large spills remove by mechanical means and place in containers. Adsorb residue or small spills with adsorbent material and remove to non-leaking containers for disposal. Notify appropriate environmental agency(ies). After area has been cleaned up to the satisfaction of regulatory authorities, flush area with water to remove trace residue. Dispose of recovered material as noted under Disposal Considerations.

#### 7. HANDLING AND STORAGE

- Handling:** Avoid excessive heat, formation of oil mist, breathing of vapours and mist of hot oil and prolonged or repeated contact with skin. Wash with soap and water prior to eating, drinking, smoking, applying cosmetics or using toilet facilities. Launder contaminated clothing prior to reuse.
- Storage:** Store in a cool, dry, well ventilated area, away from heat and ignition sources.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

The following information, while appropriate for this product, is general in nature. The selection of personal protective equipment will vary depending on the conditions of use.

##### OCCUPATIONAL EXPOSURE LIMITS (Current ACGIH TLV/TWA unless otherwise noted):

The exposure limits listed here are provided for guidance only. Consult local, provincial and territorial authorities for specific values.

Mineral oil, pure, highly and severely refined, excluding metal working fluids: 5 mg/m<sup>3</sup> (inhalable fraction)

- Mechanical Ventilation:** Not normally required. Local ventilation is recommended if oil mist is present or if exposure limit is exceeded. Make up air should always be supplied to balance air exhausted (either generally or locally).

##### PERSONAL PROTECTIVE EQUIPMENT:

- Eye Protection:** No special eye protection is routinely necessary. Wear safety glasses as appropriate.
- Skin Protection:** Not normally needed. Chemically-resistant gloves should be worn for frequent or

**Respiratory Protection:** prolonged contact with this product. Not normally required under intended conditions of use. If airborne concentration is high (e.g. when product is heated), use a NIOSH-approved chemical cartridge respirator with organic vapour cartridges in combination with a P95 particulate filter.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Liquid	<b>Odour:</b>	Hydrocarbon Odour
<b>Appearance:</b>	Amber colour	<b>Odour Threshold:</b>	Not available
<b>Pour Point</b>	< -33 °C	<b>Boiling Point</b>	
<b>Vapour Pressure (absolute):</b>		<b>Vapour Density (air = 1):</b>	> 1
<b>Density:</b>	876 kg/m <sup>3</sup> @ 15 °C	<b>Flash Point</b>	COC > 195 °C
<b>Specific Gravity (Water = 1):</b>		<b>Lower Flammable Limit:</b>	Not available
<b>pH:</b>	Not applicable	<b>Upper Flammable Limit:</b>	Not available
<b>Viscosity:</b>	10 - 11 mm <sup>2</sup> /s @ 100 °C	<b>Auto-ignition Temperature:</b>	Not available
<b>Evaporation Rate (n-BuAc = 1):</b>	Not available	<b>Partition Coefficient (log K<sub>ow</sub>):</b>	Not available
<b>Water Solubility:</b>	Insoluble	<b>Molecular Weight:</b>	

**10. STABILITY AND REACTIVITY**

**Chemically Stable:** Yes  
**Sensitive to Mechanical Impact:** No  
**Hazardous Polymerization:** No  
**Sensitive to Static Discharge:** No  
**Hazardous Decomposition Products:** Hazardous decomposition products are not expected to form during normal storage.  
**Incompatible Materials:** Avoid strong oxidizing agents.  
**Conditions of Reactivity:** Avoid excessive heat, formation of vapours or mists.

**11. TOXICOLOGICAL INFORMATION**

**Routes of Exposure:** Exposure will most likely occur through skin contact or from inhalation of mechanically or thermally generated oil mists.  
**Irritancy:** This product is not a primary skin irritant after exposure of short duration, is not a skin sensitizer and is not irritating to the eyes.  
**Acute Toxicity:** This product is not expected to be irritating and has a low level of toxicity under normal use.  
**Chronic Effects:** Prolonged and repeated contact with skin can cause defatting and drying of the skin resulting in skin irritation and dermatitis. Long term intensive exposure to oil mist may cause benign lung fibrosis. Used engine oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on actual conditions but the impurities may present risks to health or the environment on disposal. It is possible that prolonged or repeated exposure to used engine oils may cause skin disorders in humans. All used oils should be handled with caution and skin contact avoided as much as possible.

**12. ECOLOGICAL INFORMATION**

**Environmental Effects:** The immediate effect of a release is the physical impairment of the environment from

the coating of surfaces, resulting in the disruption of oxygen, water and light to flora and fauna. Do not allow product or runoff from fire control to enter storm or sanitary sewers, lakes, rivers, streams, or public waterways. Block off drains and ditches.

**Biodegradability:**

Not readily biodegradable.

**13. DISPOSAL CONSIDERATIONS**

Waste management priorities (depending on volumes and concentration of waste) are: 1. recycle (reprocess), 2. energy recovery 3. incineration, 4. disposal at a licenced waste disposal facility. Do not attempt to combust waste on-site.

**14. TRANSPORT INFORMATION****Canadian Road and Rail Shipping Classification:**

This product is not regulated under the Canadian Transportation of Dangerous Goods Regulations for transport by road and rail.

**15. REGULATORY INFORMATION**

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations (CPR)* and the MSDS contains all the information required by the CPR.

**DSL/NDSL Status:**

THIS PRODUCT IS NOT A WHMIS CONTROLLED SUBSTANCE.

This product, or all components, are listed on the Domestic Substances List, as required under the Canadian Environmental Protection Act. This product and/or all components are listed on the U.S. EPA TSCA Inventory.

**Other Regulatory Status:**

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

**16. OTHER INFORMATION****Revisions:**

This MSDS has been reviewed and updated. Changes have been made to: Section 6  
Section 7 Section 8 Section 10 Section 11 Section 12 Section 15