HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: NSA-10 - BLEND A

Revision Date: 04-Jan-2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: NSA-10 - BLEND A

Synonyms:NoneChemical Family:Organic acidApplication:Solvent

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Formic acid	64-18-6	5 - 10%	5 ppm	5 ppm
Acetic acid	64-19-7	5 - 10%	10 ppm	10 ppm

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin burns. May cause respiratory irritation. May be harmful if

swallowed. Combustible.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin In case of contact, immediately flush skin with plenty of soap and water for at least 15

minutes. Get medical attention. Remove contaminated clothing and launder before

reuse.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of water

for at least 15 minutes and get medical attention immediately after flushing.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Not DeterminedMin: > 190 Flash Point/Range (C): Not DeterminedMin: > 87

Flash Point Method: PMCC Autoignition Temperature (F): 1114 **Autoignition Temperature (C):** 601

Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 1, Reactivity 1 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 1, Reactivity 1

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials.

Neutralize to pH of 6-8. Scoop up and remove.

HANDLING AND STORAGE

Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash hands after **Handling Precautions**

use. Launder contaminated clothing before reuse.

Storage Information Store away from alkalis. Store away from oxidizers. Keep container closed when not

in use.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas

without good cross ventilation.

Respiratory Protection Acid gas respirator.

Hand Protection Impervious rubber gloves.

Full protective chemical resistant clothing. Rubber boots. **Skin Protection**

Chemical goggles; also wear a face shield if splashing hazard exists. **Eye Protection**

Other Precautions Eyewash fountains and safety showers must be easily accessible.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: Clear colorless Odor: Pungent

9. PHYSICAL AND CHEMICAL PROPERTIES

pH: 0.3

Specific Gravity @ 20 C (Water=1):

Density @ 20 C (Ibs./gallon):

Bulk Density @ 20 C (Ibs/ft3):

Not Determined

Not Determined

Boiling Point/Range (F):

Boiling Point/Range (C):

Freezing Point/Range (F):

Freezing Point/Range (C):

Vapor Pressure @ 20 C (mmHg):

215

215

215

217

217

218

218

219

220

23

Vapor Density (Air=1): Not Determined

Percent Volatiles: 100

Evaporation Rate (Butyl Acetate=1): Not Determined

Solubility in Water (g/100ml): Miscible

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to AvoidNone anticipated Keep away from heat, sparks and flame.

Incompatibility (Materials to

Avoid)

Strong alkalis. Strong oxidizers.

Hazardous Decomposition

Products

Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Causes severe respiratory irritation. May cause central nervous system depression

including headache, dizziness, drowsiness, incoordination, slowed reaction time,

slurred speech, giddiness and unconsciousness.

Skin Contact Causes severe burns.

Eye Contact Causes severe eye burns.

Ingestion Causes burns of the mouth, throat and stomach.

Aggravated Medical Conditions Skin disorders.

Chronic Effects/Carcinogenicity Prolonged, excessive exposure may cause erosion of the teeth.

Other Information None known.

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Readily biodegradable

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

UN3265, Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Formic Acid, Acetic Acid), 8, II NAERG 153

Canadian TDG

Corrosive Liquid, Acidic, Organic, N.O.S.(Contains Formic Acid, Acetic Acid), 8, UN3265, II

ADR

UN3265, Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Formic Acid, Acetic Acid), 8, II

Air Transportation

ICAO/IATA

UN3265, Corrosive Liquid, Acidic, Organic, N.O.S., 8, II (Contains Formic Acid, Acetic Acid Solution)

Sea Transportation

IMDG

UN3265, Corrosive Liquid, Acidic, Organic, N.O.S. (Contains Formic Acid, Acetic Acid), 8, II EmS F-A, S-B

Other Shipping Information

Labels: Corrosive

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

Fire Hazard

EPA SARA (313) Chemicals This product contains toxic chemical(s) listed below which is(are) subject to the

reporting requirements of Section 313 of Title III of SARA and 40 CFR Part 372:

Formic Acid//64-18-6

EPA CERCLA/Superfund Reportable Spill Quantity

EPA Reportable Spill Quantity is 4700 Gallons based on Acetic acid (CAS: 64-19-7).

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does meet the criteria of a hazardous waste as

defined by the US EPA, because of:

Corrosivity D002

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory.

WHMIS Hazard Class E Corrosive Material

B3 Combustible Liquids D2B Toxic Materials

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement This information is furnished without warranty, expressed or implied, as to accuracy

or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS