

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 05/27/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : New Era Compound

Other means of identification : Millenium/New Era Compound

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Embalming compound
Use of the substance/mixture : For professional use only

1.3. Details of the supplier of the safety data sheet

THE CHAMPION COMPANY 400 Harrison Street Springfield, Ohio 45505

Telephone No. (937) 324-5681

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300 (Spill, Leak, Fire, Exposure or Accident)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Inhalation:dust,mist) H332 Skin Irrit. 2 H315 Eye Dam. 1 H318 Resp. Sens. 1 H334 Skin Sens. 1 H317 STOT SE 3 H335

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)







GHS05

GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust, fume, mist, spray, vapors

P264 - Wash hands thoroughly after handling

P271 - Use only in a well-ventilated area

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective clothing, protective gloves, eye protection, face protection

P285 - In case of inadequate ventilation wear respiratory protection

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER

P312 - Call a POISON CENTER

P332+P313 - If skin irritation occurs: Get medical attention P333+P313 - If skin irritation or rash occurs: Get medical attention P342+P311 - If experiencing respiratory symptoms: Call a doctor

05/27/2015 EN (English) Page 1

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

P362 - Take off contaminated clothing and wash before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents and container to comply with applicable local, state, national and international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Sulfuric acid, aluminum ammonium salt (2:1:1), dodecahydrate	(CAS No) 7784-26-1	<8.5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Methyl salicylate	(CAS No) 119-36-8	1 - 4	Acute Tox. 4 (Oral), H302
Glutaraldehyde	(CAS No) 111-30-8	1-3	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H334 Skin Sens. 1, H317

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

- : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation
- : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult physician immediately. Keep victim warm and rested. If breathing stops, give artificial respiration. Seek medical attention immediately.
- First-aid measures after skin contact
- : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical attention.
- First-aid measures after eye contact
- : In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. Immediately get medical attention.
- First-aid measures after ingestion
- If swallowed, rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Give milk to drink. Never give anything by mouth to a person who is not fully conscious. Obtain emergency medical attention. Call a POISON CENTER.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Irritating to the respiratory system, may cause throat pain and cough. Possible respiratory damage following repeated or prolonged inhalation.

Symptoms/injuries after skin contact

May cause skin irritation. May cause an allergic skin reaction. Repeated or prolonged skin contact may cause dermatitis and defatting. Skin rash/inflammation.

Symptoms/injuries after eye contact

 Causes serious eye damage. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness.

Symptoms/injuries after ingestion

: Ingestion may cause nausea and vomiting. May cause gastric irritation. Irritation of the stomach possible. Death in extreme cases.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing med	dia	me	ina	uishir	Extino	5.1.
------------------------	-----	----	-----	--------	--------	------

- Suitable extinguishing media : Alcohol resistant foam. Dry powder. Carbon dioxide (CO2). Water spray. Sand.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

05/27/2015 EN (English) 2/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

5.2. Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

Protective equipment for firefighters

: Do not enter fire area without proper protective equipment, including respiratory protection. Wear

a self contained breathing apparatus.

Other information

: Avoid raising powdered materials into airborne dust. Dust may form flammable and explosive mixture with air. Thermal combustion may release carbon monoxide and dioxide. Toxic gases and fumes may be released in a fire. Silicon oxide. unburned hydrocarbons. Sulfur oxides.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

: Avoid breathing dust, fume, mist, spray, vapors. Avoid raising powdered materials into airborne dust. Heavy airborne concentrations of fine powder in enclosed spaces may ignite or explode in the presence of sources of ignition. Take precautionary measures against static discharge.

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

: Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Environmental precautions 6.2.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Eliminate all sources of ignition, avoid sparks, flames and do not smoke in risk area. Avoid creating or spreading dust. Dust may form flammable and explosive mixture with air. Shovel into suitable and closed container for disposal. Store away from other materials. Collect all waste in suitable and labelled containers and dispose according to local legislation. Ensure all local, state, national and international regulations are observed. Consult the appropriate authorities about waste disposal.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Obtain special instructions before use. Work in a well-ventilated area. When not in use, keep containers tightly closed. Avoid contact with skin, eyes and clothes. Avoid raising powdered materials into airborne dust. Avoid breathing dust, mist or spray. Where excessive dust may result, wear approved mask. Wear recommended personal protective equipment. Take precautionary measures against static discharge. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities 7.2.

Technical measures

Provide local exhaust or general room ventilation. A washing facility for eye and skin cleaning purposes should be present. Proper grounding procedures to avoid static electricity should be

Storage conditions

: Keep out of reach of children. Keep only in the original container in a cool, well-ventilated place away from highly flammable substances. Keep container tightly closed and dry. Store away from direct sunlight or other heat sources. keep away from incompatible materials. Keep away from:

Incompatible materials

: Strong acids, bases. Oxidizing agents.

Keep away from open flames, hot surfaces and sources of ignition.

Heat and ignition sources

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Glutaraldehyde (111-30-8)		
USA ACGIH	ACGIH Ceiling (ppm)	0.05 ppm (activated and inactivated)

05/27/2015 3/7 EN (English)

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

8.2.	Exposure contro	Is

Appropriate engineering controls : Provide local exhaust or general room ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure

adequate ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Wear protective clothing, protective gloves, eye

protection/goggles, face protection. For certain operations, additional Personal Protection

Equipment (PPE) may be required.

Hand protection : Wear impermeable protective nitrile gloves. The quality of the protective gloves resistant to

chemicals must be chosen as a function of the specific working place concentration and quantity

of hazardous substances.

Eye protection : Contact lenses should not be worn. Chemical goggles and face shields are required to prevent

potential eye contact, irritation or injury.

Respiratory protection : In case of insufficient ventilation. Wear suitable respiratory equipment. Approved organic vapor

respirator.

Environmental exposure controls : Avoid release to the environment.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular powder.
Color : Tan - white
Odor : Pungent

Odor threshold : No data available No data available Relative evaporation rate (butyl acetate=1) No data available : No data available Melting point Freezing point No data available Boiling point : No data available Flash point 54.44 °C (130 °F) Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20 °C No data available Relative density No data available Solubility Water: Not determined No data available Log Pow : No data available

Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

VOC content : Percent volatiles 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable at normal conditions.

10.3. Possibility of hazardous reactions

Not established.

05/27/2015 EN (English) 4/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

10.4. Conditions to avoid

Direct sunlight. Keep away from heat, sparks, open flames, hot surfaces. - No smoking.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents.

10.6. Hazardous decomposition products

On thermal combustion form: Fume. Carbon monoxide. Carbon dioxide. unburned hydrocarbons. Silicon dioxide. Toxic fumes. Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if inhaled.

New Era Compound	
ATE US (dust,mist)	1.50000000 mg/l/4h
	1.55555555 mg// m
Glutaraldehyde (111-30-8)	
LD50 oral rat	252 mg/kg
LD50 dermal rabbit	560 μl/kg
LC50 inhalation rat (mg/l)	0.1 mg/l/4h
ATE US (oral)	252.00000000 mg/kg bodyweight
ATE US (vapors)	0.10000000 mg/l/4h
ATE US (dust,mist)	0.10000000 mg/l/4h
Methyl salicylate (119-36-8)	
LD50 oral rat	887 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	887.0000000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met.
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met.
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met.
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Irritating to the respiratory system, may cause throat pain and cough. Possible respiratory damage following repeated or prolonged inhalation.
Symptoms/injuries after skin contact	: May cause skin irritation. May cause an allergic skin reaction. Repeated or prolonged skin contact may cause dermatitis and defatting. Skin rash/inflammation.
Symptoms/injuries after eye contact	: Causes serious eye damage. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness.
Symptoms/injuries after ingestion	: Ingestion may cause nausea and vomiting. May cause gastric irritation. Irritation of the stomach possible. Death in extreme cases.

05/27/2015 EN (English) 5/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 12: Ecological information

12.1. Toxicity

Glutaraldehyde (111-30-8)		
LC50 fishes 1	7.8 - 22 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	2.6 - 4.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
EC50 Daphnia 2	0.56 - 1.0 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

12.2. Persistence and degradability

New Era Compound	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

New Era Compound		
Bioaccumulative potential	Not established.	
Glutaraldehyde (111-30-8)		
Log Pow	0.22 (at 25 °C)	
Methyl salicylate (119-36-8)		
Log Pow	2.55	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available
Effect on the global warming : No additional information available
Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local, state, national and international regulations.

Consult the appropriate authorities about waste disposal. Ensure all local, state, national and

Consult the appropriate authorities about waste disposal. Ensure all local, state, national and international regulations are observed.

Additional information : Do not re-use empty containers. Do not pressurize, cut, weld, braze, solder, drill, grind, or

expose containers to flames, sparks, heat, or other potential ignition sources.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

Additional information

Other information : No supplementary information available.

Transport by sea

Not regulated for transport

Air transport

Not regulated for transport

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

Glutaraldehyde (111-30-8)	
Listed on the Canadian DSL (Domestic Sustance	s List)
WHMIS Classification Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material	

05/27/2015 EN (English) 6/7

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Methyl salicylate (119-36-8)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification Class D Division 2 Subdivision A - Very toxic material causing other toxic effects		
Sulfuric acid, aluminum ammonium salt (2:1:1), dodecahydrate (7784-26-1)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification Class D Division 2 Subdivision B - Toxic material causing other toxic effects		

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available 15.2.2. National regulations No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information : None.

Full text of H-phrases: see section 16:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Resp. Sens. 1	Sensitisation — Respiratory, category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 2 Moderate Hazard Physical : 0 Minimal Hazard

SDS US (GHS HazCom 2012)

The information herein given is in good faith but no warranty, expressed or implied, is made, except that to the best of the Company's knowledge it is accurate. The Champion Company does not assume any legal responsibilities for use or dependence upon same. Customers may wish to conduct tests of their own. The user is urged to read the information provided on the label before using product.

05/27/2015 EN (English) 7/7