



MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 1 of 10

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

Product identifier New Holland AmbrA Actifull OT Concentrate

Not reported

Not available. Product Code(s) **Product Use** Mixture

Chemical Family

Supplier's name and address: Manufacturer's name and address:

Viscosity Oil Company Refer to Supplier

600-H Joliet Road Willowbrook, IL, U.S.A.

60527

Information Telephone #

: (630) 850-4000

24 Hr. Emergency Tel # Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887 (Outside

U.S.).

SECTION 2 - HAZARDS IDENTIFICATION

Classification

: WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). W HMIS classification:

Class D1B (Materials Causing Immediate and Serious Toxic Effects, Toxic Material);

Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material) Class D2B (Materials Causing Other Toxic Effects, Toxic Material) .

OSHA: This material is classified as hazardous under OSHA regulations (29CFR

1910.1200). Hazardous classification:

Acute Health Hazard; Chronic Health Hazard.

Emergency Overview

Fluorescent yellow liquid. Chemical odour.

Warning POISON! Moderate to severe eye irritant. May cause mild to moderate skin Harmful or fatal if swallowed. Harmful if absorbed through the skin. May cause nausea, vomiting, headache and other central nervous system effects. Could also cause convulsions, coma, respiratory arrest and death. Can cause kidney damage. May cause liver effects. Possible birth defect hazard - contains material that may cause birth defects, based on animal data.

POTENTIAL HEALTH EFFECTS:

Signs and symptoms of short-term (acute) exposure

Inhalation: May cause irritation to the nose, throat and upper respiratory tract. If mists are inhaled, may cause


tearing, general anesthesia, headache, coughing, respiratory stimulation, nausea, vomiting, pulmonary,

kidney and liver damage.

Skin : May cause mild to moderate skin irritation. Product may be absorbed and cause symptoms similar to

those listed for ingestion.

Eyes : May cause moderate to severe irritation. Symptoms may include inflammation and tearing.





MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 2 of 10

Ingestion: Harmful or fatal if swallowed. Human poison by ingestion (lethal dose of Ethylene glycol for humans reported to be 100 mL). Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Initially, the central nervous system is stimulated, followed by depression. Could cause cyanosis (bluish discoloration of the skin due to deficient oxygenation of the blood). May potentially result in lethal kidney damage. Could also cause convulsions, coma, respiratory arrest and death.

Effects of long-term (chronic) exposure

: Prolonged or repeated ingestion may cause bladder or kidney stones.

See TOXICOLOGICAL INFORMATION, Section 11. Carcinogenic status

Additional health hazards Potential teratogen. See TOXICOLOGICAL INFORMATION, Section 11.

Potential environmental effects

See ECOLOGICAL INFORMATION, Section 12.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredients</u>	CAS#	Wt.%
Ethylene glycol	107-21-1	90.00 - 100.00
Sebacic acid	111-20-6	1.00 - 5.00
Potassium hydroxide	1310-58-3	1.00 - 5.00
Tolyltriazole	29385-43-1	0.10 - 1.00

SECTION 4 - FIRST AID MEASURES

: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Inhalation

Get medical attention.

: Immediately flush with plenty of water, while removing contaminated clothing. If irritation Skin contact

persists, seek prompt medical attention. Launder clothing before reuse.

: Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact Eye contact

lenses if worn, and continue flushing for at least 5 to 10 minutes. If irritation persists, seek

prompt medical attention.

Toxic if swallowed. Call a physician or poison control centre immediately. Induce vomiting Ingestion

ONLY under the direct supervision of qualified medical personnel or a poison control centre.

Never give anything by mouth to an unconscious person.

Notes For Physician : Prompt medical attention is important. Delayed treatment may result in fatality. This

product is a CNS depressant. Use of ethanol may be helpful to counter the toxic effects of

ethylene glycol by interfering with the absorption rate in the stomach and intestine.

SECTION 5 - FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability

: Combustible liquid and vapour. May burn if heated at temperatures higher than the flash point. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.


Flammability classification (OSHA 29 CFR 1910.1200)

: OSHA Combustible Liquid II.

Oxidizing properties : None known.

Explosion data: Sensitivity to mechanical impact / static discharge

: Not expected to be sensitive to mechanical impact or static discharge.





MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 3 of 10

Suitable extinguishing media: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Special fire-fighting procedures/equipment

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. W ater spray may be useful in cooling equipment exposed to heat and

Hazardous combustion products

Carbon oxides, formaldehyde and other irritating fumes and smoke.

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious

> Health: 2 Flammability: 1 Instability: Special Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by Personal precautions

trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on

acceptable personal protective equipment.

: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If **Environmental precautions**

necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural

waterway or drinking supply.

Remove all sources of ignition. Ventilate area of release. Stop spill or leak at source if safely Spill response/cleanup

possible. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.

Notify the appropriate authorities as required.

Prohibited materials : Use non-flammable absorbent only.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment,

immediately notify the national response center in the United States (phone:

1-800-424-8802).

US CERCLA Reportable quantity (RQ): Ethylene glycol (5000 lbs / 2270 kg).

SECTION 7 - HANDLING AND STORAGE

This material is a harmful liquid. Wear suitable protective equipment during handling. Refer Safe Handling procedures to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional

information on acceptable personal protective equipment. Use with adequate ventilation. Do not ingest. Avoid breathing vapour or mist. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Keep away from extreme heat and flame. Keep away from acids and other incompatibles. Use caution when opening cap. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or

vapour) and can be dangerous.

Storage requirements Store in a cool, dry, well-ventilated area. Store away from areas of excessive heat, open


flames, sparks, and other possible sources of ignition. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained

and authorized personnel. Inspect periodically for damage or leaks.

Strong oxidizing agents; Strong acids; Strong alkalis; Strong bases. Incompatible materials

Special packaging materials Always keep in containers made of the same materials as the supply container.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION





MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 4 of 10

	<u>ACGIH</u>	TLV	OSHA	<u>PEL</u>
<u>Ingredients</u>	<u>TWA</u>	STEL	<u>PEL</u>	STEL
Ethylene glycol	100 mg/m³ (as aerosol) (Ceiling)	N/Av	50 ppm (Ceiling) (final rule limit)	N /Av
Sebacic acid	N/Av	N/Av	N/Av	N/Av
Potassium hydroxide	2 mg/m³ (Ceiling)	N/Av	2 mg/m³ (Ceiling) (final rule limit)	N/ Av
Tolyltriazole	N/Av	N/Av	N/Av	N/Av

Ventilation and engineering measures

Use sufficient mechanical ventilation to maintain exposures below the TLV. Use local

exhaust if mist or spray is generated.

Respiratory protection Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved

respirators are recommended. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air,

and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection Wear impervious gloves, such as butyl rubber. Advice should be sought from glove

suppliers.

Eye / face protection Chemical goggles are recommended when there is a potential for splashing.

Other protective equipment Emergency showers and eyewash facilities should be nearby. Wear a chemically resistant

apron and long sleeves when dispensing, to prevent skin contact.

General hygiene considerations

Avoid breathing vapour or mist. Avoid contact with eyes, skin and clothing. When using do not eat or drink. When using do not smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

: Fluorescent yellow : N/Av Physical state Odour Appearance Odour threshold Liauid. Chemical odour.

Нα : 7.9

Boiling point : 109°C (228.2°F) Specific gravity : 1.125 Melting/Freezing point : - 37°C (-34.6°F) Coefficient of water/oil distribution

: N/Av

Vapour pressure (mmHg @ 20° C / 68° F) : Complete Solubility in water

: N/Av

Vapour density (Air = 1) N/Av Evaporation rate (n-Butyl acetate = 1)

: N/Av


Volatile organic Compounds (VOC's) : N/Av Volatiles (%by weight)

N/Av

Flash point 120°C (248°F)

Flash point Method ASTM D92 **Auto-ignition temperature** : N/Av Lower flammable limit (%by vol.) Upper flammable limit (%by vol.) : N/Av N/Av

Flame Projection Length : N/Ap Flashback observed : N/Ap





MSDS Preparation Date (mm/dd/yyyy): 04/17/2013 Page 5 of 10

Viscosity : < 10 cSt @ 20°C (68°F)

Absolute pressure of container

: N/Ap

SECTION 10: STABILITY AND REACTIVITIY

Stability and reactivity: Stable under the recommended storage and handling conditions prescribed.

Hazardous polymerization : Will not occur.

Conditions to avoid : Avoid excessive heat, sparks and open flame. Do not use in areas without adequate

ventilation. Avoid contact with incompatible materials.

Materials To Avoid And Incompatibility

: Incompatible materials (see Section 7).

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 - TOXICOLOGICAL INFORMATION

Target organs : Eyes, skin, respiratory system, central nervous system, liver and kidneys.

Routes of exposure : Inhalation: YES Skin Absorption: YES Skin & Eyes: YES Ingestion: YES

Toxicological data : There is no available data for the product itself, only for the ingredients. See below for

egical data : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

LC50(4hr) LD₅₀ **Ingredients** inh, rat (Rabbit, dermal) (Oral, rat) 2725 mg/m³ (aerosol) 4000 mg/kg Ethylene glycol 9530 mg/kg Sebacic acid N/Av 14375 mg/kg N/Av Potassium hydroxide N/Av 205 mg/kg > 1260 mg/kg >432.5 mg/m³ 675 mg/kg Tolyltriazole >2000 mg/kg

Carcinogenic status : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects : None known.

Teratogenicity : Contains ethylene glycol, which may cause teratogenic effects at doses which are not

maternally toxic, based on animal data.

Mutagenicity: None known.Epidemiology: Not available.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Synergistic materials : Not available.

Irritancy : Mild to moderate skin irritant. Moderate to severe eye irritant.

other important hazards : CNS depression may result from extreme exposures.

Conditions aggravated by overexposure

: Pre-existing skin or eye disorders, and impaired liver or kidney functions.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.



MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 6 of 10

Ecotoxicity data:

<u>Ingredients</u>		Toxicity to Fish				
	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Ethylene glycol	107-21-1	Oncorhynchus mykiss (rainbowtrout) = 41000 mg/L	N/Av	N/Ap		
Sebacic acid	111-20-6	N/Av	N/Av	N/Ap		
Potassium hydroxide	1310-58-3	Gambusia affinis (Mosquito fish) = 80 mg/L	N/Av	N/Ap		
Tolyltriazole	29385-43-1	N/Av	N/Av	N/Ap		

<u>Ingredients</u>	CAS No	Toxic	city to Daphnia	
		EC50 / 48h	NOEC / 21 day	M Factor
Ethylene glycol	107-21-1	Daphnia magna (W ater flea) = 46300 mg/L	N/Av	N/Ap
Sebacic acid	111-20-6	N/Av	N/Av	N/Ap
Potassium hydroxide	1310-58-3	Ceriodaphnia Dubia (water flea) = 56 mg/L	N/Av	N/Ap
Tolyltriazole	29385-43-1	N/Av	N/Av	N/Ap

<u>Ingredients</u>	CAS No	То			
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Ethylene glycol	107-21-1	Green algae = 6500 - 13000mg/L/96hr	N/Av	N/Ap	
Sebacic acid	111-20-6	N/Av	N/Av	N/Ap	
Potassium hydroxide	1310-58-3	N/Av	N/Av	N/Ap	
Tolyltriazole	29385-43-1	N/Av	N/Av	N/Ap	

Mobility : No data is available on the product itself.

Persistence : Ethylene glycol is considered to be readily biodegradable.

Bioaccumulation potential: No data is available on the product itself.


Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7.

.





MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 7 of 10

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

.

SECTION 14: TRANPORT INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
49CFR/DOT	None	Not regulated.	Not regulated	none	\otimes
49CFR/DOT Additional information		Ethylene glycol is greater than 5000 pounds per conta vironmentally hazardous substances, liquid, n.o.s. (Eth		pping descri	otion applies:
TDG	None	Not regulated.	Not regulated	none	\otimes
TDG Additional	None.				24/04/2005/200

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

		TSC A	CERCLA Reportable	S AR A TITLE III: Sec. 302, Extremely Hazardous	SARA TITLE III: Sec. 313, 40 CFR 372 Specific Toxic Chemical		
<u>Ingredients</u>	Ingredients CAS # Inventory Quantity(RQ) (40 CFR 117.302):	Toxic Che mical	de minimus Concentration				
Ethylene glycol	107-21-1	Yes	5000 lbs 2270 kg	N/Ap	Yes	1%	
Sebacic acid	111-20-6	Yes	N/Ap	N/Av	No	N/Ap	
Potassium hydroxide	1310-58-3	Yes	1000 lb/ 454 kg	N/Av	No	N/Ap	
Tolyltriazole	29385-43-1	Yes	N/Ap	N/Av	No	N/Ap	



MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 8 of 10

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	CAS #		State "Right to Know" Lists					
	CAS#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Ethylene glycol	107-21-1	No	N/Ap	Yes	Yes	NS	Yes	Yes	NS
Sebacic acid	111-20-6	No	N/Ap	No	No	No	No	No	No
Potassium hydroxide	1310-58-3	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Tolyltriazole	29385-43-1	No	N/Ap	No	No	No	No	No	No

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Ethylene glycol	107-21-1	203-473-3	Present	Present	(2)-230	KE-13169	Prese nt	HSR001534
Sebacic acid	111-20-6	203-845-5	Present	Present	(2)-878	KE-09402	Present	HSR003130
Potassium hydroxide	1310-58-3	215-181-3	Present	Present	(1)-369	KE-29139	Present	HSR001546
Tolyltriazole	29385-43-1	249-596-6	Present	Present	(5)-539; (5)-3576	KE-23495	Present	HSR003540

SECTION 16 - OTHER INFORMATION

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious


Health: *2 Flammability: 1 Reactivity: 0

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability



Page 9 of 10



New Holland AmbrA Actifull OT Concentrate

MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Act of 1980

CFR: Code of Federal Regulations CNS: Central Nervous System COC: Cleveland Open Cup

CSA: Canadian Standards Association DOT: Department of Transportation EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer

LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable

N/Av: Not Available

Inh: Inhalation

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values TW A: Time W eighted Average

WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2013.
 - 2. International Agency for Research on Cancer Monographs, searched 2013.
 - 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2013

(Chempendium and RTECs).

Material Safety Data Sheet from manufacturer.
 US EPA Title III List of Lists - October 2012 version.
 California Proposition 65 List - February 8, 2013 version.

Prepared for:

Viscosity Oil Company

600-H Joliet Road, Willowbrook, IL, U.S.A., 60527

Telephone: 001-630-850-4000 http://www.viscosityoil.com

Please direct all enquiries to Viscosity Oil.




Prepared by:

ICC The Compliance Center Inc.

http://www.thecompliancecenter.com









MSDS Preparation Date (mm/dd/yyyy): 04/17/2013

Page 10 of 10

DISCLAIMER OF LIABILITY

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Viscosity Oil Company and CCOHS' W eb Information Service. The information in the Material Safety Data Sheet (MSDS) is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Viscosity Oil Company expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Viscosity Oil Company.

Preparation Date (mm/dd/yyyy)

: 04/17/2013

END OF DOCUMENT