

MATERIAL SAFETY DATA SHEET

MSDS 0147

=====
Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
=====

	HMIS CODES
PRODUCT NAME	Health 1
Nickel-Rich	Flammability 1
	Reactivity 0
PRODUCT CODES	PPI B
73851, 73831, 73871	
CHEMICAL FAMILY	
Organic	
USE	
Lubricant	
MANUFACTURER'S NAME	EMERGENCY TELEPHONE NO.
The RectorSeal Corporation	Chemtrec 24 Hours
2601 Spenwick Drive	(800)424-9300 USA
Houston, Texas 77055 USA	(703)527-3887 International
DATE OF VALIDATION	TECHNICAL SERVICE TELEPHONE NO.
November 7, 2012	(800)231-3345 or (713)263-8001
DATE OF PREPARATION	
November 7, 2012	

=====
Section 2 -- HAZARDS IDENTIFICATION
=====

GHS CLASSIFICATION
PHYSICAL HAZARDS: None
HEALTH HAZARDS
Acute Toxicity:
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Respiratory or Skin Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: Not Classified
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified

ENVIRONMENTAL HAZARDS
Hazardous to the Aquatic Environment: Not Classified
Acute aquatic toxicity: Not Classified
Chronic aquatic toxicity: Not Classified
Bioaccumulation potential: Not Classified
Rapid degradability: Not Classified

GHS Label elements, including precautionary statements
Pictogram: None
Signal Word: None
Hazard Statements: None
Precautionary Statements:
P102 - Keep out of reach of children.
P264 - Wash hands thoroughly after handling.

SUMMARY OF ACUTE HAZARDS

Repeated contact may cause skin irritation.

ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS

INHALATION

None

EYE CONTACT

Irritation, blurred vision.

SKIN CONTACT

Irritation, dermatitis, defatting.

INGESTION

Gastro-intestinal irritation, nausea, vomiting and diarrhea.

SUMMARY OF CHRONIC HAZARDS

Prolonged skin contact may result in irritation and absorption.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known.

Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: Nickel

PERCENTAGE BY WEIGHT: 30

CAS#: 7440-02-0

EC#: 231-111-4

Section 4 -- FIRST AID MEASURES

If INHALED: If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.

If on SKIN: Immediately flush with large amounts of water.

If in EYES: Immediately flush with large amounts of water for at least 15 minutes. Get prompt medical attention.

If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10).

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

Section 6 -- ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use absorbent materials to prevent footing hazard and to contain. Avoid flushing into sewers, drains, waterways, and soil. Wear protective during cleanup.

Section 7 -- HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep away from heat, sparks and open flames.

OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues and vapors; treat as if full and observe all product precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN.

Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT UNITS

Nickel

ACGIH TLV 1 mg/m3

OSHA PEL 0.1 mg/m3

RESPIRATORY PROTECTION (SPECIFY TYPE): None required.

VENTILATION - LOCAL EXHAUST: Acceptable

SPECIAL: N/A

MECHANICAL (GENERAL): Preferable

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.
=====Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/D
SPECIFIC GRAVITY (H2O = 1): 1.10
VAPOR PRESSURE (mm Hg): 0.01 @ 68 F (20 C)
MELTING POINT: N/A
VAPOR DENSITY (AIR = 1): <1
EVAPORATION RATE (ETHYL ACETATE = 1): <1
APPEARANCE/ODOR: Silver / Petroleum Odor
SOLUBILITY IN WATER: Insoluble
FLASH POINT 430 F (221 C) SETA CC
LOWER EXPLOSION LIMIT N/D
UPPER EXPLOSION LIMIT N/D
VOLATILE ORGANIC COMPOUNDS(VOC)Content
(Theoretical Percentage By Weight): 0% or (0 g/L)

=====

Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: Heat, sparks, open flames.
INCOMPATIBILITY (MATERIALS TO AVOID): Oxidizers, acids and bases.
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.

=====

Section 11 -- TOXICOLOGY INFORMATION

TOXICOLOGY DATA

Ingredient Name

Nickel

Oral-Rat LDLo:5 g/kg

Inhalation-Rat LC50:N/D

ADDITIONAL TOX INFORMATION: The National Toxicology Program has listed nickel and nickel oxide as possible cancer hazards. The International Agency for Research on Cancer concluded there was sufficient evidence that nickel refining was carcinogenic to humans and limited evidence that nickel and certain nickel compounds were carcinogenic to humans. IARC could not state with certainty which forms of nickel are carcinogens, but said "...metallic nickel seems less likely to be so than nickel subsulphide or nickel oxides." The inhalation of nickel oxide, even at high concentrations, and of nickel powder has not resulted in an increase incidence of malignant tumors in rodents. Studies of workers exposed to nickel powder and to dust

and fumes generated in the production of nickel alloys and of stainless steel have not indicated a respiratory cancer hazard. Inhalation of airborne nickel powder at concentrations fifteen times the PEL irritated the respiratory tract in rodents. Inhalation of nickel oxide impaired long-term lung clearance in rats and, at concentrations fifty times the PEL, produced pneumoconiosis in hamsters.

=====
Section 12 -- Ecological Information

ECOLOGICAL DATA

Ingredient Name

Nickel

Food Chain Concentration Potential: N/D

WATERFOWL TOXICITY: N/D

BOD: N/D

AQUATIC TOXICITY: N/D
=====

Section 13 -- DISPOSAL CONSIDERATIONS

Waste Classification: Non-regulated waste oil. Dispose of in accordance with all local, state and federal regulations.

Disposal Method: Used oil recycler
=====

Section 14 -- TRANSPORTATION INFORMATION

DOT: Non-regulated

OCEAN (IMDG): Non-regulated

AIR (IATA): Non-regulated

WHMIS (CANADA): Non-regulated
=====

Section 15 -- REGULATORY INFORMATION

REGULATORY DATA

Ingredient Name

Nickel

SARA 313 Yes

TSCA Inventory Yes

CERCLA RQ 100 lb.

RCRA Code N/A
=====

Section 16 -- OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001