# SAFETY DATA SHEET

# 1. Identification

**Product identifier OAKFLO® DSS 700** 

METALWORKING FLUID

Other means of identification

SDS number Not applicable B20123 **Product code** 

Recommended use METALWORKING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

**Address** 3000 Disney Street Cincinnati, OH 45209

**United States** 

Telephone Telephone 1-513-458-8100

Website www.cimcool.com E-mail Not available.

Telephone (USA) 1-800-424-9300 (CHEMTREC) **Emergency phone number** 

> Telephone (Outside USA) 1-703-527-3887 (CHEMTREC)

Not available. Supplier

# 2. Hazard(s) identification

Physical hazards Not classified.

Category 2A **Health hazards** Serious eye irritation

> Sensitization, skin Category 1

**Environmental hazards** Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation. May cause an allergic skin reaction.

**Precautionary statement** 

Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing Prevention

should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective

gloves.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Other hazards None known.

Supplemental information 2.92% of the mixture consists of component(s) of unknown acute oral toxicity. 5.59% of the

mixture consists of component(s) of unknown acute dermal toxicity.

The classified hazards shown on this SDS are associated with the product concentrate. These

hazards are not expected under recommended use conditions and dilution.

# 3. Composition/information on ingredients

# **Mixtures**

Material name: OAKFLO® DSS 700 SDS Canada 

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	≤25
HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S- TRIAZINE		4719-04-4	≤5
ISOPROPANOLAMINE		78-96-6	≤5
ALKOXYLATED LINEAR ALCOHOLS		68987-81-5	≤3
Other components below reportable I	evels		≤95

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

**Eve contact** Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

# 5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental

contamination.

# 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

# 8. Exposure controls/personal protection

# Occupational exposure limits

**ACGIH** 

 Type
 Value

 (CAS 64742-52-5)
 TWA
 5 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

**Hand protection** Use protective gloves made of: Nitrile.

**Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary,

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor Chemical
Odor threshold Not available.

**pH** 9.5

Melting point/freezing point  $< 30 \,^{\circ}\text{F} (< -1.1 \,^{\circ}\text{C})$ Initial boiling point and boiling  $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$ 

range

Flash point Not Applicable

**Evaporation rate** Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

pH in aqueous solution 8.8 @ 5%

Specific gravity 1.020

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Not classified.

**Skin contact** May cause an allergic skin reaction.

**Eye contact** Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

## Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

ALKOXYLATED LINEAR ALCOHOLS (CAS 68987-81-5)

Acute
Dermal
Liquid

LD50 Rabbit > 2000 mg/kg

**Oral** *Liquid* 

LD50 Rat 2380 - 2745 mg/kg

ISOPROPANOLAMINE (CAS 78-96-6)

<u>Acute</u> Dermal

Liquid

LD50 Rabbit 1576 mg/kg

Material name: OAKFLO® DSS 700 SDS Canada

Components Species Test Results

**Oral** *Liquid* 

LD50 Rat 2813 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Not classified.

Serious eye damage/eye

Causes eve irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

**Further information**The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

### 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results	
ALKOXYLATED LINE	AR ALCOHOLS (C	AS 68987-81-5)		
Aquatic				
Acute				
Crustacea	EC50	Daphnia	1 - 10 mg/l, 48 hours	
Fish	LC50	Pimephales promelas	1 - 10 mg/l, 96 hours	
ISOPROPANOLAMIN	E (CAS 78-96-6)			
Aquatic				
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours	
Acute				
Crustacea	EC50	Daphnia	109 mg/l, 48 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Persistence and degradability

# Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ALKOXYLATED LINEAR ALCOHOLS 3.01 ISOPROPANOLAMINE -0.93

**Mobility in soil** This product is miscible in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

 Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

**TDG** 

UN3082 **UN number** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKOXYLATED LINEAR **UN proper shipping name** 

ALCOHOLS)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** E3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

UN3082 **UN** number

**UN proper shipping name** Transport hazard class(es) Environmentally hazardous substance, liquid, n.o.s. (ALKOXYLATED LINEAR ALCOHOLS)

Class 9 Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKOXYLATED LINEAR **UN proper shipping name** 

ALCOHOLS), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

**Environmental hazards** 

Marine pollutant Yes **EmS** F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG; TDG



Material name: OAKFLO® DSS 700 

#### Marine pollutant



# 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

## **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

# **International Inventories**

	Country(s) or region	Inventory name On inventory or exempt ()	/es/no)*		
	Australia	Australian Inventory of Chemical Substances (AICS)	Yes		
	Canada	Domestic Substances List (DSL)	No		
	Canada	Non-Domestic Substances List (NDSL)	Yes		
	China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
	Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No		
	Europe	European List of Notified Chemical Substances (ELINCS)	No		
	Japan	Inventory of Existing and New Chemical Substances (ENCS)	No		
	Korea	Existing Chemicals List (ECL)	Yes		
	New Zealand	New Zealand Inventory	Yes		
	Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No		
	United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)					

# 16. Other information

**Issue date** 05-12-2017

Version # 01
NFPA ratings He

Health: 1 Flammability: 0 Instability: 0

Material name: OAKFLO® DSS 700 SDS Canada

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **Revision information**

Product and Company Identification: Product and Company Identification

Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: North America

GHS: Classification

Material name: OAKFLO® DSS 700 SDS Canada
Version #: 01 Issue date: 05-12-2017 8 / 8