

OP-U NONDRY Product name: Page: 1/8 Revision Date: 2014-09-26 Print date: 2014-09-26 Document No.: M0186 SDS-ID: GB-EN/3.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

OP-U NONDRY Product name:

Cat. No. 40700066, 40700067

1; 5 l Container size:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Polish. **Application:**

1.3. Details of the supplier of the safety data sheet

Struers A/S Supplier:

> Pederstrupvej 84 DK-2750 Ballerup Tel:+45 44 600 800

Responsible for safety data Responsible for safety data sheet authoring: DHI

sheet authoring: Any questions to the contents of this safety data sheet should be sent to:

Lisbeth.Mygind@struers.dk

1.4. Emergency telephone number

+45 44 600 800 Emergency telephone:

(Only during office hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:

67/548/EEC / 1999/45/EC:

GHS/CLP: STOT RE 2;H373K (*)

2.2. Label elements

(*)



Warning

Contains: Ethanediol

H373K May cause damage to organs (kidneys) through prolonged or repeated exposure.

Get medical advice/attention if you feel unwell.

P260 Do not breathe dust/fume/gas/mist/vapours/spray. P314

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

PBT/vPvB: Not relevant.

 Product name:
 OP-U NONDRY
 Page:
 2/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: silica and water.

67/548/EEC:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg.	Chemical name:	Hazard classification:	Notes:
			No:			
<25	107-21-1	203-473-3	-	Ethanediol	Xn;R22	
<0.5	1310-73-2	215-185-5	-	Sodium hydroxide	C;R35	

GHS/CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
<25	107-21-1	203-473-3	-	Ethanediol	Acute Tox. 4;H302 STOT RE 2;H373K	
<0.5	1310-73-2	215-185-5	-	Sodium hydroxide	Skin Corr. 1A;H314	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

<u>Inhalation:</u> Move into fresh air and keep at rest.

Skin contact: Remove contaminated clothes and rinse skin thoroughly with water.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring along these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable take to hospital along with these

instructions. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

<u>Symptoms/effects:</u> See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

 Product name:
 OP-U NONDRY
 Page:
 3/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards: No specific precautions.

5.3. Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes.

6.2. Environmental precautions

<u>Environmental</u> Avoid discharge into water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Dam and absorb spillage with sand, sawdust or other absorbent.

6.4. Reference to other sections

References: For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u> Avoid contact with skin and eyes. Observe good chemical hygiene practices.

Technical measures: Work practice should minimise contact.

<u>Technical precautions:</u> Local exhaust is recommended.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in tightly closed original container. Store at room temperature.

7.3. Specific end use(s)

Specific use(s): Not relevant.

 Product name:
 OP-U NONDRY
 Page:
 4/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

CAS-No.:	Chemical name:	<u>As:</u>	Exposure	e limits:	Type:	Notes:	References:
1310-73-2	Sodium hydroxide	-		2 mg/m3	STEL	15min	EH40
107-21-1	Ethane-1,2-diol, vapour	-	20 ppm	52 mg/m3	TWA	Sk	EH40
		-	40 ppm	104 mg/m3	STEL	Sk; 15min	
107-21-1	Ethane-1,2-diol, particulate	-		10 mg/m3	TWA	Sk	EH40

Sk: Can be absorbed through skin.

8.2. Exposure controls

Notes:

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation.

Personal protection: Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation and work of brief duration, use suitable

respiratory equipment. Use respiratory equipment with combination filter, type

A2/P2.

<u>Hand protection:</u> Risk of contact: Wear protective gloves. Nitrile gloves are recommended, but

be aware that the liquid may penetrate the gloves. Frequent change is

advisable.

Eye protection: Risk of splashes: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

Environmental Exposure

Controls:

Not available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<u>Appearance:</u> white suspension <u>Odour:</u> slight odour

 pH:
 9,5

 Melting point:
 0°C

 Boiling point:
 100°C

Flash point: Not available.

Explosion limits: Not available.

Relative density: 1,3

Solubility: Miscible with water.

9.2. Other information

Other data: Volatile Organic Compound (VOC): 250 g/l (calculated)

 Product name:
 OP-U NONDRY
 Page:
 5/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions: None known.

10.4. Conditions to avoid

Conditions/materials to avoid: None specific.

10.5. Incompatible materials

<u>Incompatible materials:</u> None known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation: Not relevant at normal room temperatures. When heated, harmful vapours may

be formed. (*)

Skin contact: Prolonged contact may cause redness and irritation. Contains components which

may penetrate the skin.

Eye contact: Splashes may irritate.

Ingestion: May cause intoxication, headache, dizziness, stomach pains, convulsions, and in

serious cases, unconsciousness, acute kidney failure, breathing and heart failure.

Lethal dose for an adult person: approx. 50-100 ml (ethanediol).

Specific effects: None known.

 Product name:
 OP-U NONDRY
 Page:
 6/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The degradability of the product has not been stated.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Waste from residues: EWC-code: 16 05 09

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u>

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

<u>PG:</u> -

14.5. Environmental hazards

Marine pollutant: Environmentally Hazardous -

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk: Not relevant.

 Product name:
 OP-U NONDRY
 Page:
 7/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

CSA status: Not relevant.

 Product name:
 OP-U NONDRY
 Page:
 8/8

 Revision Date:
 2014-09-26
 Print date:
 2014-09-26

 Document No.:
 M0186
 SDS-ID:
 GB-EN/3.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2, 11.

The (*) indicates the changes made with respect to the previous version.

Approved by DHI.

Allan Vorup

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of

R-phrases/H-statements:

R22 Harmful if swallowed.
R35 Causes severe burns.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H373K May cause damage to organs (kidneys) through prolonged or repeated exposure.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.