



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012

REVISION NUMBER: 1

DATE PRINTED: 04/19/2012

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **OS-60 (LIQUID OXYGEN REMOVER B-60)**

PRODUCT CODE: 118646

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1

Fire: 0/0

Reactivity: 1/1

Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes vomiting, nausea, and diarrhea.
SKIN CONTACT: Repeated or prolonged contact may irritate moderately.
INHALATION: None in normal use. Inhalation of dust or mist may cause nose and respiratory irritation.
EYE CONTACT: Causes moderate eye irritation. Possible tissue damage.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Sodium bisulfite 7631-90-5	1 - 5	5 mg/m ³	Not applicable

4. FIRST AID MEASURES

INGESTION: Induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person. Drink several glasses of water or milk.
SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.
INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

(F): None (C): Not determined

METHOD:

None

OS-60 (LIQUID OXYGEN REMOVER B-60)

FLAMMABLE LIMITS IN AIR

LOWER (%):

No data

UPPER (%):

No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

As appropriate for surrounding fire-product is mostly water and will not burn.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Rinse down drain.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN
IN HANDLING AND STORAGE:

Follow label directions carefully.

Avoid contact with skin and eyes. Do not breathe mist or vapors. Store only in original container and keep closed. Store away from acids.

OTHER PRECAUTIONS:

Keep out of reach of children.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

None known.

RESPIRATORY PROTECTION:

None normally required. Use NIOSH approved acid respirator with dust/mist filter if spray mist in air exceeds exposure limits.

PROTECTIVE GLOVES:

Rubber or plastic gloves recommended to minimize skin contact.

EYE PROTECTION:

Goggles.

OTHER PERSONAL PROTECTION

Appropriate protective clothing as needed to prevent skin contact.

EQUIPMENT:

VENTILATION:

Not normally required. General mechanical and/or local exhaust as needed to meet exposure limits if mist in air.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear. Light yellow liquid.

BOILING POINT (F):

> 212 F

(C) Not determined

VAPOR PRESSURE:

NA

VAPOR DENSITY (AIR=1):

NA

SOLUBILITY IN WATER:

Complete

SPECIFIC GRAVITY:

1.12 - 1.16

VOC Content (%):

NE

EVAPORATION RATE:

Unknown

PH:

6.6 - 7.6

OS-60 (LIQUID OXYGEN REMOVER B-60)

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Sodium sulfite decomposes above 302° F producing sulfur dioxide.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with: Acids. Strong oxidents, such as nitric acid, or hypochlorites. May release sulfur dioxide.
CONDITIONS/HAZARDS TO AVOID: None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Sodium bisulfite 7631-90-5	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Sodium bisulfite 7631-90-5	1 - 5	2270 kg 5000 lb	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Sodium bisulfite 7631-90-5	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Sodium bisulfite 7631-90-5	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

OS-60 (LIQUID OXYGEN REMOVER B-60)

PRODUCT COMPOSITION CAS#	%	NJRTK:
Sodium bisulfite 7631-90-5	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Sodium bisulfite 7631-90-5	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***