SAFETY DATA SHEET



Océ TonerPearls PP Cyan

Section 1. Identification

GHS product identifier

: Océ TonerPearls PP Cyan

Article number (Océ)

: 1060099515 / 25001508 / 29800188

Product code (Canon)

: 7503B021AA / 7503B039AA / 7503B013AA

Product type

: Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

: Toner for use in Océ ColorWave Printers. Other uses are not recommended.

Supplier's details

Canon USA Inc.

Canon Canada Inc.

One Canon Park, Melville, NY

6390 Dixie Road, Mississauga

11747, USA

ON L5T 1P7, Canada

1-800-OK-CANON

905-795-1111

e-mail address of person responsible for this SDS

Emergency telephone number (with hours of operation)

: sds-hq@oce.com

: USA: CHEMTREC# 1-800-424-9300 (24-hour safety information)

Canada: CHEMTREC 1-703-741-5500 (24-hour safety information)

or

001866 928 0789 24h

For chemical emergenies only.

Section 2. Hazards identification

OSHA/HCS status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable. : Not applicable. Response **Storage** : Not applicable. **Disposal** : Not applicable.

Hazards not otherwise

classified

: TonerPearls may cause choking when swallowed. Keep out of the reach of children.

Number: Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version :1 1/9 validation

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

CAS number/other identifiers

CAS number : Not applicable.

Ingredient name	%	CAS number
benzoic acid	1 - 5	65-85-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses.

Inhalation: If inhaled, remove to fresh air. Clean nose, mouth and throat. Cough up.

Skin contact: Wash contaminated skin with soap and water. Do NOT use solvents or thinners.

Ingestion : Wash out mouth with water. Seek medical advice if large quantities have been ingested.

Keep person warm and at rest. Do not induce vomiting unless directed to do so by

medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

: In case of fire, use water spray (fog), foam, dry chemical or CO2.

Unsuitable extinguishing:

media

: Do not use water jet.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Number: 458 Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version : 1 2/9 validation

Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

: Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Use with adequate ventilation. See operator manual or safety data sheet of the copier/ printer.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Do not store above the following temperature: 35°C (95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. See operator manual or safety data sheet of the copier/printer.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures

: Wash hands after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Wash contaminated clothing before reusing.

Eye/face protection

: Not required during normal intended use of this product.

Number: Date of issue/Date of revision : 11-06-2015 Date of previous issue Version :1 3/9 : No previous validation

Section 8. Exposure controls/personal protection

Skin protection

Hand protection
 Body protection
 Other skin protection
 Not required during normal intended use of this product.
 Not required during normal intended use of this product.
 Respiratory protection
 Not required during normal intended use of this product.
 Not required during normal intended use of this product.

Section 9. Physical and chemical properties

Appearance

Physical state : Solid. [spheres]

Color : Blue.
Odor : Faint odor.
Odor threshold : Not available.
pH : Not applicable

Melting point : 80 to 85°C (176 to 185°F)

Boiling point : >250°C (>482°F)

Flash point : Closed cup: 200.5°C (392.9°F) [ASTM D 3828-07. Based on test result of similar

product.]

Evaporation rate : Not applicable
Flammability (solid, gas) : Not available.
Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available.

Vapor density : Not available.

Relative density : 1.2 (20 °C)
1.08 (130 °C)

Solubility : Insoluble in the following materials: cold water and hot water.

Partially soluble in the following materials: acetone, Ethanol Soluble in the following materials: Ethyl methyl ketone

Soluble in the following materials: Ethyl methyl ketone

Solubility in water : <0.00001 g/l

Partition coefficient: n- : Not available.

octanol/water

. Not available.

Auto-ignition temperature : 425°C (797°F) **Decomposition temperature** : Not available.

Viscosity : 9.0 - 11.0 mPa·s (130 °C)

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : None known.

Incompatible materials: None known.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Number: 458 Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version : 1 4/9 validation

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
benzoic acid	LD50 Oral	Rat - Male	1700 mg/kg	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzoic acid	Skin - Mild irritant Skin - Moderate irritant	Human Human	-	40 minutes 0. 76 Percent 72 hours 22 milligrams Intermittent	-

Conclusion/Summary

Skin: Non-irritating to the skin. Based on toxicological literature on the ingredients of this

product and test results of similar products.

test results of similar products.

Eyes : Non-irritating to the eyes. Based on toxicological literature on the ingredients of this product and test results of similar products.

: Not applicable. No adverse effects are expected under intended use.

Respiratory

Sensitization

Not available.

Conclusion/Summary

Skin : Non-sensitizer. Based on toxicological literature on the ingredients of this product and

Mutagenicity

Product/ingredient name	Test	Experiment	Result
	OECD 471 471 Bacterial Reverse Mutation Test	Subject: Bacteria	Negative

Conclusion/Summary

: Not mutagenic in Ames test. Based on toxicological literature on the ingredients of this product and test results of similar products.

Carcinogenicity

Reproductive toxicity

Not available.

Conclusion/Summary

: No known significant effects or critical hazards.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
benzoic acid	Category 1	inhalation	lungs

Aspiration hazard

Not available.

Information on the likely routes of exposure

: Benzoic acid is classified as STOT RE 1 (inhalation, dust). However, Benzoic acid dust will not be formed due to the physical state of the toner. This was confirmed by means of emission measurements during normal use.

Number: 458 Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version : 1 5/9 validation

Section 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
benzoic acid	l	Daphnia - Daphnia magna - Neonate	48 hours
-	Acute LC50 180 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Conclusion/Summary: No results available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzoic acid	1,88	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Incineration or landfill should only be considered when recycling is not feasible. Dispose of according to all federal, state and local applicable regulations.

RCRA classification

: This product is not listed hazardous waste in accordance with Federal Regulation 40 CFR Part 261.

Section 14. Transport information

Number: 458 Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version : 1 6/9

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
UN proper shipping name	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.	Not available.	Not available.
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Not determined.

Clean Water Act (CWA) 307: C.I. Solvent Blue 70

Clean Water Act (CWA) 311: benzoic acid

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)** : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable. **Composition/information on ingredients**

Number: Date of issue/Date of revision : 11-06-2015 Date of previous issue Version :1 7/9 : No previous validation

Section 15. Regulatory information

Name		hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
benzoic acid	1 - 5	No.	No.	No.	Yes.	Yes.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	C.I. Solvent Blue 70	94277-77-7	1 - 5
Supplier notification	C.I. Solvent Blue 70	94277-77-7	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: The following components are listed: BENZOIC ACIDNew York: The following components are listed: Benzoic acid

New Jersey : The following components are listed: BENZOIC ACID; COPPER compounds

Pennsylvania : The following components are listed: BENZOIC ACID; COPPER COMPOUNDS

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Section 16. Other information

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing : 11-06-2015

Date of issue/Date of : 11-06-2015

revision

Date of previous issue : No previous validation

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Number: 458 Date of issue/Date of revision : 11-06-2015 Date of previous issue : No previous Version : 1 9/9