



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012

REVISION NUMBER:

4

DATE PRINTED: 04/19/2012

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **PETRO FREE**

PRODUCT CODE: 118039

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1

Fire: 1/1

Reactivity: 0/0

Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Irritation, nausea, vomiting and possible dizziness. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

SKIN CONTACT: Causes drying of the skin. Prolonged contact may lead to irritation and dermatitis.

INHALATION: Inhalation of vapors or mists may cause nose and respiratory irritation, sore throat, and coughing.

EYE CONTACT: Causes moderate eye irritation.

CHRONIC EFFECTS: Dermatitis.

EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Aliphatic hydrocarbon blend 69430-33-7	80 min.	Not applicable	Not applicable
Diethylene glycol butyl ether 112-34-5	5 - 10	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Give nothing by mouth. Get immediate medical attention.

SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): 220° F (C): 104° C
METHOD:	PMCC
FLAMMABLE LIMITS IN AIR	
LOWER (%):	0.3% (approx.)
UPPER (%):	4.3% (approx.)
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Water fog, carbon dioxide, foam, dry chemical. Do not use a direct stream of water; product will float and can be reignited on surface of water.
FIRE FIGHTING PROCEDURES:	Combustible. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Mop up all possible. Flush residue with water.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:	Not applicable
ENVIRONMENTAL PRECAUTIONS:	Not applicable
METHODS FOR CLEANING UP:	Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Use only with adequate ventilation. Do not store near heat, sparks or flame. Do not store near oxidizing agents. Store only in original container and keep closed. Do not reuse container. Mix only with cool water. Avoid prolonged contact. Do not breathe mist or vapors.
OTHER PRECAUTIONS:	Keep out of reach of children. Read and follow label instructions.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.
PROTECTIVE GLOVES:	Solvent resistant material such as Viton, neoprene or nitrile rubber.
EYE PROTECTION:	Safety Glasses. Goggles.
OTHER PERSONAL PROTECTION EQUIPMENT:	Appropriate protective clothing as needed to prevent skin contact.
VENTILATION:	General mechanical and/or local exhaust as needed to meet exposure limits if mist in air. Use non-sparking equipment. No smoking or open lights.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear, colorless liquid. Mild odor.	
BOILING POINT (F):	Approx. 474° - 600° F	(C) Approx. 246° - 316° C
VAPOR PRESSURE:	Less than 0.1 mm Hg @ 20° C max.	
VAPOR DENSITY (AIR=1):	Heavier	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	0.785 - 0.795	
VOC Content (%):	0 (ARB Method 310)	
EVAPORATION RATE:	Very Slow	
PH:	(10% in water) 6 - 8	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Incomplete combustion produces: Carbon Monoxide. Unidentified organic compounds.
INCOMPATIBILITY (MATERIALS TO AVOID):	Do not mix with: Acids. Alkalines. Strong oxidents, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID:	Avoid any source of ignition. Extreme heat, direct sunlight. Open flames.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:	Dispose in accordance with Federal, State and Local regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Aliphatic hydrocarbon blend 69430-33-7	80 min.	Not Listed	Listed	Not Listed	Not Listed
Diethylene glycol butyl ether 112-34-5	5 - 10	Listed	Listed	Listed	Not Listed

PETRO FREE

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Aliphatic hydrocarbon blend 69430-33-7	80 min.	Not Listed	Not Listed	Not Listed
Diethylene glycol butyl ether 112-34-5	5 - 10	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Diethylene glycol butyl ether 112-34-5	5 - 10	Listed

None of the components of this material are included in the Massachusetts Substance List nor are present at or above reportable levels.

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Diethylene glycol butyl ether 112-34-5	5 - 10	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Diethylene glycol butyl ether 112-34-5	5 - 10	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***