HALLIBURTON

SAFETY DATA SHEET

according to Regulation (EC) No. 453/2010

PHENOLPHTHALEIN INDICATOR SOLUTION (51200, 51202)

Revision Date: 15-Sep-2015 Revision Number: 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name PHENOLPHTHALEIN INDICATOR SOLUTION (51200, 51202)

Internal ID Code HM004003

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Reagent

1.3. Details of the supplier of the safety data sheet

Halliburton Energy Services

Halliburton House, Howemoss Place

Kirkhill Industrial Estate

Dyce

Aberdeen, AB21 0GN United Kingdom

www.halliburton.com

For further information, please contact

E-Mail address: fdunexchem@halliburton.com

1.4. Emergency telephone number +44 8 08 189 0979 / 1-760-476-3961

Emergency telephone - §4	45 - (EC)1272/2008
Europe	112
Croatia	Centar za kontrolu otrovanja (CKO): (+385 1) 23-48-342 (Poison Control Center (PCC) - Institute for Medical Research and Occupational Health)
Cyprus	+210 7793777
Denmark	Poison Control Hotline (DK): +45 82 12 12 12
France	ORFILA (FR): + 01 45 42 59 59
Germany	Poison Center Berlin (DE): +49 030 30686 790
Italy	Poison Center, Milan (IT): +39 02 6610 1029
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)
Norway	Poisons Information (NO):+ 47 22 591300
Poland	Poison Control and Information Centre, Warsaw (PL): +48 22 619 66 54; +48 22 619 08 97
Romania	+40 21 318 36 06
Spain	Poison Information Service (ES): +34 91 562 04 20
United Kingdom	NHS Direct (UK): +44 0845 46 47

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

REGULATION (EC) NO 1212/2000	
Serious Eye Damage / Eye Irritation	Category 2 - (H319)
Germ Cell Mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Reproductive Toxicity	Category 2 - (H361)
Specific Target Organ Toxicity - (Single Exposure)	Category 3 - (H336)

Flammable liquids. Category 2 - (H225)

2.2. Label Elements

Hazard Pictograms



Signal Word

Hazard Statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Danger

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Contains

SubstancesCAS NumberPhenolphthalein77-09-8Isopropanol67-63-0

2.3. Other Hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on Ingredients

3.2. Mixtures Mixture

Substances	EINECS	CAS	PERCENT	EU - CLP Substance	REACH No.
		Number	(w/w)	Classification	
Phenolphthalein	201-004-7	77-09-8	1 - 5%	Muta. 2 (H341)	No data available
·				Carc. 1B (H350)	
				Repr. 2 (H361)	
Isopropanol	200-661-7	67-63-0	30 - 60%	Eye Irrit. 2 (H319)	01-2119457558-25
				SŤOT SE 3 (H336)	
				Flam. Liq. 2 (H225)	

For the full text of the H-phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If inhaled, move victim to fresh air and seek medical attention.

Eyes In case of contact, or suspected contact, immediately flush eyes with plenty of

water for at least 15 minutes and get medical attention immediately after

flushina.

Skin In case of contact, immediately flush skin with plenty of soap and water for at

least 15 minutes. Get medical attention. Remove contaminated clothing and

launder before reuse.

Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical Ingestion

attention.

4.2. Most Important symptoms and effects, both acute and delayed

Causes severe eye irritation May cause headache, dizziness, and other central nervous system effects. Potential carcinogen. May cause heritable genetic damage. Potential reproductive hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically **Notes to Physician**

SECTION 5: Firefighting Measures

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam.

Extinguishing media which must not be used for safety reasons

None known.

5.2. Special hazards arising from the substance or mixture

Special Exposure Hazards

May be ignited by heat, sparks or flames. Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases. Vapors are heavier than air and may accumulate in low areas. Vapors may travel along the ground to be ignited at distant locations.

5.3. Advice for firefighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove sources of ignition. Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Evacuate all persons from the area.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas. Consult local authorities.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove.

6.4. Reference to other sections

See Section 8 and 13 for additional information.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling

Remove sources of ignition. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Ensure adequate ventilation. Launder contaminated clothing before reuse. Ground and bond containers when transferring from one container to another.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from oxidizers. Store in a cool, dry location. Keep from heat, sparks, and open flames. Keep container closed when not in use.

7.3. Specific End Use(s)

Exposure Scenario No information available Other Guidelines No information available

SECTION 8: Exposure Controls/Personal Protection

Revision Date: 15-Sep-2015

8.1. Control parameters

Exposure Limits

Substances	CAS Number	EU	UK	Netherlands	France
Phenolphthalein	77-09-8	Not applicable	Not applicable	Not applicable	Not applicable
Isopropanol	67-63-0	Not applicable	TWA: 400 ppm TWA: 999 mg/m³ STEL: 500 ppm STEL: 1250 mg/m³	Not applicable	STEL: 400 ppm STEL: 980 mg/m ³

Substances	CAS Number	Germany	Spain	Portugal	Finland
Phenolphthalein	77-09-8	Not applicable	Not applicable	Not applicable	Not applicable
Isopropanol	67-63-0	TWA: 200 ppm TWA: 500 mg/m ³	TWA: 200 ppm TWA: 500 mg/m³ 400 ppm STEL [VLA-EC]; 1000 mg/m³ STEL [VLA-EC]	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm TWA: 500 mg/m³ STEL: 250 ppm STEL: 620 mg/m³

Substances	CAS Number	Austria	Ireland	Switzerland	Norway
Phenolphthalein	77-09-8	Not applicable	Not applicable	Not applicable	Not applicable
Isopropanol	67-63-0	TWA: 200 ppm TWA: 500 mg/m ³	200 ppm TWA 400 ppm STEL	TWA: 200 ppm TWA: 500 mg/m ³	TWA: 100 ppm TWA: 245 mg/m ³
		STEL" 800 ppm	100 ррш 0122	STEL: 400 ppm	STEL: 150 ppm
		STEL" 2000 mg/m ³		STEL: 1000 mg/m ³	STEL: 306.25 mg/m ³

Substances	CAS Number	Italy	Poland	Hungary	Czech Republic
Phenolphthalein	77-09-8	Not applicable	Not applicable	Not applicable	Not applicable
Isopropanol	67-63-0	Not applicable	TWA: 900 mg/m ³ STEL: 1200 mg/m ³	TWA: 500 mg/m ³ STEL: 2000 mg/m ³	TWA: 500 mg/m ³

CAS Number	Denmark	Romania	Croatia	Cyprus
77-09-8	Not applicable	Not applicable	Not applicable	Not applicable
67-63-0	TWA: 200 ppm TWA: 490 mg/m ³	TWA: 81 ppm TWA: 200 mg/m³ STEL: 203 ppm	TWA: 400 ppm TWA: 999 mg/m ³ STEL: 500 ppm	Not applicable
	77-09-8	77-09-8 Not applicable 67-63-0 TWA: 200 ppm	77-09-8 Not applicable Not applicable 67-63-0 TWA: 200 ppm TWA: 81 ppm TWA: 490 mg/m³ TWA: 200 mg/m³	77-09-8 Not applicable Not applicable Not applicable 67-63-0 TWA: 200 ppm TWA: 81 ppm TWA: 400 ppm TWA: 490 mg/m³ TWA: 200 mg/m³ TWA: 999 mg/m³ STEL: 203 ppm STEL: 500 ppm

Derived No Effect Level (DNEL)

No information available.

<u>Worker</u>	•								
Substances	Long-term exposure - systemic effects, Inhalation	exposure -	exposure - local effects, Inhalation		exposure - systemic		exposure - local effects,		Hazards for the eyes - local effects
Isopropanol	500 mg/m ³	Not available	Not available	Not available	888 mg/kg bw/day	Not available	Not available	Not available	Not available

General Population

Substances	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Long-term	Acute /	Hazards
	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	exposure -	short term	for the
	systemic	exposure -	local	exposure -	systemic	exposure -	local	exposure -	systemic	exposure -	eyes -
	effects,	systemic	effects,	local	effects,	systemic	effects,	local	effects,	local	local
	Inhalation	effects,	Inhalation	effects,	Dermal	effects,	Dermal	effects,	Oral	effects,	effects
		Inhalation		Inhalation		Dermal		Dermal		Oral	
Isopropanol	89 mg/m ³	Not	Not	Not	319 mg/kg	Not	Not	Not	26 mg/kg	Not	Not
		available	available	available	bw/day	available	available	available	bw/day	available	available

Predicted No Effect Concentration (PNEC) No information available. Marine water Intermittent Substances Freshwater Sewage Sediment Sediment Air Soil Secondary (marine poisoning release treatment (freshwater) plant water) Isopropanol 140.9 mg/L 140.9 mg/L 140.9 mg/L Not available 28 mg/kg 160 mg/kg 2251 mg/L 552 mg/kg 552 mg/kg sediment dw sediment dw food

8.2. Exposure controls

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without

good cross ventilation.

Personal protective equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection Organic vapor respirator.

Hand Protection Impervious rubber gloves.

Rubber apron. Skin Protection

Eve Protection Chemical goggles; also wear a face shield if splashing hazard exists. **Other Precautions** Eyewash fountains and safety showers must be easily accessible.

Environmental Exposure Controls Do not allow material to contaminate ground water system

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid Color: Clear colorless

Alcohol Odor Threshold: No information available Odor:

Property

Remarks/ - Method

pH: Freezing Point/Range **Melting Point/Range Boiling Point/Range** Flash Point Flammability (solid, gas)

upper flammability limit

Partition coefficient: n-octanol/water

lower flammability limit **Evaporation rate** Vapor Pressure **Vapor Density Specific Gravity** Water Solubility Solubility in other solvents

Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties

9.2. Other information **VOC Content (%)**

Values

No data available No data available

No data available No data available 21 °C / 70 °F PMCC

No data available No data available

No data available Soluble in water No data available No data available No data available No data available No data available

No information available No information available

No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Keep away from heat, sparks and flame.

10.5. Incompatible Materials

Stainless steel.

10.6. Hazardous Decomposition Products

Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

Inhalation May cause respiratory irritation. May cause central nervous system depression including

headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech,

Revision Date: 15-Sep-2015

giddiness and unconsciousness.

Eye Contact May cause severe eye irritation.

Skin ContactMay be absorbed through the skin and contribute to the symptoms listed under

ingestion. May cause skin defatting with prolonged exposure. Can dry skin.

Ingestion May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation and central

nervous system depression.

Chronic Effects/Carcinogenicity Repeated overexposure may cause liver and kidney effects. This product is a potential

carcinogen. Suspected of damaging fertility or the unborn child. May cause heritable

genetic damage.

Toxicology data for the components

Substances	CAS	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Number			
Phenolphthalein	77-09-8	>3500 mg/kg (Rat)	No data available	No data available
Isopropanol	67-63-0	4396 mg/kg (Rat)	12,800 mg/kg (Rat)	72.6 mg/L (Rat) 4h
		5840 mg/kg (Rat)	12,870 mg/kg (Rabbit)	> 10,000 mg/L (Rat) 6h
		3600 mg/kg (Mouse)	6280 mg/kg (Rabbit)	

	CAS Number	Skin corrosion/irritation
Phenolphthalein	77-09-8	No data of sufficient quality are available.
Isopropanol	67-63-0	Non-irritating to the skin (Rabbit)

	CAS Number	Eye damage/irritation	
Phenolphthalein	77-09-8	o data of sufficient quality are available.	
Isopropanol	67-63-0	Causes moderate eye irritation. (Rabbit)	

Substances	CAS Number	Skin Sensitization	
Phenolphthalein	77-09-8	d not cause sensitization on laboratory animals	
Isopropanol	67-63-0	Did not cause sensitization on laboratory animals (guinea pig)	

Substances	CAS Number	Respiratory Sensitization
Phenolphthalein	77-09-8	No information available
Isopropanol	67-63-0	No information available

Substances	CAS Number	Mutagenic Effects
Phenolphthalein	77-09-8	In vitro tests have shown mutagenic effects Some in vivo tests have shown mutagenic effects.
Isopropanol	67-63-0	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects	
Phenolphthalein	77-09-8	This product is a suspected carcinogen.	
Isopropanol	67-63-0	Did not show carcinogenic effects in animal experiments	

Substances	CAS Number	Reproductive toxicity	
Phenolphthalein	77-09-8	xperiments have shown reproductive toxicity effects on laboratory animals	
Isopropanol	67-63-0	No significant toxicity observed in animal studies at concentration requiring classification.	

Substances	CAS Number	STOT - single exposure	
Phenolphthalein	77-09-8	No information available	
Isopropanol	67-63-0	May cause headache, dizziness, and other central nervous system effects.	

Substances	CAS	STOT - repeated exposure	
	Number		
Phenolphthalein	77-09-8	No significant toxicity observed in animal studies at concentration requiring classification.	
Isopropanol		No significant toxicity observed in animal studies at concentration requiring classification. (similar substances)	

PHENOLPHTHALEIN INDICATOR SOLUTION (51200, 51202)

Substances	CAS Number	Aspiration hazard
Phenolphthalein	77-09-8	Not applicable
Isopropanol	67-63-0	Not applicable

Revision Date: 15-Sep-2015

SECTION 12: Ecological Information

12.1. Toxicity Ecotoxicity Effects

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Phenolphthalein	77-09-8	EC50 (72h) 8.9 mg/L (Desmodesmus subspicatus)	No information available	No information available	EC50 (48h) > 100 mg/L (Daphnia magna)
Isopropanol	67-63-0	EC50 (72h) > 1000 mg/L (Desmodesmus subspicatus) EC50 (7d) 1800 mg/L (Scenedesmus quadricauda)	LC50 (96h) 9640 mg/L (Pimephales promelas) LC50 (7d) 7060 mg/L (Poecilia reticulata)	TT (16h) 1050 mg/L (Pseudomonas putida)	EC50 (48h) 13,299 mg/L (Daphnia magna) EC50 (24h) > 10,000 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Phenolphthalein	77-09-8	(76% @ 28d)
Isopropanol	67-63-0	Readily biodegradable (53% @ 5d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Phenolphthalein	77-09-8	0.9
Isopropanol	67-63-0	0.05

12.4. Mobility in soil

Substances	CAS Number	Mobility
Phenolphthalein	77-09-8	KOC = 490
Isopropanol	67-63-0	KOC = 1.5

12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Substances	PBT and vPvB assessment	
Phenolphthalein	Not PBT/vPvB	
Isopropanol	Not PBT/vPvB	

12.6. Other adverse effects

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations. **Contaminated Packaging**Follow all applicable national or local regulations.

SECTION 14: Transport Information

IMDG/IMO

UN Number: UN1219

UN Proper Shipping Name: Isopropanol Solution

Transport Hazard Class(es): 3

PHENOLPHTHALEIN INDICATOR SOLUTION (51200, 51202)

Packing Group:

Environmental Hazards: Not applicable

<u>RID</u>

UN Number: UN1219

UN Proper Shipping Name: Isopropanol Solution

Transport Hazard Class(es): 3
Packing Group: 11

Environmental Hazards: Not applicable

ADR

UN Number: UN1219

UN Proper Shipping Name: Isopropanol Solution

Transport Hazard Class(es): 3
Packing Group: ||

Environmental Hazards: Not applicable

IATA/ICAO

UN Number: UN1219

UN Proper Shipping Name: Isopropanol Solution

Transport Hazard Class(es): 3
Packing Group: ||

Environmental Hazards: Not applicable

14.1. UN Number: UN1219

14.2. UN Proper Shipping Name: Isopropanol Solution

14.3. Transport Hazard Class(es): 3

14.4. Packing Group:

14.5. Environmental Hazards: Not applicable

14.6. Special Precautions for User: None

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

SECTION 15: Regulatory Information

Revision Date: 15-Sep-2015

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS Inventory This product, and all its components, complies with EINECS

US TSCA Inventory

All components listed on inventory or are exempt.

Canadian DSL Inventory

All components listed on inventory or are exempt.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Germany, Water Endangering

Classes (WGK)

Not determined.

Substances	CAS Number	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization
Phenolphthalein	77-09-8	Use restricted. See item 28.	Not applicable

15.2. Chemical Safety Assessment

No information available

SECTION 16: Other Information

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361 - Suspected of damaging fertility or the unborn child

Key or legend to abbreviations and acronyms

bw - body weight

CAS - Chemical Abstracts Service

CLP - REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on Classification,

Labelling and Packaging of substances and mixtures

EC - European Commission

EC10 - Effective Concentration 10%

EC50 - Effective Concentration 50%

EEC - European Economic Community

ErC50 – Effective Concentration growth rate 50%

IBC Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

LC50 - Lethal Concentration 50%

LD50 - Lethal Dose 50%

LL0 - Lethal Loading 0%

LL50 - Lethal Loading 50%

MARPOL - International Convention for the Prevention of Pollution from Ships

mg/kg - milligram/kilogram

mg/L - milligram/liter

NIOSH - National Institute for Occupational Safety and Health

NOEC - No Observed Effect Concentration

NTP - National Toxicology Program

OEL - Occupational Exposure Limit

PBT - Persistent Bioaccumulative and Toxic

PC – Chemical Product category

PEL - Permissible Exposure Limit

ppm - parts per million

PROC - Process category

REACH - REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the

Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL - Short Term Exposure Limit

SU – Sector of Use category

Key literature references and sources for data

www.ChemADVISOR.com/

OSHA

ECHA C&L

Revision Date: 15-Sep-2015

Revision Note

SDS sections updated: 1

This safety data sheet complies with the requirements of Regulation (EC) No. 453/2010

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet