

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision date	: 2018-08-28
Publication date	:2018-08-28

Version number : 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

(a) F	Product	identifier
-------	---------	------------

SDS	:	33602
Lamp Material Data Sheet code (LMDS)	:	TL8-13100A
Supplier	:	PHILIPS LIGHTING, NORTH AMERICA
		200 Franklin Square Drive
Tradename		Somerset, NJ 08873-4186 PHILIPS T8 FLUORESCENT LAMPS - ALL
Travename	-	TYPES
(b) Other means of identification	:	All ALTO, non-ALTO, Standard, HO, Circular, U- Bent and TuffGuard All lengths, coatings, wattages
(c) Relevant identified uses of the against	e su	bstance or mixture and uses advised
General description	:	Fluorescent Lamp
Use	:	Various
Uses advised against	:	No data available
(d) Details of the supplier of the s	safe	ty data sheet
Supplier safety data sheet		Philips Electronics Nederland B.V., Philips Environment & Safety, High Tech Campus 37, 5656 AE Eindhoven, Tel. +31 (0)40 27 41 645
Responsible department	:	dangerous.goods@philips.com
(e) Emergency telephone number	r	
Emergency telephone number:		
CHEMTREC	:	+1 (0)800-424-9300
<b>SECTION 2: Hazards identification</b>	า	

(a) Classification of the substance or mixture

### Classification in accordance with 29 CFR 1910.1200

Not classified.

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article and as such does not require an SDS per the OSHA hazard communication standard.

### (b) Label elements

### Labelling in accordance with 29 CFR 1910.1200

Label : not applicable. Remarks on labelling: none

## (c) Other hazards

none.

SECTION 3: Composition/information on ingredients	
Component	CAS number
GLASS	65997-17-3
FLUORESCENT POWDER	-
MERCURY	7439-97-6
POLY(ETHYLENE TEREPHTHALATE)	25038-59-9

Remark: The product contains: 1.7 - 3.5 mg Mercury

### **SECTION 4: First aid measures**

## (a) Description of first aid measures

- Skin : Not applicable.
- Ingestion : Not applicable.
- Inhalation : Not applicable.
- Eyes : Not applicable.

## (b) Most important symptoms and effects, both acute and delayed

Skin	local	:	Under normal circumstances not applicable.
	general	:	Under normal circumstances not applicable
Ingestion	local	:	Under normal circumstances not applicable
	general	:	Under normal circumstances not applicable
Inhalation	local	:	Under normal circumstances not applicable
	general	:	Under normal circumstances not applicable
Eyes	local	:	Under normal circumstances not applicable

Remarks symptoms : None

(c) Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

### (a) Extinguishing media

Suitable fire-extinguisher determined by surrounding. Unsuitable fire-extinguisher not traceable.

## (b) Special hazards arising from the substance or mixture

Hazardous decomposition products in fire: Silicon dioxide, Mercury oxides, metal oxide

### (c) Advice for firefighters

In the event of fire, wear protective clothing and use breathing apparatus that is independent of the ambient air.

### **SECTION 6: Accidental release measures**

### (a) Personal precautions, protective equipment and emergency procedures

### **Personal precautions**

In case of broken articles, use protective equipment. Evacuate area.

### For non-emergency personnel

### Protective equipment

Wear protective gloves/protective clothing/eye protection/face protection.

### **Emergency procedure**

Ventilate affected area.

### For emergency responders

Use appropriate respiratory protection. Personal protection equipment

### (b) Methods and material for containment and cleaning up

### For containment

Collect materials needed to clean up broken bulb: stiff paper or cardboard; sticky tape; damp paper towels or disposable wet wipes (for hard surfaces); and a glass jar with a metal lid or a sealable plastic bag. Be thorough in collecting broken glass.

### For cleaning up

DO NOT VACUUM. Vacuuming is not recommended unless broken glass remains after all other cleanup steps have been taken. Vacuuming could spread mercury-containing

powder or mercury vapor. Scoop up glass fragments using stiff paper or cardboard and sticky tape. Place cleanup materials in a sealable container.

### Other information

No information available.

## **SECTION 7: Handling and storage**

(a) Precautions for safe handling

**Local exhausting** : Under normal circumstances not applicable.

(b) Conditions for safe storage, including any incompatibilities

**Storage conditions** : No special precautions.

### **SECTION 8: Exposure controls/personal protection**

## (a) Control parameters

**Exposure limits :** 

### applicable to: United States of America (25 °C; 1013 mbar)

TWA(8 hours):	0.025 mg/m3	S	MERCURY- [according to ACGIH]
TWA (8 hours):	0.1 mg/m3	С	MERCURY- [according to NIOSH]
TWA (8 hours)	0.1 mg/10m <sup>3</sup>	С	MERCURY – [according to OSHA PEL]

C=Ceiling; S=Skin

### Remarks exposure limits : none

(b) Appropriate engineering controls: Under normal circumstances not applicable

## (c) Exposure controls

### Advised personal protection:

Hands:	Under normal circumstances not applicable.
Breakthrough time:	Under normal circumstances not applicable.
Eyes:	Under normal circumstances not applicable.
Inhalation:	Under normal circumstances not applicable.
Skin:	Under normal circumstances not applicable.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state	:	article
Color	:	type dependent

Odor	:	odorless		
Odor threshold (20ºC; 1013 mbar)	:	not traceable		
рН	:	not applicable		
Melting point/freezing point	:	not traceable		
Boiling point/range	:	not traceable		
Flash point/range	:	not applicable		
Evaporation rate/range	:	not applicable		
Vapor rate/range	:	not applicable		
Flammability (solid, gas)	) :	data not available		
Upper/lower flammability or explosive limit	<b>y</b> :	not applicable		
Vapor pressure	:	not applicable		
Vapor density	:	not applicable		
Density	:	not traceable		
Solubility in water Log Po/w: 4.5 MERC 0.54 POLY( TEREF	UR ET	Y	Source Source	
Auto-ignition temperatur Decomposition temperat Viscosity Dust explosions possibl Oxidizing properties	re tur	e : not applicable : not traceable : not applicable		

# **SECTION 10: Stability and reactivity**

# (a) Reactivity

Not applicable.

## (b) Chemical stability

The substance or mixture is stable under normal conditions.

# (c) Possibility of hazardous reactions

Reactions with water	: no

# (d) Conditions to avoid

Data not available.

# (e) Incompatible materials

Hazardous reactions with : none

# (f) Hazardous decomposition products

### Hazardous decomposition products at heating: none

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute oral toxicity No data available.

Acute dermal toxicity

No data available.

Acute inhalation toxicity No data available.

### Skin corrosion/irritation

The substance or mixture is not classified for skin corrosion/-irritation.

### Serious eye damage/irritation

The substance or mixture is not classified for serious eye damage/irritation.

### Respiratory or skin sensitization

The substance or mixture is not classified for respiratory or skin sensitization.

### Germ cell mutagenicity

The substance or mixture is not classified for germ cell mutagenicity.

#### Carcinogenicity

IARC: Group 3: Not classifiable as to its carcinogenicity to humans (Mercury)
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

The substance or mixture is not classified for reproductive toxicity.

#### Specific target organ toxicity-single exposure

The substance or mixture is not classified for specific target organ toxicity-single exposure.

#### Specific target organ toxicity-repeated exposure

The substance or mixture is not classified for specific target organ toxicity-repeated exposure.

#### Aspiration hazard

The substance or mixture is not classified for aspiration hazard.

### Symptoms

Skin	local	:	Not applicable.
	general	:	Not applicable.
Ingestion	local	:	Not applicable.
	general	:	Not applicable.
Inhalation	local	:	Not applicable.

	general	:	Not applicable.
Eyes	local	:	Not applicable.
Remarks symptoms		:	None

# **SECTION 12: Ecological information**

# (a) Toxicity

## Ecotoxicity

LC-50: 0.004 mg/l/96H EC-50: 0.0205 mg/l/48	· · ·	MERCURY MERCURY			si View A- Gestis
(Daphnia)		CONT			
IC-50: 0.3 mg/l/72H (A	gae) MER	MERCURY		: Ea	si View
(b) Persistence an	d degradabilit	У			
Biological oxygen dem	and:	not applicable			
Chemical oxygen dem	and:	not applicable			
Degradability:		not applicable			
(c) Bioaccumulative potential					
Bioconcentration factor	(BCF):>2500	MERCURY			
(d) Mobility in soil					
Henry Constant	: 1.46E-1 atm m3/mol	POLY(ETHYLENE TEREPHTHALATE		irce:	Easi View
(e) Other adverse effects					

Remarks on eco-toxicity: none

# **SECTION 13: Disposal considerations**

### Waste treatment methods

Remainder material or uncleaned empty packaging's have to be incinerated in a proper installation or dumped on an approved landfill, in accordance with local and national legislation.

# **SECTION 14: Transport information**

## (a) UN number

DOT/49CFR	: none
IMDG/IMO	: none
IATA/ICAO	: 3506
Remarks IATA/ICAO	: For transport exemptions consult IATA special provisions A48, A69 and A191.

## (b) UN proper shipping name

DOT/49CFR: noneIMDG/IMO: noneIATA/ICAO: MERCURY CONTAINED IN MANUFACTURED ARTICLES

# (c) Transport hazard class(es)

DOT/49CFR : none IMDG/IMO : none IATA/ICAO : 8 (6.1)

# (d) Packing group

DOT/49CFR : none IMDG/IMO : none IATA/ICAO : none

# (e) Environmental hazards

Marine pollutant : no

# (f) Special precautions for user

Hazard identification number (ADR/RID): none EmS (IMDG/IMO) : none

# (g) Transport in bulk according to Annex II of Marpol and the IBC Code

Data not available.

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **US Federal regulations**

SARA 313: Mercury SARA 311/312: not applicable. HMIS Classification: not applicable. U.S. Clean Water Act Section 307 – Toxic Pollutants: Mercury

## National inventories

Articles are exempted from the Toxic Substances Control Act Inventory (TSCA-USA).

## International inventories

DSL/NDSL: This substance is on the DSL (Mercury)

# **SECTION 16: Other information**

**Remarks on SDS** : Working on this product may release toxic dust. Toxic mercury vapors can be released if the lamp is broken. For transport exemptions consult applicable regulations.

A key or legend	to appreviations and acronyms used in the safety data sheet
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
CAS	Chemical Abstracts Service
TGG = TWA	Time Weighted Average
LEL	Lower Explosive Limit
UEL	Upper Explosive Limit
NTP	National Toxicology Program
KHC	Known Human Carcinogen
RAHC	Reasonably Anticipated Human Carcinogen
IARC	International Agency for Research on Cancer
OSHA	Occupational Safety & Health Administration
DOT	US Department of Transportation
RID	Règlement concernant le transport international ferroviaire des marchandises dangereuses
UN	United Nations
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ΙΑΤΑ	International Air Transport Association
ICAO	International Civil Aviation Organization
EmS	Emergency Schedule
SARA	Superfund Amendments and Reauthorization Act

A key or legend to approviations and acronyme used in the select data sheet

\* Point to alterations with regard to the previous version.

The information provided in this Safety Data Sheet is believed to be correct as of the date issued. Philips Electronics Nederland B.V. makes no warranty as to its contents, nor as to its fitness for any particular purpose or use.