

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 26-Jan-2010 Revision Date 24-Sep-2014 Revision Number 1

1. Identification

Product Name Potassium persulfate

Cat No. : BP180-100; P281-500; P282-100; P282-500

Synonyms Dipotassium peroxydisulfate (Crystals/Crystalline Powder/Certified/Certified ACS)

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Emergency Telephone Number

Fisher Scientific CHEMTREC®, Inside the USA: 800-424-9300
One Reagent Lane CHEMTREC®, Outside the USA: 001-703-527-3887
Fair Lawn, NJ 07410

2. Hazard(s) identification

Classification

Tel: (201) 796-7100

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids

Acute oral toxicity

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Respiratory Sensitization

Skin Sensitization

Specific target organ toxicity (single exposure)

Category 3

Category 2

Category 1

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer

Potassium persulfate

Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Inhalation

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %	
Potassium persulfate	7727-21-1	>95	

4. First-aid measures

Potassium persulfate

Eve Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth Inhalation

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Obtain medical attention.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Most important symptoms/effects May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause

> allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing Treat symptomatically

Notes to Physician

Fire-fighting measures

CO₂, dry chemical, dry sand, alcohol-resistant foam. **Suitable Extinguishing Media**

Unsuitable Extinguishing Media

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire.

Hazardous Combustion Products

Sulfur oxides Oxides of potassium

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	2	OX

6. Accidental release measures

Personal Precautions Environmental Precautions Ensure adequate ventilation. Use personal protective equipment. Avoid dust formation. Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep away Up

from clothing and other combustible materials. Avoid dust formation.

7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Keep away from clothing and other combustible materials. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Wash hands before breaks and immediately after handling the product.

Potassium persulfate

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium persulfate	TWA: 0.1 mg/m ³		

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Potassium persulfate			TWA: 0.1 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering Measures Use only under a chemical fume hood. Ensure that evewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection

Hygiene Measures

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection **Respiratory Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Solid **Physical State Appearance** White Odor Odorless

No information available **Odor Threshold**

4-5 50 g/l aq.sol 100 °C / 212 °F Melting Point/Range Boiling Point/Range No information available Flash Point No information available

No information available **Evaporation Rate** Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available

Vapor Pressure No information available Vapor Density No information available **Relative Density** No information available Slightly soluble in water Solubility

No data available Partition coefficient; n-octanol/water No information available **Autoignition Temperature**

Decomposition temperature 100 °C

Viscosity No information available

Molecular Formula K2 O8 S2 **Molecular Weight** 270.3

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Oxidizer: Contact with combustible/organic material may cause fire. Hygroscopic.

Potassium persulfate

Conditions to Avoid Incompatible products. Excess heat. Combustible material. Avoid dust formation. Exposure

to moist air or water.

Strong oxidizing agents, Strong reducing agents, Strong bases, Alcohols, Organic **Incompatible Materials**

materials, Powdered metals

Hazardous Decomposition Products Sulfur oxides, Oxides of potassium

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Potassium persulfate	802 mg/kg (Rat)	10000 mg/kg (Rabbit)	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes, respiratory system and skin Irritation

Sensitization May cause sensitization by inhalation and skin contact

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Potassium persulfate	7727-21-1	Not listed				

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Component Freshwater Algae		Microtox	Water Flea	
Potassium persulfate	Not listed	LC50: 100 mg/L/96h	Not listed	EC50: 357 mg/L/24H	
1		(P.reticulata)		(Daphnia magna)	

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Potassium persulfate

Mobility No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1492

Proper Shipping Name POTASSIUM PERSULFATE

Hazard Class 5.1 Packing Group III

TDG

UN-No UN1492

Proper Shipping Name POTASSIUM PERSULFATE

Hazard Class 5.1 Packing Group

IATA

UN-No UN1492

Proper Shipping Name POTASSIUM PERSULFATE

Hazard Class 5.1 Packing Group III

IMDG/IMO

UN-No UN1492

Proper Shipping Name POTASSIUM PERSULFATE

Hazard Class 5.1 Packing Group III

15. Regulatory information

International Inventories

	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Г	Potassium persulfate	Х	Χ	-	231-781-8	-		Х	Χ	Χ	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes

Potassium persulfate

Fire Hazard No Sudden Release of Pressure Hazard No

Reactive Hazard None known, based on information available

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Compon	ent	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Potassium pe	rsulfate	X	Х	Х	=	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

C Oxidizing materials

D2A Very toxic materials

D2B Toxic materials



16. Other information

Prepared By Regulatory Affairs
Thorms Fisher Scientific

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 26-Jan-2010

 Revision Date
 24-Sep-2014

 Print Date
 24-Sep-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS