SAFETY DATA SHEET



Date of issue/Date of revision22 September 2016Version 9

Section 1. Identification		
Product name	: PR 2001LW B 2 Part D	
Product code	: PR 2001LW B 2 Part D	
Other means of identification	: Not available.	
Product type	: Solid.	
Relevant identified uses o	f the substance or mixture and uses advised against	
Product use	: Industrial applications.	
Use of the substance/ mixture	: Sealants	
Uses advised against	: Not applicable.	
Manufacturer	: PPG Aerospace PRC-DeSoto 12780 San Fernando Road Sylmar, CA 91342	
Emergency telephone number	Phone: 818 362 6711 : (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)	

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 69.7%
GHS label elements	
Hazard pictograms	
Signal word	: Warning

Product name PR 2001LW B 2 Part D

Section 2. Hazards identification

: Causes serious eye irritation. Causes skin irritation. May cause respiratory irritation.
: Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well- ventilated area. Avoid breathing dust. Wash hands thoroughly after handling.
: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
: Store locked up.
: Dispose of contents and container in accordance with all local, regional, national and international regulations.
: Emits toxic fumes when heated.
: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Product name	: PR 2001LW B 2 Part D

Ingredient name	%	CAS number
Polythio Ether Polyether, Thiol Terminated	≥50 - ≤75	Not available.
calcium carbonate	≥20 - ≤50	471-34-1
proprietary polysulfide resin	≥5.0 - ≤10	Not available.
glass, oxide, chemicals	≥1.0 - ≤5.0	65997-17-3
aluminium hydroxide	≥1.0 - ≤5.0	21645-51-2
3-aminopropyltriethoxysilane	<1.0	919-30-2

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person. Description of necessary first aid measures

Description of necessary	first aid measures
Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Most important symptom	s/effects, acute and delayed
Potential acute health e	ffects
Eye contact	: Causes serious eye irritation.
Inhalation	: May cause respiratory irritation.
Skin contact	: Causes skin irritation.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sy</u>	<u>mptoms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate r	nedical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
Notes to physician	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

United States

Page: 4/13

Product name PR 2001LW B 2 Part D

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Special precautions	: If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits			
Volythio Ether Polyether, Thiol Terminated	None.			
calcium carbonate	ACGIH TLV (United States).			
	TWA: 3 mg/m ³ Form: Respirable			
	TWA: 10 mg/m ³ Form: Total dust			
	OSHA PEL (United States).			
	TWA: 5 mg/m ³ Form: Respirable			
	TWA: 15 mg/m ³			
	OSHA PEL (United States, 2/2013).			
	TWA: 5 mg/m ³ 8 hours. Form: Respirable			
	fraction			
	TWA: 15 mg/m ³ 8 hours. Form: Total dust None. OSHA PEL (United States). TWA: 15 mg/m ³			
proprietary polysulfide resin				
glass, oxide, chemicals				
	TWA: 5 mg/m ³ Form: Respirable			
	TWA: 15 mg/m ³ Form: Total dust			
	ACGIH TLV (United States).			
	TWA: 1 f/cc Form: Continuous filament glass			
	fibers			
	TWA: 5 mg/m ³ , (Inhalable) Form:			
	Continuous filament glass fibers			
	United States Page: 5/13			

Section 8. Exposure controls/personal protection

TWA: 3 mg/m ³ Form: Respirable TWA: 10 mg/m ³ Form: Total dust ACGIH TLV (United States, 3/2015). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to or greater than 3:1 as determined by the
ACGIH TLV (United States, 3/2015). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to
TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to
fraction TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to
TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to
length greater than 5 uM; aspect ratio equal to
of greater than o. I do determined by the
membrane filter method at 400-450X
magnification (4-mm objective) phase contrast
illumination.
ACGIH TLV (United States, 3/2015).
TWA: 1 mg/m ³ 8 hours. Form: Respirable
fraction
ACGIH TLV (United States).
TWA: 1 mg/m ³
None.

А	 Acceptable Maximum Peak 	S	 Potential skin absorption
ACGIH	 American Conference of Governmental Industrial Hygienists. 	SR	 Respiratory sensitization
С	= Ceiling Limit	SS	 Skin sensitization
F	= Fume	STEL	 Short term Exposure limit values
IPEL	 Internal Permissible Exposure Limit 	TD	= Total dust
OSHA	 Occupational Safety and Health Administration. 	TLV	= Threshold Limit Value
R	= Respirable	TWA	= Time Weighted Average
Z	= OSHA 29 CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances		

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	:	Chemical splash goggles.

Product name PR 2001LW B 2 Part D

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physica		and chemical properties
<u>Appearance</u>		
Physical state	1	Solid.
Color	:	Not available.
Odor	:	Not available.
Odor threshold	1	Not available.
рН	4	Not available.
Melting point	1	Not available.
Boiling point	1	Not available.
Flash point	1	Closed cup: 93.33°C (200°F)
Material supports combustion.	1	Yes.
Auto-ignition temperature	1	Not available.
Decomposition temperature	1	Not available.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
Evaporation rate	1	Not available.
Vapor pressure	1	Not available.
Vapor density	:	Not available.
Relative density	1	1.05
Density (lbs / gal)	:	8.76
Solubility	:	Insoluble in the following materials: cold water
Partition coefficient: n-		Not available.

octanol/water

Viscosity

: Kinematic (40°C (104°F)): Not applicable.

Date of issue 22 September 2016Version 9

Product name PR 2001LW B 2 Part D

Section 9. Physical and chemical properties

VOC

% Solid. (w/w)

: 4 g/l : 99.7

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
3-aminopropyltriethoxysilane	LD50 Dermal	Rabbit	4 g/kg	-
	LD50 Oral	Rat	1.57 g/kg	-
Conclusion/Summary	: There are no data available on t	he mixture itsel	f.	
rritation/Corrosion				
Conclusion/Summary				
Skin	: There are no data available on t	he mixture itsel	f.	
Eyes	: There are no data available on t	he mixture itsel	f.	
Respiratory	: There are no data available on t	he mixture itsel	f.	
<u>Sensitization</u>				
Conclusion/Summary				
Skin	: There are no data available on t	he mixture itsel	f.	
Respiratory	: There are no data available on t	he mixture itsel	f.	
<u>Mutagenicity</u>				
Conclusion/Summary	: There are no data available on t	he mixture itsel	f.	
Carcinogenicity				
Conclusion/Summary	: There are no data available on t	he mixture itsel	f.	
Classification				

Section 11. Toxicological information

Product/ingredient name	OSHA	IARC	NTP
glass, oxide, chemicals	-	3	-
Carcinogen Classificatio	n code:	1	
IARC: 1, 2A, 2B, 3 NTP: Known to b OSHA: + Not listed/not reg	e a human car	rcinogen; Rea	sonably anticipated to be a human carcinogen
Reproductive toxicity			
Conclusion/Summary	: There are	e no data a	vailable on the mixture itself.
eratogenicity			
Conclusion/Summary	: There are	e no data a	vailable on the mixture itself.
pecific target organ toxicit	<u>y (single ex</u>	<u>posure)</u>	
Name			Category
Polythio Ether Polyether, Thic proprietary polysulfide resin 3-aminopropyltriethoxysilane	I Terminated	d	Category 3 Category 3 Category 1
pecific target organ toxicit	y (repeated	exposure)	
Not available.			
arget organs			nich may cause damage to the following organs: lungs, the nervou atory tract, skin, eyes.
r <mark>arget organs</mark> Aspiration hazard Not available.			
Aspiration hazard Not available. Formation on the likely rout	system, r es of expos	upper respir	
Aspiration hazard Not available.	system, r es of expos	upper respir	
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact	system, i es of expos <u>s</u> : Causes s	upper respir s ure serious eye	ratory tract, skin, eyes.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation	system, i es of expos s : Causes s : May caus	upper respir s ure serious eye se respirato	irritation. ry irritation.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact	system, i es of expos s : Causes s : May caus : Causes s	upper respir sure serious eye se respirato skin irritation	irritation. ry irritation. n.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact Ingestion	system, i es of expos S : Causes s : May caus : Causes s : No know	upper respir sure serious eye se respirato skin irritation	irritation. ry irritation.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact Ingestion Over-exposure signs/sympto	system, i es of expos : Causes s : May caus : Causes s : No know	upper respir sure serious eye se respirato skin irritation n significan	irritation. ry irritation. n. t effects or critical hazards.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact Ingestion	system, i es of expos : Causes s : May caus : Causes s : No know	upper respir sure serious eye se respirato skin irritation n significan symptoms i ritation	irritation. ry irritation. n.
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact Ingestion Over-exposure signs/sympto	system, i es of expos s : Causes s : May caus : Causes s : No know oms : Adverse pain or ir watering redness : Adverse	upper respir sure serious eye se respirato skin irritation n significan symptoms i ritation	ratory tract, skin, eyes. irritation. ry irritation. n. t effects or critical hazards. may include the following: may include the following:
Aspiration hazard Not available. Formation on the likely rout Potential acute health effect Eye contact Inhalation Skin contact Ingestion Over-exposure signs/sympto Eye contact	system, i es of expos : Causes s : May caus : Causes s : No know oms : Adverse pain or ir watering redness : Adverse respirato coughing	upper respir sure serious eye se respirato skin irritation n significan symptoms r ritation symptoms r ry tract irrita	ratory tract, skin, eyes. irritation. ry irritation. n. t effects or critical hazards. may include the following: may include the following:

Product name PR 2001LW B 2 Part D

Section 11. Toxicological information

Conclusion/Summary	: There are no data available on the mixture itself. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
<u>Long term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Potential chronic health effe	e <u>cts</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Not available.	

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
3-aminopropyltriethoxysilane	1.7	3.4	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Product name PR 2001LW B 2 Part D

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

- DOT : None identified. IMDG : None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Polythio Ether Polyether, Thiol Terminated proprietary polysulfide resin 3-aminopropyltriethoxysilane	No. No. Yes.	No. No. No.	No. No. No.	Yes. Yes. Yes.	No. No. No.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 2 Flammability : 1 Physical hazards : 0 (*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection AssoHealth:2Flammab	pility : 1 Instability : 0
Date of previous issue	: 4/24/2016
Organization that prepared the MSDS	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
🔽 Indiantan information that k	has shanged from providually issued version

Indicates information that has changed from previously issued version.

<u>Disclaimer</u>

Date of issue 22 September 2016Version 9

Product name PR 2001LW B 2 Part D

Section 16. Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.